



October 8, 2015

Mr. James Shano
Public Works Director / Town Engineer
Assistant to the Town Manager for Strategic Planning
Town of Paradise Valley
6401 East Lincoln Drive
Paradise Valley, Arizona 85253-4328

RE: Ritz Carlton Parking Study Comment Responses and Resubmittal

Dear Mr. Shano:

CivTech is resubmitting the parking study for the Ritz Carlton resort to include three previous comments that still required updating. Comments were collected during a presentation to the planning commission as well as from an email indicating the staff requested corrections. The report now addresses those comments and concerns and presents the parking required and provided by the Ritz Carlton for the hotel and retail parcels. The residential parcels within the development will be self parked and are encouraged to meet the Town's parking requirements. This submittal supplements the update provided on October 8, 2015. The comments received are noted below:

October 14, 2015 Update

- Page 1, first paragraph – The hours utilized for peak use should be 6am to 12am, not 6am to 12pm.

The text on page 1 has been revised to read 6am to 12 am.

- Page 5, third paragraph – The report indicates that the hourly occupancy rate as a percentage of use was suggested by the operations department of the Ritz Carlton, should this be based on a standard such as ITE, ULI, City of Scottsdale, etc.?

The report has been updated to use ULI instead of operational data provided by the Ritz Carlton. The parking required increased slightly and therefore the provided parking was adjusted to accommodate the peak event when using a valet only scenario.

- This analysis discusses shared parking with the Palmeraie and an agreement will need to be in place once operational.

A statement was added to the conclusions that a shared parking agreement between the Ritz Carlton and the Palmeraie will be required.

October 8, 2015 Update

- The total valet parking provided calculation removed the self-parking after applying the 1.15 ratio. Please remove those areas before applying the 1.15 ratio.

This calculation has been revised as shown on page 1 of the parking analysis. It should be noted that the number of traditional parking spaces provided has increased from 438 to 460 which is reflected in the updated study.

- Note that B, C and D will be self parked and are encouraged to meet the Towns code.

A description of the residential nature of these parcels and their need to self-park has been added to the first paragraph in page 1 of the parking analysis.

- Discuss the valet only scenario implementation.

Additional discussion regarding the implementation of the valet-only scenario from the traditional scenario has been added to page 6 in the valet only section of the report.

- Where is the ADA parking shown in the plan?
ADA parking will be provided near the porte-cochere at the front of the resort. While not specifically discussed in the parking study, a recommendation to include ADA accessible parking has been provided on page 2.
- Add discussion of parking isle width.

A quick discussion of meeting Town requirements for parking stall size and depth along with isle width was added to the Conclusion section of the report shown in page 2.

- There could be some loss of parking based on locations shown at edge of garage.

The parking shown in conceptual and the final design will provide the required number of parking spaces and ensure that circulation can be provided.

- Remove surface parking related to Ritz Carlton.

The text relating to Ritz Carlton surface parking has been removed.

We appreciate your time and assistance with the Ritz Carlton project. Please contact me with any questions you may have on this resubmittal.

Sincerely,



Dawn D. Cartier, P.E., PTOE
Project Manager

**RITZ CARLTON PROPERTY
PARKING ANALYSIS**

**Northeast Corner of Section 10
Township 2 North, Range 4 East**



Expires 3/31/2016

Prepared for:

Town of Paradise Valley
6401 East Lincoln Drive
Paradise Valley, Arizona 85253

By:

CivTech, Inc.
8590 East Shea Boulevard
Suite 130
Scottsdale, Arizona 85350
(480) 659-4250

October 2015
CivTech Project # 15-360

TABLE OF CONTENTS

EXECUTIVE SUMMARY	1
CONCLUSION	2
PROPOSED DEVELOPMENT.....	3
RITZ CARLTON PARKING CALCULATION METHODOLOGY	3
Parking Generation	3
Parking Calculation	4
Shared Parking Analysis.....	4
RESORT DESIGN AVERAGE WEEKDAY AND WEEKEND RESULTS	5
RESORT PEAK SEASON WEEKDAY AND WEEKEND RESULTS	6
RESORT VALET ONLY SCENARIO.....	6
PALMERAIE PARKING CALCULATION METHODOLOGY	7
Parking Generation	7
Parking Calculation	7
Shared Parking Analysis.....	8
PALMERAIE PARKING RESULTS.....	9
APPENDIX.....	1

LIST OF TABLES

Table 1 – Resort Parking Summary	1
Table 2 – Palmeraie Parking Summary.....	2
Table 3 – Non-Shared Parking Spaces Required.....	4
Table 4 – Shared Parking Spaces Required*	5
Table 5 – Peak Season Peak Event Resort Parking Summary	6
Table 6 - City of Scottsdale Parking Demand by Land Use	7
Table 7- Palmeraie Required Unadjusted Parking (Not Shared)	8
Table 8 - City of Scottsdale Parking Utilization by Use.....	8
Table 9 - City of Scottsdale Shared Parking Calculation	9

A parking demand analysis was conducted for the Ritz Carlton Resort (“Resort”) and the surrounding Palmeraie mixed-use area to determine the number of parking spaces required to support the new resort hotel, amenities and retail area when fully utilized. These calculations determine the average parking requirements and the overall peak parking requirements for the area pursuant to the site plan revised in July 2015. A shared parking analysis was also completed to account for the changes in parking demand created by alternate uses within the Resort and retail areas including the hotel, restaurants, offices, event areas and recreation areas during various times of the day. The shared parking analysis for the resort was conducted using a shared parking methodology approved by the Town of Paradise Valley for two scenarios, Average Use and Peak Use for both Weekdays and Weekends, between the hours of 6:00 a.m. and 12:00 a.m. Shared parking for the Palmeraie development was calculated using the City of Scottsdale’s approved shared parking methodology. This letter documents the findings of the analysis for the resort and retail portions of the Ritz Carlton. There are three other parcels within the development, Parcels B, C and D, which will be developed with residential land uses and are encouraged to provide parking consistent with the Town’s code requirements.

EXECUTIVE SUMMARY

Shared parking calculations were performed for the Ritz Carlton Resort for the average utilization and the peak utilization. Average utilization of the resort requires 406 parking spaces while peak utilization requires 535 parking spaces. The current resort plan provides for 710 parking spaces which includes the required parking for the resort villas, an ownership product which can revert into the resort rental pool. A total of 390 parking spaces are provided adjacent to the resort and 310 parking spaces are provided adjacent to the villas and resort retail shops. 240 parking spaces are reserved for the resort villas leaving 470 parking spaces to be shared amongst the resort uses, 48 shared spaces are located adjacent to the resort retail. These spaces, along with miscellaneous spaces provided around the site, provide enough parking supply for the highest use during the non-peak season. **Table 1** provides a summary of the resort parking.

Table 1 – Resort Parking Summary

	Spaces
Shared Peak Parking Required	535
Shared Non-Peak Parking Required	406
Traditional Parking Provided	470
Valet Parking Provided	540

Additionally, to accommodate parking demand in excess of the highest peak hour calculated, a valet scenario has been established. The Ritz Carlton resort will operate with a full time mandatory valet service although traditional parking was considered in the report to evaluate a more conservative condition. Parking spaces shown in the plan are striped for traditional parking. The valet scenario considers the use of both the resort and resort villa parking areas.

An increase of 15 percent may be applied to the available parking when providing valet services, thus increasing the available parking to 540 spaces $[(710 - 240) \times 1.15]$. With the valet, there would be a surplus of 5 parking spaces during the peak event. A valet service is required during the peak event to meet the parking demand.

Without shared parking, the Town of Paradise Valley SUP Guidelines indicate that 472 parking spaces are required during the average use period and that 621 parking spaces are required during the peak use period.

The proposed resort facility meets the parking requirements as determined by the Town of Paradise Valley's SUP Guidelines using a shared parking demand model.

Shared parking calculations were also prepared for the Palmeraie development using the shared parking model established by the City of Scottsdale. A total of 2,291 parking spaces are required for the Palmeraie development without consideration for shared parking. Using the City's shared parking model, a total of 1,876 parking spaces are required. The current plan for the Palmeraie indicates that 3,366 parking spaces will be provided. These values are summarized in **Table 2**.

	Spaces
Shared Peak Parking Required	1,876
Parking Provided	3,366

A total of 3,366 parking spaces will be provided at the Palmeraie development which indicates that a surplus of as many as 1,490 spaces could be available for use by the Ritz Carlton. Both Palmeraie and Ritz Carlton have agreed to share these excess spaces in the case of large events at the Ritz Carlton Resort. Retail and office parking needs diminish greatly in the evening which is the typical peak for resort parking.

CONCLUSION

The parking provided by the Ritz Carlton Resort will accommodate the average resort utilization. During a peak event, the resort will provide a valet only scenario which will accommodate the required parking.

The adjacent Palmeraie development provides an opportunity to share some additional parking due to their symbiotic uses. The parking for a resort hotel typically peaks during an event which happens in the evening. Palmeraie will contain retail and some office uses. Parking spaces associated with office uses are typically available for other users after 5:00 PM. Retail parking tends to peak in the late afternoon and then steadily decrease through the evening with most retail stores closed by 9:00 PM. Palmeraie is currently showing excess parking of more than 1,000 spaces that could be shared with the Ritz Carlton development should the need arise. A shared parking with the Palmeraie and an agreement should be in place once operational.

Parking should be designed to meet the Town of Paradise Valley code and should meet all ADA requirements. Parking stall depth and width along with isle width should be design in accordance with Town standards. ADA accessible parking should be designed in a location convenient for resort entry. Although a valet option will be available for ADA patrons, ADA accessible parking will still be required.

PROPOSED DEVELOPMENT

This parking evaluation considers the effects of both the Ritz Carlton Resort and the Palmeraie Center. These two properties are adjacently located and will have cross access for shared parking.

Regular parking for the resort will be provided by two parking areas connected by internal driveways. The main parking area for the Resort as proposed will consist of 390 spaces. Approximately 310 additional parking spaces are located adjacent to the resort villas and the 30,000 square foot resort commercial use.

The Ritz Carlton development is proposed with a 200 room resort hotel and 120 villas including a spa, lodge, meeting facilities, gardens, outdoor function space, and retail. The residential component of the plan consists of 144 lots/units of low density single family residential and 100 units/lots of attached residences. The commercial component of the site within the Town limits is planned to consist of 151,000 square feet of retail/restaurant use and 200 attached residential dwelling units.

The adjacent Palmeraie development, located within the City limits of Scottsdale, will be cohesively designed with the retail portion of the Ritz Carlton. Palmeraie is located on the southwest corner of Scottsdale Road and Indian Bend Road. Palmeraie is a planned retail development consisting of approximately 300,000 SF of retail and restaurant land uses, a 175 room hotel and 235 resort hotel condominium units. There has been some discussion of allowing the City of Scottsdale to annex the retail portion of the Ritz Carlton plan. Therefore the parking analysis for the Palmeraie development has been evaluated using criteria from the City of Scottsdale. The current Palmeraie plan indicates that 3,366 spaces will be provided in the parking garage and surrounding surface parked areas.

Parking for the surrounding residences, as proposed in the Town of Paradise Valley *Draft October 2005 Special Use Permit (SUP) Guidelines*, which are separately "owned" components of the plan, will be self-contained.

RITZ CARLTON PARKING CALCULATION METHODOLOGY

Parking Generation

Parking demand was calculated using the rates provided by the Town of Paradise Valley SUP Guidelines. Square footage areas for various uses (i.e. restaurant, meeting rooms, etc.) and/or the number of units were based on a summary Resort program and corresponding site plan as shown within the Ritz Carlton SUP submittal dated July 2015. The Resort Summary Program is attached in Appendix A. Site plans for the Resort and for Palmeraie have been included in Appendix B. The following assumptions were made when generating parking for each use.

- ◆ Section 4 of the *Town of Paradise Valley Special Use Permit Guidelines* was used to determine the number of spaces required for the resort and uses located within and around the hotel.¹

¹ Town of Paradise Valley Special Use Permit Guidelines Section 4 "Resorts", DRAFT October 27, 2005

Each use within the Resort was placed into one of the six categories presented within Section 4 of the SUP Guidelines. Section 4b states that the *“requirements may be modified in conjunction with special use permit or major amendment approval based on information documenting overlapping usage of on-site facilities by guests or visitors and as contained in an approved traffic analysis.”*

Parking Calculation

Parking was calculated for individual uses within the Resort using the rates documented in Section 4 of the SUP Guidelines. The gross parking required for each use was calculated. The gross parking was then prorated by assigning a percentage indicating the overlap from guests already staying within the resort (“onsite demand”) vs. drawing new trips (vehicles) from non-guests (“offsite demand”). All parking for guest rooms and employees was determined to be completely “off-site”. Parking generated by all other uses was assumed to be used by Resort occupants (“on-site”) and non-Resort occupants (“off-site”). Therefore, overlap percentages were applied to these uses to account for the “on-site” occupants who will already be parked as part of the resort guest room rate or within the Ritz Carlton community housing. This occurrence is known as internal capture. The percentages applied to the uses were originally determined from data provided by Marriott International for their resort at Camelback Inn and a verification letter provided by The Ritz Carlton Hotel Company, LLC. In subsequent parking evaluations within the Town of Paradise Valley, the assumptions have been refined to reflect the character and demographics of a typical resort user.

The parking demand was calculated for both the average use and peak use of the hotel. The average use of the hotel would likely occur during the resort off-season. The number of occupied rooms during the off-season was assumed at full occupancy to maintain a conservative approach to these calculations. Peak demand calculations were prepared to provide a parking demand during the resorts peak season including events which would have a higher number of local users.

The net number of parking spaces for each use was summed to obtain the minimum *non-shared* parking requirements for the average and peak scenarios. The results of the calculations are presented in **Table 3**. Detailed calculations are attached in Appendix C.

Table 3 – Non-Shared Parking Spaces Required

Calculation Method	Parking Spaces	
	Average Use	Peak Use
Town of Paradise Valley SUP Guidelines	472	621

Shared Parking Analysis

For projects with a variety of land uses, the parking demand for each land use would peak at different hours. Therefore, the actual number of spaces needed at a given hour is less than cumulative parking demand. *Shared Parking* Urban Land Institute [ULI] describes shared parking as follows:

“Shared parking is defined as a parking space that can be used to serve two or more individual land uses without conflict or encroachment. The opportunity to implement shared parking is the result of two conditions:

- Variations in the peak accumulation of parked vehicles as the result of different activity patterns of adjacent or nearby land uses (by hour, by day, by season)
- Relationships among land use activities that result in people’s attraction to two or more land uses on a single auto trip to a given area or development”

To determine the total number of shared parking spaces required between different land uses, a parking occupancy rate analysis was conducted. To calculate the total number of shared spaces required, the non-shared parking spaces (as previously calculated and shown in Table 3) are multiplied by the occupancy rate for that hour represented as a percentage of use. This analysis was completed using the distribution data as suggested by the Urban Land Institute’s *Shared Parking*. ITE does not provide time of day data for a ‘Leisure Hotel’ or a ‘Resort Hotel’.

Occupancy is dependent upon peak seasonal factors, days of the week, and time periods. Per the development code two scenarios were established, weekday and weekend. Each scenario looks at time periods beginning at 6:00 a.m. and ending at 12:00 a.m.

The “adjusted” net number of parking spaces required for each use during each time period is aggregated. The resultant is the required number of spaces for each time period. The shared parking demand required is determined by the greatest of the aggregate values calculated, weekday total or weekend total. The shared parking results are presented in **Table 4**. Detailed calculations are attached within Appendix D.

Table 4 – Shared Parking Spaces Required*

Scenario	Shared Parking Spaces	
	Weekday	Weekend
<i>Average Use</i>	387	406
<i>Peak Use</i>	535	535

*Shared totals do not include the 240 spaces required by the Resort Villas which will be valet parked in an independent lot.

A total of 406 shared parking spaces are required for the Resort based on average utilization while 535 will be required during the peak utilization.

RESORT DESIGN AVERAGE WEEKDAY AND WEEKEND RESULTS

Using shared parking distributions, the average use parking demand for the resort is estimated to be 406 parked vehicles. Without shared parking, the Resort will require 472 parking spaces. The site plan for the resort currently shows 470 parking spaces available for shared parking (710 total spaces – 240 resort villa spaces) which indicates the resort has excess parking of 58 spaces. The peak demand period is in the weekend evening period, 7:00 p.m. – 8:00 p.m.

RESORT PEAK SEASON WEEKDAY AND WEEKEND RESULTS

During the peak season the resort will be fully utilized with full occupancy of the guest rooms and the ballrooms and event areas. A peak season parking calculation was prepared to account for the possibility that the users of the ballrooms and event areas could be different from the guests within the resort. To account for the possibility of a higher number of non-guest ("off-site") users, the ratios applied to the Guest Lawn and the Ballrooms were modified to allow for 50 percent on-site and 50 percent off-site use. The analysis was also prepared assuming that all ballroom and event areas would contain individual non-related groups during the same time period. This would require the resort to provide 535 shared parking spaces to accommodate the likelihood of a peak event. This is 67 spaces less than the provided parking as shown on the site plan.

RESORT VALET ONLY SCENARIO

Most Ritz Carlton Resorts operate on a valet only basis. The parking design in this location has been designed for self-parking with the option to switch to a valet only scenario as needed. Due to the advanced booking of hotel rooms and events which will take place in the ballrooms, the resort can easily determine when a valet only scenario must be used to accommodate the required parking. Discussions with Ritz Carlton operations indicate that the parking would begin the transition from traditional parking to valet-only parking 24-hours in advance of the peak event. The valet only scenario can be applied to achieve a higher rate of parking within the same field provided for self parking. On average, the parking rate achieved by a valet only scenario increases the number of spaces by 20 to 30 percent when planned. This evaluation assumes that an efficiency of 15 percent can be achieved since specific valet plans have not been created. The resort can self park 470 vehicles within the main parking areas and an additional 240 vehicles as required for the resort villas. This same area, when converted to a valet assist scenario would allow parking for a minimum of 540 cars [(710 total spaces – 240 resort villa spaces) x 1.15 efficiency]]. With the valet, there would be a surplus of 2 parking spaces. The valet only scenario provides more parking than that required by the peak event during the peak season.

Although it is not anticipated that any additional parking will be necessary to support the Ritz Carlton project, an agreement to park vehicles at the Palmeraie during the evenings and weekends, the peak usage of the resort, will provide in excess of 1,000 spaces in addition to the 540 spaces mentioned above.

This information has been summarized in **Table 5** below.

Table 5 – Peak Season Peak Event Resort Parking Summary

Calculation Methodology	Parking Required		Parking Provided	
	Gross	Shared	Traditional	Valet Assist
Town SUP Guidelines	621	535	470	540

PALMERAIE PARKING CALCULATION METHODOLOGY

Parking Generation

Parking demand calculations were generated separately for the Palmeraie development which will provide separate parking facilities from the Ritz Carlton Resort. It should be noted that a large portion of the proposed Palmeraie mix-use development is located within the City of Scottsdale limits. Therefore, parking rates and calculations for the Palmeraie development were computed using the City of Scottsdale parking requirements.

The City of Scottsdale stipulates the number of parking spaces required for various types of development. These parking requirements are outlined in *City of Scottsdale's Zoning Ordinance Appendix B, Article IX*. **Table 6** summarizes the City's required parking ratios by use according to the zoning ordinance.

Table 6 - City of Scottsdale Parking Demand by Land Use

Land Use	Space Requirement	
	Rate	Units
Office	1 space/300 SF	SF
Gym/Health and Wellness	1 space/200 SF	SF
Retail	1 space/300 SF	SF
Residential/Luxury Condos	1 space/DU	DU
Restaurant and Bars	1 space/120 SF	SF
Grocery Store/Gourmet Foods	1 space/300 SF	SF
Hotel	1.25 spaces/guest room	Room

Parking Calculation

Parking was calculated for individual uses within the Palmeraie development using the rates documented in Appendix B, Article IX. The gross parking required for each use was calculated. Internal capture within the site was not a consideration for the Palmeraie development.

The parking demand was calculated for the all of the uses within the Palmeraie development. The net number of parking spaces for each use was summed to obtain the minimum *non-shared* parking requirements.

The parking requirements outlined in **Table 6** were applied to the square footage for each land use within the Palmeraie development. **Table 7** summarizes the unshared parking needs for the Palmeraie development. Detailed calculations are attached in Appendix E.

Table 7- Palmeraie Required Unadjusted Parking (Not Shared)

Land Use	Intensity		Space Requirement		Parking Required
Office	102,031	SF	300	S.F./space	340
Gym/Health and Wellness	25,523	SF	200	S.F./space	128
Retail	210,879	SF	300	S.F./space	703
Residential/Luxury Condos	487	DU	1	DU/space	487
Restaurant and Bars	53,491	SF	120	S.F./space	446
Grocery Store/Gourmet Foods	18,149	SF	300	S.F./space	60
Hotel	159	Room	1.25	Room/space	127
TOTAL					2,291

The total number of spaces required by the City of Scottsdale Zoning Ordinance without consideration for shared parking by time of day is calculated at 2,291.

Shared Parking Analysis

Similar to the shared parking analysis prepared for the Ritz Carlton Resort, a separate shared parking analysis was prepared for the Palmeraie development. The City of Scottsdale has established utilization percentages for both weekday and weekend operation. Each day is divided into three blocks of time, 12am-7am, 7am-6pm and 6pm-12am. Table 8 displays the utilization percentages as shown within the City of Scottsdale's Parking Code.

Table 8 - City of Scottsdale Parking Utilization by Use

General Land Use Classification	Weekdays			Weekends		
	12AM - 7AM	7AM - 6PM	6PM - 12AM	12AM - 7AM	7AM - 6PM	6PM - 12AM
Office	5%	100%	5%	0%	60%	10%
Gym/Office Health and Wellness	5%	100%	5%	0%	60%	10%
Retail	0%	100%	80%	0%	100%	60%
Residential/Luxury Condos	100%	55%	85%	100%	65%	75%
Restaurant and Bars	50%	70%	100%	45%	70%	100%
Grocery Store/Gourmet Foods	50%	70%	100%	45%	70%	100%
Hotel	100%	65%	90%	100%	65%	80%

The total parking required for each use as shown in Table 7 was factored for each of the six categories shown in Table 8. Table 9 displays the resulting parking required for each major land use by day of the week and time of day.

Table 9 - City of Scottsdale Shared Parking Calculation

General Land Use Classification	Weekdays			Weekends		
	12AM - 7AM	7AM - 6PM	6PM - 12AM	12AM - 7AM	7AM - 6PM	6PM - 12AM
Office	17	340	17	0	204	34
Gym/Office Health and Wellness	6	128	6	0	77	13
Retail	0	703	562	0	703	422
Residential/Luxury Condos	487	268	414	487	317	365
Restaurant and Bars	223	312	446	201	312	446
Grocery Store/Gourmet Foods	30	42	60	27	42	60
Hotel	127	83	114	127	83	102
TOTAL	891	1876	1620	842	1737	1442

PALMERAIE PARKING RESULTS


Using the City of Scottsdale shared parking utilization by time of day and day of the week; the parking demand for the mixed-use retail area is estimated to be 1,876 parked vehicles. Without shared parking, Palmeraie will require 2,291 parking spaces. The site plan for Palmeraie currently shows 3,366 parking spaces available for parking which indicates the mixed-use area could have an excess of as many as 1,490 spaces. The peak demand period is in the weekday period, 7:00 a.m. – 6:00 p.m.

APPENDIX

**APPENDIX A
RESORT SUMMARY PROGRAM**

THE RITZ-CARLTON PARADISE VALLEY Paradise Valley, Arizona		Facilities Criteria Summary Date: March 10, 2015				
		PROPOSED CRITERIA			Allocation	
					% of Total	Gross Area/Key
GUESTROOMS	Bays	Keys	N.S.F.	G.S.F.		
King	1	50	509	540		
Double Queen	1	30	559	592		
Club King	1	25	509	540		
Club Double	1	15	559	592		
Executive Suite	2	76	1,019	1,080		
Deluxe Suite	3	3	1,528	1,620		
Presidential Suite	5	1	2,547	2,700		
Club Lounge	5	yes	2,547	2,700		
	Hotel Keys:	200				
TOTAL BAYS	291					
GROSS BAY SIZE						
King Bay Size			16' x 33.75'			
Doubles Bay Size			16' x 37.00'			
% of Rooms with Balconies / Patios		100%	16' x 6'			
SPA / FITNESS CENTER / RECREATION			N.S.F.	G.S.F.		
Spa 10 - Treatment Rooms			7,500	10,000	3.59%	50.0
Fitness Center / Motion Studio			1,750	2,500	0.90%	12.5
Early Arrival / Late Departure Facility			0	0		
Kid's Center			0	0		
Teen Center			0	0		
Library, Guest PC stations			0	0		
Indoor Pool			0	0		
Outdoor Pool		2,400				
Outdoor Pool Deck Area		5,780				
RETAIL			N.S.F.	G.S.F.		
Sundries Shop			375	400		
Signature Shop			0	0		
Resort Retail			0	0		
Residential Sales Office			0	0		
Leased Retail						
FOOD & BEVERAGE			N.S.F.	G.S.F.		
FOOD:		Seats				
Casual Restaurant		80	2,660	2,830		
Private Rooms		0	0	0		
Terrace		40		exterior		
Pool Restaurant		60	1,690	1,800		
Private Rooms		14	390	410		
Terrace		40		exterior		
SUBTOTAL FOOD:		234		5,040	1.81%	25.2
BEVERAGE:						
Lobby Lounge		50	1,970	2,100		
Lobby Lounge Bar		16	730	780		
Terrace		0		exterior		
Pool Bar		20	660	700		
SUBTOTAL BEVERAGE:		86		3,580	1.29%	17.9
FUNCTION			N.S.F.	G.S.F.		
Main Ballroom			10,000	11,300		
Junior Ballroom			5,500	6,500		
Board Room			0	0		
Meeting Rooms			2,700	3,200		
Function Pavilion			0	0		
TOTAL FUNCTION SPACE			18,200	21,000	7.54%	105.0
Business Center			282	300		
Wedding Showroom			705	750		
Meeting Planner Office			113	120		
AREA REQUIREMENTS INCLUDING SUPPORT			PROPOSED CRITERIA	Allocation		
				G.S.F.	% of Total	Gross Area/Key
2 PUBLIC ENTRY				2,955	1.06%	14.8
3 FOOD & BEVERAGE				9,040	3.25%	45.2
4 RECREATION				13,100	4.70%	65.5
5 RETAIL				400	0.14%	2.0
6 FUNCTION SPACE				34,655	12.44%	173.3
7A GUESTROOMS				156,780	56.30%	783.9
7B GUESTROOM SUPPORT				15,600	5.60%	78.0
7C CLUB LOUNGE				2,700	0.97%	13.5
8A ADMINISTRATION				3,580	1.29%	17.9
8B EMPLOYEE FACILITIES				4,290	1.54%	21.5
9 ENGINEERING / MAINTENANCE				2,160	0.78%	10.8
10 FOOD SERVICE				10,000	3.59%	50.0
11A LAUNDRY				2,130	0.76%	10.7
11B HOUSEKEEPING				990	0.36%	5.0
12 ELEVATOR / ESCALATOR				800	0.29%	4.0
13 HOTEL SUPPORT SYSTEMS				540	0.19%	2.7
14 FIRE PROTECTION / LIFE SAFETY				110	0.04%	0.6
15 MECHANICAL / ELECTRICAL / PLUMBING				4,490	1.61%	22.5
16E LOSS PREVENTION				270	0.10%	1.4
PUBLIC & SUPPORT CIRCULATION				13,891	4.99%	69.5
TOTAL HOTEL				278,481	100.00%	1,392
ADDITIONAL FACILITIES				0	0.00%	0
TOTAL				278,481	100.00%	1,392
PARKING REQUIREMENTS:		446 STALLS				

APPENDIX B SITE PLANS



MASTER PLAN

Area	Description
A A1	Ritz-Carlton Hotel and Villas
B	Single Family Resort Branded Residential
C	Single Family Ritz-Carlton Branded Residential
D	Resort Related Attached Residences
E	Palmerie Resort Related Mixed Use



CIVTECH, INC
 Traffic Engineering
 10605 N Hayden Road | Ste 140
 480-554-2250
 contact: Dawn Cutler

CVL CONSULTANTS
 Civil, Landscape, Planning, & Survey
 4550 N 12th St
 602-264-8331
 contact: Ryan Wiest

MASON ARCHITECTS
 Architecture & Master Planning
 3985 Mockingbird Rd | Ste 400
 Woodstock, CA 94662
 550.951.1810
 contact: Peter Mason

NELSEN PARTNERS
 Mixed-Use Architecture
 15310 N Scottsdale Rd | Ste 300
 Scottsdale, AZ 85254
 480.949.6800
 contact: George A. Mason

WITHEY MORRIS, PLC
 Land Use & Zoning Attorney
 25215 E Arizona Biltmore Cir | Ste A-212
 Phoenix, Arizona 85016
 602.230.0600
 contact: Jason Morris

FIVE STAR DEVELOPMENT

The Ritz-Carlton Resort
 Paradise Valley Special Use Permit Application
 July 30, 2015



MASTER PLAN
 Land Use Plan
 IV-1.a

APPENDIX C NON SHARED PARKING CALCULATIONS

**ATTACHMENT C-1
AVERAGE USE NON-SHARED PARKING
INCLUDING INTERNAL CAPTURE**

Ritz Carlton Parking Analysis

10/08/15

SUP Guideline	SUP Guideline Parking Requirement	Use	Qty.	Unit	Equivalent Sq Ft	Gross Parking Required	Guest	Non-Guest	Net Parking Required
i.	1,2 space/guest unit	Resort Casitas	200	keys	156,780	240	0%	100%	240
ii.	2 space/dwelling unit	Resort Villas	120	units	0	240	0%	100%	240
iii(a).	1 space/2 seats (dining area) in restaurants (interior)	Café	80	seats		40	75%	25%	10
iii(a).	1 space/2 seats (dining area) in restaurants (interior)	Lounge, Deli & Pool Bar	140	seats	9,040	70	75%	25%	18
iii(b).	1 space/2 seats (dining area) in restaurants (exterior)	Café	40	seats		20	75%	25%	5
iii(b).	1 space/2 seats (dining area) in restaurants (exterior)	Lounge, Deli & Pool Bar	60	seats		30	75%	25%	8
iv.	1 space/50sf meeting rooms, auditoriums or group assembly (interior)	Ballroom, Boardroom, Mtg. Room	18200	sf	20,270	364	75%	25%	91
*iv.	1 space/50sf meeting rooms, auditoriums or group assembly (exterior)	Function Lawn	10000	sf	10,000	200	75%	25%	50
iv.	1 space/2 people, auditoriums or group assembly (exterior)	Wedding Gazebo ⁽³⁾	0	people	0	0	75%	25%	0
(1)v.	1 space/300sf net sales areas in retail establishments	Retail - Public	23,363	sf	33,375	78	90%	10%	8
(2)vi(a).	1 space/300sf net occupied space in office & service establishments	Office/Service - Spa	7500	sf	10,000	25	90%	10%	3
vi(b).	1 space/300sf net occupied space in office & service establishments	Office/Service - Fitness Center	1750	sf	2,500	6	100%	0%	0
vi(c).	1 space/300sf net occupied space in office & service establishments	Office/Service - Ritz Kids	0	sf	0	0	100%	0%	0
vi(d).	1 space/300sf net occupied space in office & service establishments	Offices, Function Support & Front	11475	sf	23,150	39	0%	100%	39
	Other areas not listed in guidelines (circulation, storage, etc.)	Other	44950	sf	44,950	0			0
		SUBTOTAL			310,065	1352			712

GROSS TOTAL	310,065	NET TOTAL	712
		NON RESIDENTIAL TOTAL	472

Total Guest Room and Employee Parking (Hotel)	279
Total Restaurant Parking	41
Total Conference/Convention	141
Total Spa	3
Total Retail	8
Total Residential Parking	240
	712

- (1) The square footage shown is 75 percent of the gross floor area to assume the usable floor space.
- (2) The square footage shown is 70 percent of the gross floor area to assume the usable floor space.
- (3) Wedding Gazebo users will be the same as those within other function space therefore their parking requirement was omitted to avoid double counting.

**ATTACHMENT C-2
PEAK USE NON-SHARED PARKING
INCLUDING INTERNAL CAPTURE**

Ritz Carlton Parking Analysis

10/08/15

SUP Guideline	SUP Guideline Parking Requirement	Use	Qty.	Unit	Equivalent Sq Ft	Gross Parking Required	Guest	Non-Guest	Net Parking Required
i.	1,2 space/guest unit	Resort Casitas	200	keys	156,780	240	0%	100%	240
ii.	2 space/dwelling unit	Resort Villas	120	units	0	240	0%	100%	240
iii(a).	1 space/2 seats (dining area) in restaurants (interior)	Café	80	seats		40	75%	25%	10
iii(a).	1 space/2 seats (dining area) in restaurants (interior)	Lounge, Deli & Pool Bar	140	seats	9,040	70	75%	25%	18
iii(b).	1 space/2 seats (dining area) in restaurants (exterior)	Café	40	seats		20	75%	25%	5
iii(b).	1 space/2 seats (dining area) in restaurants (exterior)	Lounge, Deli & Pool Bar	60	seats		30	75%	25%	8
iv.	1 space/50sf meeting rooms, auditoriums or group assembly (interior)	Ballroom, Boardroom, Mtg. Room	18,200	sf	20,270	364	50%	50%	182
*iv.	1 space/50sf meeting rooms, auditoriums or group assembly (exterior)	Function Lawn	10,000	sf	10,000	200	50%	50%	100
iv.	1 space/2 people, auditoriums or group assembly (exterior)	Wedding Gazebo ⁽³⁾	0	people	0	0	50%	50%	0
(1)v.	1 space/300sf net sales areas in retail establishments	Retail - Public	23,363	sf	33,375	78	80%	20%	16
(2)v(a).	1 space/300sf net occupied space in office & service establishments	Office/Service - Spa	7,500	sf	10,000	25	90%	10%	3
v(b).	1 space/300sf net occupied space in office & service establishments	Office/Service - Fitness Center	1,750	sf	2,500	6	100%	0%	0
v(c).	1 space/300sf net occupied space in office & service establishments	Office/Service - Ritz Kids	0	sf	0	0	100%	0%	0
v(d).	1 space/300sf net occupied space in office & service establishments	Offices, Function Support & Front	11,475	sf	23,150	39	0%	100%	39
	Other areas not listed in guidelines (circulation, storage, etc.)	Other	44,950	sf	44,950	0	0%	0%	0
		SUBTOTAL			310,065	1352			861

GROSS TOTAL	310,065	NET TOTAL	861
		NON RESIDENTIAL TOTAL	621

Total Guest Room and Employee Parking (Hotel)	279
Total Restaurant Parking	41
Total Conference/Convention	282
Total Spa	3
Total Retail	16
Total Residential Parking	240
	861

- (1) The square footage shown is 70 percent of the gross floor area to assume the usable floor space.
- (2) The square footage shown is 75 percent of the gross floor area to assume the usable floor space.
- (3) Wedding Gazebo users will be the same as those within other function space therefore their parking requirement was omitted to avoid double counting.

Peak Non Shared Parking

APPENDIX D SHARED PARKING CALCULATIONS

WEEKEND SHARED PARKING ANALYSIS WITH INTERNAL CAPTURE
AVERAGE USE SHARED PARKING CALCULATIONS
 WEEKEND

ATTACHMENT D-1

Land Use	Ritz Carlton												Residential
	Resort Guest Rooms	Resort Employees	Restaurant	Conference	Spa	Retail	% OF PEAK SPC		% OF PEAK SPC		% OF PEAK SPC		
Gross Size	200 Rooms	25,650 SF	320 Seats	28,200 SF	7,500 SF	33,375 SF	None		None		120 Units		
Percent Adjustment	None	52%	70%	None	None	70%	None		None		None		
Net Size	200 Rooms	13,225 SF	320 Seats	28,200 SF	7,500 SF	23,363 SF	None		None		120 Units		
Parking Rate	1.2 /Room	1 /300 SF	1 /2 Seats	1 /50 SF	1 /300 SF	1 /300 SF	None		None		2 /Unit		
Req-d Spaces	240	39	41	141	3	8	None		None		240		
Adjustments	None	w/ 48% for non-usable space	w/ 25% Non guest	w/ 25% Non-guest (ballroom) & 25% Non-guest (Lawn)	w/ 10% Non-guest	w/ 30% BOH and 10% Non-guest	None		None		None		
Time of Day	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	
6:00 AM	95%	228	20%	9	0%	0	5%	1	0%	0	0%	0	
7:00 AM	95%	228	20%	9	0%	0	10%	1	3%	1	0%	0	
8:00 AM	90%	216	20%	9	50%	71	40%	2	10%	1	0%	0	
9:00 AM	80%	192	20%	9	100%	141	55%	2	30%	3	0%	0	
10:00 AM	70%	168	20%	9	100%	141	75%	3	45%	4	0%	0	
11:00 AM	70%	168	30%	13	100%	141	90%	3	70%	6	0%	0	
12:00 PM	65%	156	30%	13	100%	141	100%	3	85%	7	0%	0	
1:00 PM	65%	156	45%	19	100%	141	100%	3	85%	7	0%	0	
2:00 PM	70%	168	45%	19	100%	141	100%	3	100%	8	0%	0	
3:00 PM	70%	168	45%	19	100%	141	100%	3	100%	8	0%	0	
4:00 PM	75%	180	45%	19	100%	141	85%	3	90%	8	0%	0	
5:00 PM	80%	192	60%	25	80%	113	65%	2	75%	6	0%	0	
6:00 PM	85%	204	90%	37	80%	113	35%	2	65%	6	0%	0	
7:00 PM	85%	204	95%	39	80%	113	15%	1	10%	1	0%	0	
8:00 PM	90%	216	100%	41	80%	113	100%	1	10%	1	0%	0	
9:00 PM	95%	228	100%	41	80%	113	5%	1	10%	1	0%	0	
10:00 PM	95%	228	45%	17	25%	36	0%	0	0%	0	0%	0	
11:00 PM	100%	240	45%	18	20%	9	0%	0	0%	0	0%	0	
MIDNIGHT	100%	240	0%	0	0%	0	0%	0	0%	0	0%	0	
Number of Parking Spaces With Shared Parking for Ritz Carlton												406	
Number of Non-Shared Parking Spaces Required by City Code for Ritz Carlton												472	

WEEKEND SHARED PARKING ANALYSIS WITH INTERNAL CAPTURE
AVERAGE USE SHARED PARKING CALCULATIONS
 WEEKDAY

Land Use	Ritz Carlton												Residential				
	Resort Guest Rooms	Resort Employees	Restaurant	Conference	Spa	Retail	% OF PEAK		% OF PEAK		% OF PEAK		# OF SPC	# OF SPC	TOTAL SPACES		
Gross Size	200 Rooms	25,650 SF	320 Seats	28,200 SF	7,500 SF	33,375 SF	95%	228	5%	2	0%	0	0%	0	120 Units	240	
Percent Adjustment	None	52%	None	None	None	None	30%	12	30%	12	20%	9	20%	9	None	0	
Net Size	200 Rooms	13,225 SF	320 Seats	320 SF	7,500 SF	23,363 SF	90%	216	90%	36	20%	9	30%	36	120 Units	240	
Parking Rate	1.2 /Room	1 /300 SF	1 /2 Seats	1 /50 SF	1 /300 SF	1 /300 SF	100%	188	100%	39	20%	9	30%	39	2 /Unit	240	
Req-d Spaces	240	39	41	141	3	8	70%	168	100%	39	30%	13	73%	6	240	240	
Adjustments	None	w/ 48% for non-usable space	W / 25% Non guest	w/ 25% Non-guest (ballroom) & 25% Non-guest (Lawn)	w/ 10% Non-guest	w/ 30% BOH and 10% Non-guest	None	None	None	None	None	None	None	None	None	None	
Time of Day	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	TOTAL SPACES
6:00 AM	95%	228	5%	2	20%	9	20%	9	0%	0	5%	1	0%	0	0%	0	240
7:00 AM	95%	228	30%	12	20%	9	20%	9	0%	0	10%	1	3%	1	0%	0	251
8:00 AM	90%	216	90%	36	20%	9	50%	71	50%	71	40%	2	10%	1	0%	0	335
9:00 AM	80%	192	90%	36	20%	9	100%	141	100%	141	55%	2	30%	3	0%	0	383
10:00 AM	70%	168	100%	39	20%	9	100%	141	100%	141	75%	3	45%	4	0%	0	364
11:00 AM	70%	168	100%	39	30%	13	100%	141	100%	141	90%	3	73%	6	0%	0	370
12:00 PM	65%	156	100%	39	30%	13	100%	141	100%	141	100%	3	85%	7	0%	0	359
1:00 PM	65%	156	100%	39	45%	19	100%	141	100%	141	100%	3	95%	8	0%	0	366
2:00 PM	70%	168	100%	39	45%	19	100%	141	100%	141	100%	3	100%	8	0%	0	378
3:00 PM	70%	168	100%	39	45%	19	100%	141	100%	141	100%	3	100%	8	0%	0	378
4:00 PM	75%	180	90%	36	45%	19	100%	141	100%	141	85%	3	90%	8	0%	0	387
5:00 PM	80%	192	70%	28	60%	25	75%	106	75%	106	65%	2	75%	6	0%	0	359
6:00 PM	85%	204	40%	16	90%	37	75%	106	35%	2	35%	2	65%	6	0%	0	371
7:00 PM	85%	204	20%	8	95%	39	50%	71	15%	1	15%	1	10%	1	0%	0	324
8:00 PM	90%	216	20%	8	100%	41	25%	36	10%	1	10%	1	10%	1	0%	0	303
9:00 PM	95%	228	20%	8	100%	41	25%	36	5%	1	5%	1	10%	1	0%	0	315
10:00 PM	95%	228	20%	8	40%	17	25%	36	0%	0	0%	0	0%	0	0%	0	289
11:00 PM	100%	240	10%	4	20%	9	0%	0	0%	0	0%	0	0%	0	0%	0	253
MIDNIGHT	100%	240	5%	2	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	242
Number of Parking Spaces With Shared Parking for Ritz Carlton																387	
Number of Non-Shared Parking Spaces Required by City Code for Ritz Carlton																472	

WEEKEND SHARED PARKING ANALYSIS WITH INTERNAL CAPTURE

ATTACHMENT D-3
PEAK USE SHARED PARKING CALCULATIONS
WEEKEND

Land Use	Ritz Carlton										Residential
	Resort Guest Rooms	Resort Employees	Restaurant	Conference	Spa	Retail	Resort Employees		Resort Employees		
Gross Size	200 Rooms	25,650 SF	320 Seats	28,200 SF	7,500 SF	33,375 SF	120 Units		120 Units		
Percent Adjustment	None	52%	70%	None	None	70%	None		None		
Net Size	200 Rooms	13,225 SF	320 Seats	28,200 SF	7,500 SF	23,363 SF	120 Units		120 Units		SHARED PARKING DEMAND
Parking Rate	1.2 /Room	1 /300 SF	1 /2 Seats	1 /50 SF	1 /300 SF	1 /300 SF	2 /Unit		240		
Req-d Spaces	240	39	41	282	3	16	240		240		
Adjustments	None	w/ 48% for non-usable space	w/ 25% Non guest	w/ 50% Non-guest (ballroom) & 50% Non-guest (Lawn)	w/ 10% Non-guest	w/ 30% BOH and 20% Non-guest	None		None		
Time of Day	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	TOTAL SPACES
6:00 AM	95%	228	20%	9	0%	0	5%	1	0%	0	240
7:00 AM	95%	228	20%	9	0%	0	10%	1	3%	1	251
8:00 AM	90%	216	20%	9	50%	141	40%	2	10%	2	406
9:00 AM	80%	192	20%	9	100%	282	55%	2	30%	5	526
10:00 AM	70%	168	20%	9	100%	282	75%	3	45%	8	509
11:00 AM	70%	168	30%	13	100%	282	90%	3	70%	12	517
12:00 PM	65%	156	30%	13	100%	282	100%	3	85%	14	507
1:00 PM	65%	156	45%	19	100%	282	100%	3	95%	16	515
2:00 PM	70%	168	45%	19	100%	282	100%	3	100%	16	527
3:00 PM	70%	168	45%	19	100%	282	100%	3	100%	16	527
4:00 PM	75%	180	45%	19	100%	282	85%	3	90%	15	535
5:00 PM	80%	192	60%	25	80%	226	65%	2	75%	12	487
6:00 PM	85%	204	90%	37	80%	226	35%	2	65%	11	504
7:00 PM	85%	204	95%	39	80%	226	15%	1	10%	2	494
8:00 PM	90%	216	100%	41	80%	226	10%	1	10%	2	508
9:00 PM	95%	228	100%	41	80%	226	5%	1	10%	2	520
10:00 PM	95%	228	45%	18	25%	71	0%	0	0%	0	334
11:00 PM	100%	240	45%	18	20%	9	0%	0	0%	0	267
MIDNIGHT	100%	240	0%	0	0%	0	0%	0	0%	0	252
Number of Parking Spaces With Shared Parking for Ritz Carlton											535
Number of Non-Shared Parking Spaces Required by City Code for Ritz Carlton											621

WEEKEND SHARED PARKING ANALYSIS WITH INTERNAL CAPTURE

ATTACHMENT D-4
PEAK USE SHARED PARKING CALCULATIONS
WEEKDAY

Land Use	Resort Guest Rooms			Resort Employees			Restaurant			Ritz Carlton Conference			Spa			Retail			Residential				
	% OF PEAK	# OF SPC	# OF SPC	% OF PEAK	# OF SPC	# OF SPC	% OF PEAK	# OF SPC	# OF SPC	% OF PEAK	# OF SPC	# OF SPC	% OF PEAK	# OF SPC	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	TOTAL SPACES	
Gross Size	200 Rooms	228	228	25,650 SF	2	2	320 Seats	28,200 SF	None	7,500 SF	33,375 SF	120 Units											
Percent Adjustment	None			52%			None	None	None	None	None	None											
Net Size	200 Rooms	228	216	13,225 SF	12	30%	320 Seats	320 SF	320 SF	7,500 SF	23,363 SF	120 Units											
Parking Rate	1.2 /Room			1 /300 SF	36	90%	1 /2 Seats	1 /50 SF	1 /300 SF	1 /300 SF	1 /300 SF	2 /Unit											
Req-d Spaces	240			39			41	282	3	16		240											
Adjustments	None			w/ 48% for non-usable space			W / 25% Non guest	w/ 50% Non-guest (ballroom) & 50% Non-guest (Lawn)	w/ 10% Non-guest	w/ 30% BOH and 20% Non-guest	None												
Time of Day	% OF PEAK	# OF SPC	# OF SPC	% OF PEAK	# OF SPC	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	% OF PEAK	# OF SPC	TOTAL SPACES
6:00 AM	95%	228	228	5%	2	2	20%	9	0%	0	5%	1	0%	0	0%	0	0%	0	0%	0	0%	0	240
7:00 AM	95%	228	216	30%	12	30%	20%	9	0%	0	10%	1	3%	1	10%	2	0%	0	0%	0	0%	0	251
8:00 AM	90%	216	216	90%	36	90%	20%	9	50%	141	40%	2	10%	2	30%	5	0%	0	0%	0	0%	0	406
9:00 AM	80%	192	192	90%	36	90%	20%	9	100%	282	55%	2	30%	5	45%	8	0%	0	0%	0	0%	0	526
10:00 AM	70%	168	168	100%	39	100%	20%	9	100%	282	75%	3	75%	8	75%	12	0%	0	0%	0	0%	0	509
11:00 AM	70%	168	168	100%	39	100%	30%	13	100%	282	90%	3	73%	12	73%	12	0%	0	0%	0	0%	0	517
12:00 PM	65%	156	156	100%	39	100%	30%	13	100%	282	100%	3	85%	14	85%	14	0%	0	0%	0	0%	0	507
1:00 PM	65%	156	156	100%	39	100%	45%	19	100%	282	100%	3	95%	16	95%	16	0%	0	0%	0	0%	0	515
2:00 PM	70%	168	168	100%	39	100%	45%	19	100%	282	100%	3	100%	16	100%	16	0%	0	0%	0	0%	0	527
3:00 PM	70%	168	168	100%	39	100%	45%	19	100%	282	100%	3	100%	16	100%	16	0%	0	0%	0	0%	0	527
4:00 PM	75%	180	180	90%	36	90%	45%	19	100%	282	85%	3	90%	15	90%	15	0%	0	0%	0	0%	0	535
5:00 PM	80%	192	192	70%	28	70%	60%	25	75%	212	65%	2	75%	12	75%	12	0%	0	0%	0	0%	0	471
6:00 PM	85%	204	204	40%	16	40%	90%	37	75%	212	35%	2	65%	11	65%	11	0%	0	0%	0	0%	0	482
7:00 PM	85%	204	204	20%	8	20%	95%	39	50%	141	15%	1	10%	2	10%	2	0%	0	0%	0	0%	0	395
8:00 PM	90%	216	216	20%	8	20%	100%	41	25%	71	10%	1	10%	2	10%	2	0%	0	0%	0	0%	0	339
9:00 PM	95%	228	228	20%	8	20%	100%	41	25%	71	5%	1	10%	2	10%	2	0%	0	0%	0	0%	0	351
10:00 PM	95%	228	228	20%	8	20%	40%	17	25%	71	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	324
11:00 PM	100%	240	240	10%	4	10%	20%	9	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	253
MIDNIGHT	100%	240	240	5%	2	5%	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	242
Number of Parking Spaces With Shared Parking for Ritz Carlton																						535	
Number of Non-Shared Parking Spaces Required by City Code for Ritz Carlton																						621	

**APPENDIX E
CITY OF SCOTTSDALE – PALMERAIE
PARKING CALCULATIONS**

General Land Use Classification	COS Parking Rate	Total Units	Parking Calculations	Weekdays			Weekends			Weekdays			Weekends		
				12AM - 7AM	7AM - 6PM	6PM - 12AM	12AM - 7AM	7AM - 6PM	6PM - 12AM	12AM - 7AM	7AM - 6PM	6PM - 12AM	12AM - 7AM	7AM - 6PM	6PM - 12AM
Office	1 space/300 SF	102,031 SF	340	5%	100%	5%	0%	60%	10%	17	340	17	0	204	34
Gym/Office Health and Wellness	1 space/200 SF	25,523 SF	128	5%	100%	5%	0%	60%	10%	6	128	6	0	77	13
Retail	1 space/300 SF	210,879 SF	703	0%	100%	80%	0%	100%	60%	0	703	0	0	703	422
Residential/Luxury Condos	1 space/DU	487 DU	487	100%	55%	85%	100%	65%	75%	487	268	414	487	317	365
Restaurant and Bars	1 space/120 SF	53,491 SF	448	50%	70%	100%	45%	70%	100%	223	312	446	201	312	446
Grocery Store/Gourmet Foods	1 space/300 SF	18,149 SF	60	50%	70%	100%	45%	70%	100%	30	42	60	27	42	60
Hotel	1.25 spaces/guest room	159 Room	127	100%	65%	90%	100%	65%	80%	127	83	114	127	83	102
TOTAL			2,291							891	1878	1620	842	1737	1442