

This document is a work product of R. Nicholas Loope, FAIA, LLC. It is confidential and contains proprietary information and is the intellectual property of R. Nicholas Loope, FAIA, LLC. It is for the exclusive use of our client toward constructing the design on the specific site indicated. Any or all of the information contained herein may not be shared, sold, reproduced, repurposed or disclosed under any circumstances without the express written permission of R. Nicholas Loope, FAIA, LLC.

Copyright © 2017 | R. Nicholas Loope FAIA, LLC | All Rights Reserved

EXTERIOR LIGHTING

NEW STRUCTURES WILL NOT BE ILLUMINATED BY EXTERNAL SITE LIGHTING. THE ONLY EXTERIOR LIGHTING TO BE AT ENTRY/EGRESS DOORS AS REQUIRED, TO MATCH EXISTING LIGHTING AND COMPLIANT WITH DARK SKY ORDINANCES. PATHWAY AND GROUND LANDSCAPE LIGHTING WILL BE RELOCATED ONLY WHEN NECESSARY. ADDITIONAL PATH LIGHTING IS NOT ANTICIPATED.




EXISTING STEP LIGHTING TO BE RELOCATED IF NECESSARY



EXISTING PATH LIGHTING TO BE RELOCATED IF NECESSARY




ENTRY DOOR SCNCE
 BEACON 8Y617 LED WALL LIGHT
 15.5" H W/ MESH DIFFUSER SHIELD
 DARK SKY COMPLIANT
 10W, 340 LUMENS
 TOTAL 91 AT INTERSTITIAL UNITS &
 SNACK BAR, TOTAL 5 AT VIEWS



BRONZE STEP LIGHT
 HINKLEY LUNA LOW VOLTAGE
 TITANIUM STEP LIGHT 3G054
 4-1/2"W X 3"H, ADA COMPLIANT
 25W, 200 LUMENS
 TOTAL 30 AT VIEWS
 SEE C-1 FOR LOCATIONS

THE SANCTUARY AT CAMELBACK MOUNTAIN Gallery House Renovation & Guest House Addition



5070 N. 40th St.,
 Suite 140
 Phoenix AZ 85016

Site Lighting Fixtures

Project number	1706
Date	3/19/2018
Scale	1/8" = 1'-0"
Drawn by	DL

E2