## TAKHAR RESIDENCE REMODEL AND ADDITION



5228 EAST SOLANO DRIVE, PARADISE VALLEY, AZ 85253 **SOUTH VIEW** 

NOTE: 3D VEIWS ARE FOCUSED ON THE HOUSE DESIGN MORE THAN THE SITE



COMMERCIAL RESIDENTIAL

TAKHAR RESIDENCI REMODEL

5228 East Solano Drive Paradise Valley, AZ 85253

Ш

CLIENT CONTACT Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t



NOTICE: This working drawing package, project manual, an unpublish instrument of service of the authors, is for use on this Project only and is prepared for use in conjunction with the authors interpretations, observations, decisions and administration as described in AA Doc. ACU. Window within diseasing results can not be assured. Alteration, reproduction, or use in part or in whole, for other purposes

o 2023 his fluat copy or decensor) drawing is an instrument america and the property of the Internet Anthelass and real set are property of the Internet Anthelass and real set affections, incofficialistic or addition imade to the drawing by affections, incofficialistic or addition imade to the drawing by internet to the original site of which it was prepared and patient thereof is expressly limited to such use, revue or reproduction. Use the original control of the property of the revue of the property internet in this desirenge, and it may not be revconsult. Fudicialist by any method in which or part is profits without the writing permission of the dought professional.

PROJECT NUMBER
23003

DATE OF ISSUE
12.25.2023

12.25.2023 REVISION NO.

PROJECT PHASE


PROJECT TEAM MT

ET CONTENTS

HEET NO.

G-001

Copyright Notification: As Instruments of Architectural Service, the Designs, Details, and C incorporated into this work are contacted by Copyright Laws of the Linited States of Larger





## PROJECT DIRECTORY:

OWNER:

Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t

ARCHITECT:

MARWAN MUJAHED 4501 E. GOLD POPPY WAY PHOENIX, AZ 85044 (602)380-3026

## PROJECT INFORMATION:

SCOPE OF WORK:

THE SCOPE OF WORK IS AS FOLLOWS:

- 1. EXPAND THE FIRST FLOOR AS SHOWN ON THE SITE PLAN AND THE FLOOR PLAN
- 2. BUILD A SECOND FLOOR ABOVE A POTION OF THE **EXISTING HOUSE**
- 3. REMODEL THE GARGE BUILDING AND THE BRIDGE 4. REDESIGN THE EXISTING FRONT YARD AND BACK YARD WITH NEW LANDSCAPE AND NEW FRONT STAIRS

## SITE DATA

ZONING: R-43 HILL SIDE NET SITE AREA: 44,421 S.FT.

ALLOWED SITE F.A.R: PROPOSED SITE F.A.R.:

25% (11,105.25 sq.ft.) 24 FEET FROM NATURAL GRADE 40 FEET OVERALL MAX. FROM THE MAX. HEIGHT ALLOWED: HIGHEST POINT OF THE BUILDING

TO NATURAL GRADE AT THE LOWEST POINT ADJACENT TO THE BUILDING STRUCTURE OR COLUMN

25% (11,105.25 sq.ft.)

24 FEET FROM NATURAL GRADE MAX. HEIGHT PROPOSED: 36 FEET OVERALL MAX. HEIGHT

SET BACK: 40/40/20

PROVIDED SET BACKES:

NO CHANGES TO SET BACKS FRONT SET BACK IS 40 FEET

## PROPOSED IMPROVEMENT DATA

ALLOWED AREA: ( 25% X 44,421 SQ.FT. = 11,105.25 SQ.FT.

FIRST FLOOR AREA: MAIN HOUSE: 5,527 SQ.FT. BRIDGE AND GARAGE: 1,809 SQ.FT.

TOTAL FIRST FLOOR: 7,336 SQ.FT. SECOND FLOOR AREA: 3,765 SQ.FT.

THIS INCLUDES THE OVERHANG TO REMAIN FLOOR AREA RATIO: 24.9%

TOTAL PROPOSED AREA: 11,101 SQ.FT.

PROPOSED HEIGHT: 24 MAX. VERTICAL PLANE AND 35 FEET MAX. TOTAL HIEGHT

## DISTURBED AREA CALCULATION:

TOTAL DISTURBED AREA: 25,195 SQ.FT. CREDIT FOR HOUSE AREA: 7,330 SQ.FT. CREDIT FOR DRIVEWAYS: 4,000 SQ.F.T ( DRIVE WAY WILL HAVE PAVERS) NET PROPOSED DISTURBED AREA: 13,865 SQ.FT. OF THIS INCLUDES THE TENESS COURT AND THE WALKWAY LEADING TO IT ALLOWABLE DISTURBED AREA: 26,652 SQ.FT.

## **BUILDING PAD SLOPE:**

LOWEST GRADE: 1469 HIGHEST GRADE: 1485 GARDE DIFFERENCE: 16 FEET BUILDING PAD SLOPE LINE LENGHT: 178 FEET BUILDING PAD SLOPE: 8.9 % ALLOWABLE DISTURBED AREA: 60% (26,652 SQ.FT.)

### ALLOWABLE DISTURBED AREA: 26,652 SQ.FT. CODE DATA:

Governing Agencie: TOWN OF PARADISE VALLEY Governing Codes:

WHERE APPLIES TO RESIDENTIAL CONSTRUCTION

2015 International Residential Code 2015 International Building Code 2015 International Mechanical Code 2015 International Plumbing Code 2014 National Electric Code

2021 International Fire Code

NORTH

2015 International Fuel Gas Code 2015 Int'lPropertyMaintenanceCode 2015 International Energy Conservation Code

## SITE PLAN GENERAL NOTES

1. REFER TO CIVIL AND LANDSCAPE PLANS FOR MORE SITE PLAN DETAILS 2. REFER TO CIVIL AND LANDSCAPE PLANS RETAINING WALLS INFORMATION AND DETAILS

3. NO TOPO. INFORMATION IS SHOWN ON THE ARCHITECTURAL SITE PLAN 4. SEE LANDSCAPE PLANS FOR FENCE AND POOL FENCE DETAILS

TAMIMI ARCHITECTS

**ARCHITECTURE AND PLANNING** 

COMMERCIAL • RESIDENTIAL • • • • • •

CLIENT CONTACT Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t



strument of service of the authors, is for use on this Project only nd is prepared for use in conjunction with the author's nterpretations, observations, decisions and administration as described in AIA Doc. A201, without which desired results can not be assured. Alteration, reproduction, or use in part or in whole, for other purposes without the author's written consent may violate Act 17 U.S.C. par. 301 (1991).(c)

© 2023 this (hard copy or electronic) drawing is an instrument of service and the property of the Tamimi Architects and shall remain their property. The design professional shall not be responsible for any alterations, modifications or additions made to this drawing by any party other than the design professional. Use of this drawing shall be limited to the original site for which it was prepared and publication thereof is expressly limited to such use, re-use or reproduction. Unless otherwise agreed in writing, design professional reserves all copyright or other proprietary interest in this drawing, and it may not be re-used for any other purpose without the design professional's written consent. Publication by any method in whole or part is prohibited without the written permission of the design professional. Any information obtained or conclusions derived from this drawing shall be at the user's sole risk.

PROJECT NUMBER 23003

DATE OF ISSUE 12.25.2023

REVISION NO.


PROJECT PHASE CD

PROJECT TEAM

DRAWN BY

SHEET CONTENTS architectural site plan

incorporated into this work are protected by Copyright Laws of the United States of Americ





## **GENERAL NOTES**

1. ALL EFFORTS WILL BE TAKEN TO PROTECT THE UNDISTURBED AREA 2. ANY AFFECTED UNDISTURBED AREA WILL BE BROUGHT BACK TO THE ORIGINAL CONDITION.

3. ALL WOK ADJACENT TO THE UNDISTURBED AREA WILL BE COMMENCED FROM THE DISTURBED AREA SIDE. ANY AFFECTED AREA WILL BE BROUGHT BACK TO THE ORIGINAL CONDITIONS

## DISTURBED AREA CALCULATION:

TOTAL DISTURBED AREA: 25,195 SQ.FT. CREDIT FOR HOUSE AREA: 7,330 SQ.FT.

CREDIT FOR HOUSE AREA: 7,330 SQ.F.T.

CREDIT FOR DRIVEWAYS: 4,000 SQ.F.T ( WILL HAVE PAVERS)

NET PROPOSED DISTURBED AREA: 13,865 SQ.FT. OF

THIS INCLUDES THE TENESS COURT AND THE WALKWAY LEADING TO IT ALLOWABLE DISTURBED AREA: 26,652 SQ.FT.


NET SITE AREA: 44,421 S.FT.

## **BUILDING PAD SLOPE:**

LOWEST GRADE: 1469
HIGHEST GRADE: 1485
GARDE DIFFERENCE: 16 FEET
BUILDING PAD SLOPE LINE LENGHT: 178 FEET
BUILDING PAD SLOPE: 8.9 %
ALLOWABLE DISTURBED AREA: 26,652 SQ.FT.

## LEGEND:

- - - DISTURBED AREA LIMIT



TAMIMI ARCHITECTS

ARCHITECTURE AND PLANNING

ARCHITECTURE AND PLANNING

COMMERCIAL 
RESIDENTIAL

O O O O

AK KESIDEN(

CLIENT CONTACT Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t



NOTICE: This working drawing package, project manual, an unpublished instrument of service of the authors, is for use on this Project only and is prepared for use in conjunction with the author's interpretations, observations, decisions and administration as described in AIA Doc. A201, without which desired results can not be assured. Alteration, reproduction, or use in part or in whole, for other purposes without the author's written consent may violate Act 17 U.S.C. par. 301 (1991).(c)

© 2023 this (hard copy or electronic) drawing is an instrument of service and the property of the Tamimi Architects and shall remain their property. The design professional shall not be responsible for any alterations, modifications or additions made to this drawing by any party other than the design professional. Use of this drawing shall be limited to the original site for which it was prepared and publication thereof is expressly limited to such use, re-use or reproduction. Unless otherwise agreed in writing, design professional reserves all copyright or other proprietary interest in this drawing, and it may not be re-used for any other purpose without the design professional's written consent. Publication by any method in whole or part is prohibited without the written permission of the design professional. Any information obtained or conclusions derived from this drawing shall be at the user's sole risk.

PROJECT NUMBER 23003

DATE OF ISSUE 12.25.2023

REVISION NO.

PROJECT PHASE

PROJECT TEAM

MT

sheet contents disturbed area

SHEET NO

**AS102** 

Copyright Notification: As Instruments of Architectural Service, the Designs, Details, and C incorporated into this work are protected by Copyright Laws of the United States of Americ

DRAWN BY





ARCHITECTURE AND PLANNING

COMMERCIAL • RESIDENTIAL • • • • • • •

# TAKHAR RESIDENCI REMODEL

5228 East Solano Drive Paradise Valley, AZ 85253

Ш

CLIENT CONTACT Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t



NOTICE: This working drawing package, project manual, an unput instrument of service of the authors, is for use on this Project only and is prepared for use in conjunction with the author's interpretations, cleanwatens, decisions and administration as desc in ALD cc. A201, without which desired results can not be assured Absorbion, commonification or use in an oral or in whole for other numon

2 2007 sets thank copy or distincted strately, is an inframental control and the property first harming intellections and shall extend the strategy of the third intellections and shall make property. The design probessional shall not be recognized to the design problemation or addition made to their designing the strategy of the

PROJECT NUM 23003

DATE OF ISSUE 12.25.2023

REVISI

PROJECT PH


PROJECT TEAM MT

SHEET CONTEN

SHEET NO

AS103

Copyright Notification: As Instruments of Architectural Senice, the Designs, Details, an incomprated into this work are contested by Convinit Laws of the United States of Jun





- All exposed stem walls shall be of masonry or concrete type indicated for wa above floor line.
- Sidewalks at building and structures shall match finish floor at doors and slop away.
- C. Paint all exposed metal that is not specified to receive factory finish.
- D. All exposed flashing shall be factory finished.
- E. See plans and schedule for door and window types and sizes.

#### PROPOSED BUILDING MATERIALS:

Stucco system: Smooth finish (Sand Finish) stucco system over building paper over sheathing board - Color as shown on the 3-D views

 $\textbf{Stone Veneer:} \ \ \, \text{As shown on the 3D}.$ 


Roofing System: Clay tile with blended color

Windows and Glass: Aluminum windows with non reflective glass, glazing to comply with the energy code.


Window and edge trim: Precast Concrete

Note: all proposed colors shell have an LRV of 38% or less

SOUTH ELEVATION
SCALE: 1/4" = 1'-0"



2 WEST ELEVATION
SCALE: 1/4" = 1'-0"



TAMIMI ARCHITECTS

ARCHITECTURE AND PLANNING

COMMERCIAL • RESIDENTIAL • • • • • • •

KHAR RESIDENC MODEL

5228 East Solano Drive Paradise Valley, AZ 85253

Ш

CLIENT CONTACT Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t

TAI



NOTICE: This working drawing package, project manual, an unpubli instrument of service of the authors, is for use on this Project only and is prepared for use in conjunction with the author's interpretations, observations, decisions and administration as descri in AIA Doc. AO1, without which desired results can not be assured Aircraftion, unequisition, circles in our or is subable. Services are con-

(1991) (c) 222 this (hard copy or electronic) drawing is an instrument on and the property of the Tamini Architects and shall reproperty. The design professional shall not be responsible to the property of the temporal professional shall not be responsible to the property of the temporal professional. Use of this drawing shad to the original site for which it was proposed and public of its expressly limited to such use, resure or reproduction. Use the property of the design professionals we could be written permission of the design professionals we could be written permission of the design professionals.

PROJECT NUMBER
23003
DATE OF ISSUE
12.25.2023
REVISION NO. DATE

ROJECT PHASE

PROJECT TEAM
MT


building elevations

SHEET NO.

A-201

opyright Notification: As Instruments of Architectural Service, the Designs, Details, and C concorated into this work are protected by Coovright Laws of the United States of Americ





2 EAST ELEVATION SCALE: 1/4" = 1'-0"

#### ELEVATION GENERAL NOTES:

- A. All exposed stem walls shall be of masonry or concrete type indicated for above floor line.
- B. Sidewalks at building and structures shall match finish floor at doors and s
- C. Paint all exposed metal that is not specified to receive factory finish.
- D. All exposed flashing shall be factory finished.
- E. See plans and schedule for door and window types and sizes.

#### PROPOSED BUILDING MATERIALS:

Stucco system: Smooth finish (Sand Finish) stucco system over building paper over sheathing board - Color as shown on the 3-D views

Stone Veneer: As shown on the 3D.

Roofing System: Clay tile with blended color

Windows and Glass: Aluminum windows with non reflective glass, glazing to comply with the energy code.

Window and edge trim: Precast Concrete

Note: all proposed colors shell have an LRV of 38% or

TAMIMI ARCHITECTS

ARCHITECTURE AND PLANNING

COMMERCIAL RESIDENTIAL

TAKHAR RESIDEN REMODEL

Paradise Valley, AZ 85253

5228 East Solano Drive

Ш

 $\circ$ 

CLIENT CONTACT Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t



NOTICE: This working drawing package, project manual, an unprinstrument of service of the authors, is for use on this Project onliand is prepared for use in conjunction with the author's interpretations, observations, decisions and admiristration as de in AIA Doc. A201, without which desired results can not be assured.

2023 This (hand copy or electronic) drawing, is an instrument vice and the property of the Tamini Architects and shall are represented in the property. The design professional shall not be responsible for electron, modifications or additions make to the desired by life to the original sails for which it was prepared and public representations are proposed to the property of the property of the do the original sails for which it was prepared and public representations are proposed to the property of the property continues the property of the property of

PROJECT NUMBER

12.25.2023

REVISION NO.

PROJECT PHASE

PROJECT TEAM MT


MT

building elevations

SHEET NO.

A-202

Copyright Notification: As Instruments of Architectural Service, the Designs, Details, a incomprated into this work are contacted by Copyright I aus of the United States of Ar



#### ELEVATION GENERAL NOTES:

- All exposed stem walls shall be of masonry or concrete type indicated for wa above floor line.
- B. Sidewalks at building and structures shall match finish floor at doors and slop
- C. Paint all exposed metal that is not specified to receive factory finish.
- D. All exposed flashing shall be factory finished.
- E. See plans and schedule for door and window types and sizes.

#### PROPOSED BUILDING MATERIALS:

Stucco system: Smooth finish (Sand Finish) stucco system over building paper over sheathing board - Color as shown on the 3-D views

Stone Veneer: As shown on the 3D.

Roofing System: Clay tile with blended color

Windows and Glass: Aluminum windows with non reflective glass, glazing to comply with the energy code.

Window and edge trim: Precast Concrete

Note: all proposed colors shell have an LRV of 38% or



TAMIMI ARCHITECTS

ARCHITECTURE AND PLANNING

COMMERCIAL • RESIDENTIAL • • • • • • •

Ш  $\circ$ Z Ш S Ш

> $\mathcal{L}$  $\mathcal{L}$

AKHAF

Paradise Valley, AZ 85253 5228 East Solano Drive O <u>⊠</u>  $\vdash$   $\bowtie$ 

CLIENT CONTACT Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t



emiss agreed in writing, design professional reserves all of other proprietary inferrest in this drawing, and it may not be any other purpose without the design professional's sent. Publication by any method in whole or part is pro-hout the written permission of the design professional immation obtained or conclusions derived from this drawing he user's sole risk.

PROJECT NUMBER


DATE OF ISSUE 12.25.2023


REVISION NO.

PROJECT TEAM
MT

Bridge and garage elevations

A-203





2 SECTION B-B

0 4' 8' 12'



COMMERCIAL • RESIDENTIAL

TAKHAR RESIDENCI REMODEL 5228 East Solano Drive Paradise Valley, AZ 85253

Ш

CLIENT CONTACT Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t



NOTICE: This working drawing package, project manual, an unpublish extrement of service of the authors, is for use on the Project only continued on the Project on the Project only interpretations, deservations, encloses and services and describes interpretations, deservations, encloses and services and describes in AFA Dic ACM which which desired rather on ent the assemble. A Martine Continued in the Project of the P

or 2022 and main copy of the decoding classified as an inflational management of the property. The design productional shall not be responsible to abstraction, modificacions or addition made to this design plant to the property of the pro

PROJECT NUMBER
23003

DATE OF ISSUE
12.25.2023

REVISION NO. DATE

PROJECT PHASE

PROJECT TEAM MT


DRAW MT


SHEET CONTENTS building sections

SHEET NO.

A-301

Copyright Notification: As Instruments of Architectural Service, the Designs, Details, and inconnected into this work one restanted by Committed was of the United Status of Long







ARCHITECTURE AND PLANNING

ARCHITECTURE AND PLANNING COMMERCIAL . RESIDENTIAL .

TAKHAR RESIDENC REMODEL

5228 East Solano Drive Paradise Valley, AZ 85253

Ш

CLIENT CONTACT Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t



NOTICE: This working drawing package, project manual, an unpubli installment of service of the authors, is for use on the Project only and the properties for each composition and administration and desired control of the properties of the properties of the properties of the in ALD Co. ADD 1 without which desired results can not be assumed. Alteration, reproduction, or use in part or in which is forther purpose without the author's written consent may violate Act 17 U.S.C. p. 301 (1991).

2023 they finant copy or discreted discrete is an instruse service and the property of the Training Architects and stall their property. The design professional shall not be responsible askerations, modifications or addition made to the Grawallo askerations, and the service of temporary interest in this disease, and it may not be for any other propose without the design professional; or of the propose service of the design professional; without the written permission of the design professional; information obtained or conclusions design from the service information obtained or conclusions design of the service of information obtained or conclusions design and it may not be

PROJECT NUMBER
23003

DATE OF ISSUE
12.25.2023

REVISION NO. DATE

PROJECT PHASE CD


CD PROJECT TEAM MT


SHEET CONTENTS building sections

SHEET NO.

A - 302
Copyright Notification As Instruments of Architectural Service, the Designs, Delaids,







SECTION E-E <u>SCALE: 3/16" = 12</u>1'-0"



ARCHITECTURE AND PLANNING

COMMERCIAL • RESIDENTIAL

ENC RESIDE TAKHAR R REMODEL

5228 East Solano Drive Paradise Valley, AZ 85253

Ш

CLIENT CONTACT Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t



PROJECT NUMBER DATE OF ISSUE 12.25.2023

REVISION NO.

PROJECT TEAM MT

SHEET CONTENTS building section

A-303



juno <sup>.</sup>	MINI LED	DOWNLIGH
Project:	OUTDO	OR/WET LOCATIO
ixture Type: MD1IW		HOUSING AND TR
ocation:	OZ NEGEGGED I	LOW VOLTAG
Contact/Phone:		LOW VOLIA
PRODUCT DESCRIPTION  In MOTIVE was LED receased descript in for one in well occurries, the MOTIVE was LED receased descripted on generation or State, and to it is made in variabated on non-insulated orapidations or State, compact from factor provides direct occeant lighting with how gloss agrice yates than depresentions to light contract and darkhabates of 100 Moslogen larges. Y facile for both maid-entid and commercial with economic popilication is deleting between one deven lighting when the contraction of the contract	DIMENSIONS	
No lead or mercury Comproble John consuming 5W No lead or mercury No l		
PRODUCT SPECIFICATIONS	- 5-4-0556WOW	ON CELING THOMESS -
20 Light Region High performance, low present ED provide studied in quality performance and card a region for consistency and the performance and card or cardio measurable in consistency 50 CER institute and cardio and cardio and cardio and cardio and cardio and performance and cardio and cardio and cardio and cardio and cardio and performance and cardio and cardio and cardio and cardio and performance and cardio and cardio and cardio and cardio and performance and cardio and cardio and cardio and cardio and performance and cardio and cardio and performance and cardio and cardio and performance and cardio and performance and cardio and performance and performance p	1	2 Tell Ser
uno for use with TL602E and TL576- see transformer specifications	ELECTRICAL DATA	
or compatible dimmers • Color temperature remains constant over limming range • Consult factory for additional information.		2VAC
ife Rated for 50,000 hours at 70% lumen maintenance.	Input Fower	4.EW 0.42A
abels Ut listed for wet locations and daisy chaining • Union made Ut and cUt listed • RoHS compliant.		th Tendome
esting All reports are based on published industry procedures; field serformance may differ from laboratory performance.	ORDERING INFOR	MATION:
roduct specifications subject to change without notice.	Example: M01LWG2-27K	FL-WH
HOUSING FEATURES	Fixture Catalog No. Color Tem	o. Optic Reid
tousing Designed for use in IC [insulated calling] or non-IC construction of control c	MD1LWG2 2700 2K 2000 2SK 2500 41K 4100	SP Spot WM White NFL Norrow Flood BL Mark RL Flood SN Softe
able (Type CL2 or NEC equivalent, 18-12 AWG). Consult local codes or compliant wiring methods.	Transformer Catalog Number Fi	nish Description
Nounting Zinc plated torsion clips are provided fully assembled	TL602E-10-WH W	te 10V 12V K Sertosk Stee/Franker
o housing * Springs allow for fast, secure installation or removal n mounting surfaces from 1/8" to 1" thick material * 2" Cutout limension corresponds to common hole saw size.	TL6025-25-WH VI	
minerature corresponde to common ficile sow size.	TL576-10-BL Si	k 10W 12V AC Magnetic Drivey/Francism
	TL576-25-BL Bi TL576-60-BL Bi	

IITIAL FOOTCANDLES	NDLES	FOOTCA	E INITIAL	AVERAG	CANDLEPOWER	PHOTOMETRIC REPORT
ne Unit, SW, 19.4" Beam steam to Illuminated   Festiondes   Beam	60' room)	Array, 60' x	its (Square	Multiple U	(Condelas)	est Report #: F1101307028
Mone (Feet) Boom Center Diameter 4 123.6 1.4	808	2024	1001	Specing	Degrees	etalog Na: M310W52-35K5PWH uminoire Specino Gritorioe: 0.34
6 54.9 2.1°	19	21	23	4	Vertical 0"	minoire Spacing Criteries: 0.34 minoire LPW: 64
8 30.9 2.7	9	9	10	6'	5 1648	
10 19.8 3.4"	7	7	8	- 1	15 421 25 80	
	4	4	- 5	4	35 17	#SPITTITITITITITITITITITITITITITITITITITI
JMINANCE (Average cd/m²)	3	3	-4	10"	45 6	RXXXX
Average 0° Degrees Luminance		JMMARY	UMEN SI	ZONAL	55 3	#XXXXX///*
45 12095	Milature	NLonp	Lamens	Zone	75 I	#XXX/X
55 6710 45 6720	93.3	1/2	257	0.30	85 0 90 0	#XXX
75 4407	99.2	1/0	316	0-50°	Multiplie: 274-0.52	
85 1634	100.0	1/4	319	0.90*	3K - 0.94 41K - 1.06	
HITIAL FOOTCANDLES se Unit, 5W, 24.6° Beam stees to Manianted Lineteening Beam		FOOTCA Array, 60' x			CANDLEPOWER DISTRIBUTION (Condelas)	HOTOMETRIC REPORT at Report #: PT101307038
Mone (Feet) Boom Center Diameter	8038	ECB4	BOX1	Specing	Degrees	talog Na: M010WS2-35KNRL-WH
4 737 1.7° E 928 2.6°	17	19	21	4	Vertical 0"	minoire Spacing Criteries: 0.42 minoire IPW- 61
8 18.4 3.5	- 1	9	9	-6-	5 1044	
10 11.8 4.4"	- 6	7	8	7'	15 436 25 122	
	- 1	- 4			35 30	<b>MSDTTTTT</b> "
JMINANCE (Average cd/m²)	3	ŝ	3	10"	45 9	RXXXX
Average 0" Degrees Euminance		IMMARY	UMEN SI	ZONAL	55 3 65 2	DXXXX////**
45 17334	Milature	NLonp	Lamora	Zone	75 1	HXXX/X/=
55 7952 65 6071	55.5	1/3	270	0-30*	85 0 90 0	#XXX
75 5567	55.5	1/4	300	0-50"	Multiplie: 274-0.52	
5 398	100.0	1/2	304	0.90	3E-036 41E-1.06	FT.
HITIAL FOOTCANDLES to Unit, 5W, 38.3° Boom	NDLES 60' room)	FOOTCA Array, 60' x	E INITIAL	AVERAC Multiple U	CANDLEPOWER DISTRIBUTION	HOTOMETRIC REPORT of Report #: FT101307048
stance to Eluminated Featrandies Beam Place (Feet) Beam Center Diameter	RORS	PCM	Wall 50%, F	Spacing SCS	(Condelas)	stales Ne: NO10NS2-35KFLWH
4 34.1 2.8	15	17	19	4"	Degrees Vertical 0°	minoire Spacing Criterion: 0.64
8 15.1 4.2°	10	11	12	Ş.	0 545	minaire LPW: 55
90 55 6.9°	5	6	- 5	- 6.	15 366	
	4	Ś	- 5	- 8'	25 158	
JMINANCE (Average cd/m²)	3 2	4	4	9"	35 44 45 14	
Arrespo V			UMEN SI	TONIC:	55 6 65 3	BXXXXXIII
Degrees Eunicianos	Whater	%Lone	Limini	ZONAL	85 3 75 2	PHXXX/XX/
55 13917	81.2	1/2	221	0.30	85 0	FHXXX/
65 1965 N 994	51.5 58.0	1/2	251	0.40	90 0 Rababan 10V 0.00	174X/°
FS 4807	100.0	1/4	273	0.90	36-036	
75 9344	58.0	1/9.	267	0-50"	Baltislam 208, 8.92	<i>Y</i>

LIGHT FIXTURE #2: down light at the entrances

HINKLEY & R. SIGNAL I AVON LAKE, OHIO 44012 [PIP] 4406.853.5555 HINKLEYLIGHTING, COM I FREDRICKRAMOND, COM




LUNA 1660BZ-L	.ED
BRONZE	
WIDTH:	6.0"
WIDTH: HEIGHT:	
WEIGHT:	16.8" 5.0 LBS
MATERIAI ·	ALUMINUM
GLASS:	ETCHED GLASS LENS
BACKPLATE WIDTH:	6.0"
BACKPLATE HEIGHT:	16.0"
SOCKET:	2-5.50W COL-35 INCLUDED
DARK SKY:	YES
LED INFO:	
LUMENS:	250
COLOR TEMP:	2700k
CRI:	90
LED WATTAGE:	6w
INCANDESCENT EQUIVALENCY:	35w
DIMMABLE:	YES
NOTES:	PATENT: US AND FOREIGN PATENTS PENDING
EXTENSION:	3.5"
TTO:	10.0"
CERTIFICATION:	C-US WET RATED
VOLTAGE:	120V
UPC:	640665166071

LIGHT FIXTURE #1: Hinkley Lighting Light Outdoor Wall Lantern in Bronze 1660BZ

#### EXTERIOR LIGHT FIXTURES TABLE:

SYMBOL	LIGHT FIXTURE	QUANTITY	WATTS	LUMENS	LOCATION
	LIGHT FIXTURE #1	5	6	250	SEE SITE PLAN
0	LIGHT FIXTURE #2	4	4.8	270-319	SEE SITE PLAN



TAMIMI ARCHITECTS

ARCHITECTURE AND PLANNING

COMMERCIAL • RESIDENTIAL

ENC SID **М** TAKHAR REMODE

5228 East Solano Drive Paradise Valley, AZ 85253

Ш

CLIENT CONTACT Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t




PROJECT NUMBE 23003

12.25.2023

SHEET CONTENTS
Exterior Lighting

G-004




## **GENERAL NOTES:**

- CONTRACTOR IS RESPONSIBLE FOR CHECKING ALL DIMENSIONS AND CONTACT THE ARCHITECT FOR ANY
- 2. THIS HOUSE IS BETTER TO BE LOCATED AND STACKED
- BY A SURVEYOR. 3. THIS DIMENSIONED FLOOR PLAN IS AN OVERALL DIMENSION PLAN. IT MIGHT NOT REFLECT ALL DIMENSIONS REQUIRED TO LAY OUT PLAN. DIRECT COMMUNICATION WITH ARCHITECT AND CONSULTANT
- MIGHT BE REQUIRED FOR MORE INFORMATION. 4. EXTERIOR WALLS DIMENSIONS ARE TO EXTERIOR FINISH. CONTRACTOR TO VERIFY ALL DIMENSION ON THE FIELD.
- 5. ALL EXTERIOR WALLS RADIUSES AND ANGLES ARE TO THE EXTERIOR FINISH OF WALLS.
- 6. ALL INTERIOR WALLS DIMENSIONS ARE TO FRAMING OF WALL U.N.O. FOR CLEAR CRITICAL CLEARANCES THE DIMENSION IS FROM FINISHED SURFACES.
- 7. PROVIDE REDUCER/TERMINATOR STRIPS AT ALL CHANGES IN FLOOR FINISHES.
- 8. PROVIDE TEMPERED GLASS AT LOCATIONS WITHIN 24 INCHES OF DOORS AND PER THE REQUIREMENTS OF IRC.
- 9. GLAZING AT HAZARDOUS LOCATIONS AND FIRE ASSEMBLIES SHALL MEET THE REQUIREMENTS OF IRC.
- 10. PROVIDE CEMENTITIOUS BACKER BOARD OR WATER RESISTANCE GYPSUM BOARD AT ALL TOILET ROOM,
- SHOWER ROOMS, BATHROOMS AND ALL WET AREAS..
- 11. A DENOTES TEMPERED GLASS LOCATIONS. 12. • EMERGENCY EGRESS WINDOW LOCATIONS.
- 13. SEE SHEET G0.0 FOR REQUIRED FIRE BLOCKING LOCATIONS.
- 14. SEE FLOOR PLANS SHEETS FOR KEY NOTES

## **KEY NOTES:**

28 LIGHT FIXTURES- TYPICAL AS SHOWN ON THE FLOOR PLAN AND ELEVATIONS



TAMIMI ARCHITECTS

ARCHITECTURE AND PLANNING COMMERCIAL . RESIDENTIAL

• • • • • •

CLIENT CONTACT Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t



ument of service of the authors, is for use on this Project only is prepared for use in conjunction with the author's pretations, observations, decisions and administration as describe AIA Doc. A201, without which desired results can not be assured. Alteration, reproduction, or use in part or in whole, for other purposes without the author's written consent may violate Act 17 U.S.C. par. 301 (1991).(c)

© 2023 this (hard copy or electronic) drawing is an instrument of service and the property of the Tamimi Architects and shall remain their property. The design professional shall not be responsible for any alterations, modifications or additions made to this drawing by any party other than the design professional. Use of this drawing shall be limited to the original site for which it was prepared and publication thereof is expressly limited to such use, re-use or reproduction. Unless otherwise agreed in writing, design professional reserves all copyright or other proprietary interest in this drawing, and it may not be re-used for any other purpose without the design professional's written consent. Publication by any method in whole or part is prohibited without the written permission of the design professional. Any information obtained or conclusions derived from this drawing shall be at the user's sole risk.

PROJECT NUMBER 23003 DATE OF ISSUE

12.25.2023 REVISION NO.


PROJECT PHASE CD

PROJECT TEAM

SHEET CONTENTS overall fisrt floor plan

incorporated into this work are protected by Copyright Laws of the United States of Americ

MT




## **GENERAL NOTES:**

- CONTRACTOR IS RESPONSIBLE FOR CHECKING ALL DIMENSIONS AND CONTACT THE ARCHITECT FOR ANY
- 2. THIS HOUSE IS BETTER TO BE LOCATED AND STACKED BY A SURVEYOR.
- 3. THIS DIMENSIONED FLOOR PLAN IS AN OVERALL DIMENSION PLAN. IT MIGHT NOT REFLECT ALL DIMENSIONS REQUIRED TO LAY OUT PLAN. DIRECT COMMUNICATION WITH ARCHITECT AND CONSULTANT MIGHT BE REQUIRED FOR MORE INFORMATION.
- 4. EXTERIOR WALLS DIMENSIONS ARE TO EXTERIOR FINISH.
  CONTRACTOR TO VERIFY ALL DIMENSION ON THE FIELD.
- 5. ALL EXTERIOR WALLS RADIUSES AND ANGLES ARE TO THE EXTERIOR FINISH OF WALLS.
- 6. ALL INTERIOR WALLS DIMENSIONS ARE TO FRAMING OF WALL U.N.O. FOR CLEAR CRITICAL CLEARANCES THE DIMENSION IS FROM FINISHED SURFACES.
- 7. PROVIDE REDUCER/TERMINATOR STRIPS AT ALL CHANGES IN FLOOR FINISHES.

  8. PROVIDE TEMPERED CLASS AT LOCATIONS
- 8. PROVIDE TEMPERED GLASS AT LOCATIONS WITHIN 24 INCHES OF DOORS AND PER THE REQUIREMENTS OF IRC.
- GLAZING AT HAZARDOUS LOCATIONS AND FIRE ASSEMBLIES SHALL MEET THE REQUIREMENTS OF IRC.
- 10. PROVIDE CEMENTITIOUS BACKER BOARD OR WATER RESISTANCE GYPSUM BOARD AT ALL TOILET ROOM,
- SHOWER ROOMS, BATHROOMS AND ALL WET AREAS..
- 11. ▲ DENOTES TEMPERED GLASS LOCATIONS.12. EMERGENCY EGRESS WINDOW LOCATIONS.
- 13. SEE SHEET G-002 FOR REQUIRED FIRE BLOCKING LOCATIONS.
- 14. SEE FLOOR PLANS SHEETS FOR KEY NOTES

## **KEY NOTES:**

28 LIGHT FIXTURES- TYPICAL AS SHOWN ON THE FLOOR PLAN AND ELEVATIONS



TAMIMI ARCHITECTS

ARCHITECTURE AND PLANNING

COMMERCIAL • RESIDENTIAL

• • • • • •

REMODEL 5228 East Solano Drive

CLIENT CONTACT Gurvinder Takhar 5228 East Solano Drive Paradise Valley, AZ 602.705.5534 t



NOTICE: This working drawing package, project manual, an unpublisher instrument of service of the authors, is for use on this Project only and is prepared for use in conjunction with the author's interpretations, observations, decisions and administration as described in AIA Doc. A201, without which desired results can not be assured. Alteration, reproduction, or use in part or in whole, for other purposes without the author's written consent may violate Act 17 U.S.C. par. 301 (1991).(c)

© 2023 this (hard copy or electronic) drawing is an instrument of service and the property of the Tamimi Architects and shall remain their property. The design professional shall not be responsible for any alterations, modifications or additions made to this drawing by any party other than the design professional. Use of this drawing shall be limited to the original site for which it was prepared and publication thereof is expressly limited to such use, re-use or reproduction. Unless otherwise agreed in writing, design professional reserves all copyright or other proprietary interest in this drawing, and it may not be re-used for any other purpose without the design professional's written consent. Publication by any method in whole or part is prohibited without the written permission of the design professional. Any information obtained or conclusions derived from this drawing shall be at the user's sole risk.

PROJECT NUMBER
23003

DATE OF ISSUE

12.25.2023

REVISION NO.

PROJECT PHASE
CD
PROJECT TEAM

SHEET CONTENTS

Overall second floor plan

DRAWN BY


**A-104** 

Copyright Notification: As Instruments of Architectural Service, the Designs, Details, and C incorporated into this work are protected by Copyright Laws of the United States of Americ

HECKED: AV DATE: 12.2.22

SHEET 1 OF 3

SITE PLAN



#### PLANT SCHEDULE FRONT YARD




#### DESERT PAVEMENT DECOMPOSED GRANITE

SYMBOL

Decomposed Granite Blend of (60%) 1/2" Screened minus and (40%) 6"-8" Rip Rap. Color to be Apache Brown 2" depth in all planting areas



Surface Select Boulders 500-1500 lbs



VICKERS
SIGN GROUP
LADIC IN MARING YOUR VISIONS COME TO LITT.
DAM YOURTED LAIDSSAME DESIGNER.

APPROVED FOR CONSTRUCTION

RESIDENC TAKHAR 5228 E. SOLANO DR. PA

DESIGNED: staff RAWN: staff

HECKED: AV DATE: 4.6.23 OB NO.: --

SHEET 2 OF 3

LANDSCAPE PLAN

DESIGNED: staff
DRAWN: staff
CHECKED: AV

DATE: 4.6.23

JOB NO.: --

SHEET 3 OF 3

IRRIGATION PLAN

8' 16'

## NOTES

1. ANY UNDERGROUND UTILITIES SHOWN HAVE BEEN LOCATED FROM FIELD SURVEY INFORMATION AND REQUESTED UTILITY DRAWINGS. THE SURVEYOR MAKES NO GUARANTEES THAT THE UNDERGROUND UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA, EITHER IN SERVICE OR ABANDONED. THE SURVEYOR FURTHER DOES NOT WARRANT THAT THE UNDERGROUND UTILITIES SHOWN ARE IN THE EXACT LOCATION INDICATED ALTHOUGH HE DOES CERTIFY THAT THEY ARE LOCATED AS ACCURATELY AS POSSIBLE FROM INFORMATION AVAILABLE. THE SURVEYOR HAS NOT PHYSICALLY LOCATED THE UNDERGROUND UTILITIES. NOT ALL UTILITY COMPANIES CONTACTED HAVE PROVIDED FACILITY MAPS FOR THEIR UNDERGROUND UTILITIES AND NOT ALL COMPANIES MARKED THEIR FACILITIES BEFORE THE FIELD SURVEY WAS COMPLETED.

2. THE BOUNDARY AND EASEMENT INFORMATION SHOWN HEREIN IS FOR REFERENCE ONLY. THIS INFORMATION WAS CALCULATED USING THE RECORDED PLAT AS DESCRIBED IN THE LEGAL DESCRIPTION AND DOES NOT REPRESENT A FIELD BOUNDARY SURVEY.

3. THE SURVEY WAS PREPARED WITHOUT THE BENIFIT OF A TITLE REPORT. AND IS SUBJECT TO ALL EASEMENTS OF RECORD.

## GRADING AND DRAINAGE PLAN FOR 5228 E. SOLANO DRIVE PARADISE VALLEY, ARIZONA

Lot 21, Stone Canyon, according to the plat of record in the office of the County Recorder of Maricopa County, Arizona, recorded in Book 62 of Maps, Page 41;

# MCDONALD DRIVE PALO VERDE DRIVE

BURKE ENGINEERING GROUP, INC.

TELEPHONE: (623) 910-1195

CONTACT: JOSEPH P. BURKE, P.E.

EMAIL: JOE@BURKEENGINEERINGGROUP.COM

27107 N. GIDIYUP TRAIL

PHOENIX, ARIZONA 85085

**SURVEYOR** 

4501 E. GOLD POPPY WAY

CONTACT: MARWAN TAMINI

PHOENIX, ARIZONA 85044

PH. 602-380-3026

## SETBACK REQUIREMENTS

ALL SETBACKS SHALL BE IN CONFORMANCE WITH THE TOWN OF PARADISE VALLEY ZONING ORDINANCE

### EXISTING LEGEND WATER METER FOUND MONUMENT AS NOTED CONCRETE SET CAPPED REBAR POWER POLE MONUMENT LINE IRRIGATION FLOOD VALVE SURVEY TIE DOWN GUY ----X----X CHAIN LINK FENCE HYDRANT OVERHEAD ELECTRIC PROPOSED LEGEND GRADE BREAK PROPOSED SPOT GRADE DRAINAGE FLOW DIRECTION DRAINAGE FLOW ARROW SLOPE INDICATOR

## GRADING AND DRAINAGE NOTES

1. A GRADING PERMIT IS REQUIRED UNDER TOWN OF PARADISE VALLEY CODE. 2. HAUL PERMITS, WHEN REQUIRED, MUST BE OBTAINED PRIOR TO OR CONCURRENTLY WITH THE GRADING AND DRAINAGE PERMIT.

3. EXCAVATING CONTRACTOR MUST GIVE LOCATION FOR WASTING EXCESS EXCAVATION AND A LETTER FROM OWNER GIVING PERMISSION FOR DUMPING PRIOR TO STARTING

4. TOWN OF PARADISE VALLEY FIELD INSPECTION GROUP SHALL BE NOTIFIED 48 HOURS BEFORE ANY ON-SITE AND/OR OFF-SITE CONSTRUCTION BEGINS. 5. AN APPROVED GRADING AND DRAINAGE PLAN SHALL BE ON THE JOB SITE AT ALL TIMES. DEVIATIONS FROM THE PLAN MUST BE PRECEDED BY AN APPROVED PLAN

8. GRADING AND DRAINAGE PLAN APPROVAL INCLUDES THE CONSTRUCTION OF ALL SURFACE IMPROVEMENTS SHOWN ON THE APPROVED PLAN, INCLUDING, BUT NOT LIMITED TO. RETENTION AREAS, SEDIMENTATION BASINS, AND/OR OTHER DRAINAGE FACILITIES, DRAINAGE PATTERNS, WALLS, CURBS, ASPHALT PAVEMENT, AND BUILDING

9. GRADES SHOWN IN RETENTION BASINS ARE DESIGN FINISHED GRADES. SHOULD THE CONTRACTOR OR ANY SUBCONTRACTOR PLAN TO PLACE SPOIL DIRT FROM FOOTINGS, UTILITY TRENCHES, LANDSCAPING, SWIMMING POOLS, ETC. IN THE BASINS, THE BASINS SHOULD BE SUFFICIENTLY OVER-EXCAVATED DURING THE ROUGH GRADING OPERATION TO ALLOW FOR THE PLACEMENT OF THE FILL OR LANDSCAPING

10. CONTRACTOR IS RESPONSIBLE FOR LOCATING AND CONFIRMING DEPTHS OF ALL THE EXISTING UTILITY LINES WITHIN PROPOSED RETENTION BASIN AREAS. IF THE BASIN CANNOT BE CONSTRUCTED PER PLAN BECAUSE OF CONFLICTS, THE CONTRACTOR SHOULD DISCUSS MODIFICATION OF BASIN CONFIGURATION WITH THE TOWN INSPECTOR TO DETERMINE IF A PLAN REVISION OR A FIELD CHANGE IS

11. ALL DRAINAGE PROTECTIVE DEVICES SUCH AS SWALES, INTERCEPTOR DITCHES, PIPES, PROTECTIVE BERMS, BARRIER WALLS, CONCRETE CHANNELS, OR OTHER MEASURES DESIGNED TO PROTECT ADJACENT BUILDINGS OR PROPERTY FROM STORM RUNOFF MUST BE COMPLETED PRIOR TO BUILDING CONSTRUCTION. 12. ALL RAMPS MUST MEET 2010 ADA STANDARDS FOR ACCESSIBLE DESIGN AND CITY OF PHOENIX SUPPLEMENT TO M.A.G. UNIFORM STANDARD SPECIFICATIONS AND DETAILS; 2% MAX CROSS SLOPES AND12:1 MAX LONGITUDINAL SLOPES. 13. CERTIFICATE OF OCCUPANCY (C OF O) AND/OR FINAL ELECTRICAL CLEARANCE FOR ANY BUILDING MAY BE DENIED UNTIL ALL GRADING AND DRAINAGE IMPROVEMENTS ARE COMPLETED.

14. EXISTING OR NEWLY DAMAGED AND/OR DISPLACED CONCRETE CURB, GUTTER, SIDEWALK, OR DRIVEWAY SLAB THAT IS WITHIN THE RIGHT-OF-WAY SHALL BE REPAIRED OR REPLACED, AS NOTED BY TOWN INSPECTORS, BEFORE FINAL ACCEPTANCE OF THE WORK.

## DRAINAGE STATEMENT

ONSITE STORM WATER RETENTION IS PROVIDED FOR THE PRE VS. POST DRAINAGE AREA.

2. OFFSITE FLOWS ENTER THE SITE VIA AN EXISTING 24" STORM DRAIN PIPE UNDER E. SOLANO DRIVE AND INTO AN EXISTING WASH ON THE EAST SIDE OF THE PROPERTY. FLOWS ALONG THE WEST SIDE OF THE PROPERTY FLOW INTO AN EXISTING WASH LOCATED NEAR THE NORTHWEST SIDE OF THE PROPERTY.

EROSION PROTECTION ONSITE WILL BE PROVIDED VIA DECOMPOSED GRANITE GROUND COVER. ALSO, RIP RAP SHALL BE PROVIDED AT THE OUTLET OF THE PROPOSED 12" STORM DRAIN PIPE SHOWN ON SHEET 2.

VOL REQ = (18,600 SF-18,540 SF)\*2.21/12\*0.95 (ZONE R1-6) = 11 CF

STORM WATER RETENTION

VOL. PROV. = 248SF + 75SF \* 0.2' = 32 CF

PRE IMPERVIOUS AREA = 18.540 SF.

POST IMPERVIOUS AREA = 18.600 SF

Vreg (PRE VS POST)

## PARADISE VALLEY GENERAL NOTES

THE PRIOR TO THE FIRST INSPECTION OF STRUCTURES WITHIN 3 FEET OF A SETBACK LINE, THE PROPERTY PINS SHALL BE PLACED BY A REGISTERED CIVIL ENGINEER OR LAND SURVEYOR OF THE STATE OF ARIZONA, AND THE PROPERTY LINE(S) IDENTIFIED. WHERE EXCAVATION IS TO OCCUR THE TOP 4" OF EXCAVATED NATIVE SOIL SHALL REMAIN ON THE SITE AND SHALL BE REUSED IN A MANNER THAT TAKES ADVANTAGE OF THE NATURAL SOIL SEED BANK IT CONTAINS.

3. ALL WORK REQUIRED TO COMPLETE THE CONSTRUCTION COVERED BY THIS PLAN SHALL BE IN ACCORDANCE WITH THE MARICOPA ASSOCIATION OF GOVERNMENTS (M.A.G.) STANDARD SPECIFICATIONS AND DETAILS AND CURRENT SUPPLEMENTS THEREOF PER THE LOCAL MUNICIPALITY UNLESS SPECIFIED OTHERWISE IN THESE PLANS OR ELSEWHERE IN THE CONTRACT DOCUMENTS. 4. THE CONTRACTOR IS TO COMPLY WITH ALL LOCAL STATE, AND FEDERAL LAWS AND REGULATIONS APPLICABLE TO THE

CONSTRUCTION COVERED BY THIS PLAN. 5. THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING AND COMPLYING WITH ALL PERMITS REQUIRED TO COMPLETE ALL WORK COVERED BY THIS PLAN.

6. ALL EXTERIOR SITE LIGHTING SHALL COMPLY WITH THE APPLICABLE REQUIREMENTS FOR TYPE, LOCATION, HEIGHT, WATTAGE, AND LUMEN BASED UPON THE FIXTURES INSTALLED PURSUANT TO SECTION 1023 OF THE TOWN OF PARADISE VALLEY ZONING ORDINANCE FOR NON-HILLSIDE PROPERTIES, SECTION 2208 OF THE TOWN OF PARADISE VALLEY ZONING ORDINANCE FOR HILLSIDE PROPERTIES. OR AS SPECIFIED IN THE SPECIAL USE PERMIT FOR SPECIAL USE PERMIT PROPERTIES.

7. A DUST CONTROL PLAN AND PERMIT MEETING THE REQUIREMENTS OF RULE 310 OF THE MARICOPA COUNTY AIR POLLUTION CONTROL REGULATIONS, AS AMENDED, IS REQUIRED.

A SEPARATE RIGHT-OF-WAY PERMIT IS NECESSARY FOR ANY OFF-SITE CONSTRUCTION. 9. AN APPROVED GRADING AND DRAINAGE PLAN SHALL BE ON THE JOB SITE AT ALL TIMES. DEVIATIONS FROM THE PLAN MUST BE PRECEDED BY AN APPROVED PLAN REVISION.

10. EAVE PROJECTIONS INTO REQUIRED SETBACKS ARE LIMITED TO A MAXIMUM OF 24" PURSUANT TO SECTION 1008 OF THE TOWN OF PARADISE VALLEY ZONING ORDINANCES.

11. ALL STRUCTURES AND LANDSCAPING WITHIN THE SIGHT VISIBILITY TRIANGLE SHALL HAVE A 2 FOOT MAXIMUM HEIGHT. 12. ALL NEW AND EXISTING ELECTRICAL SERVICE LINES SHALL BE BURIED PER THE TOWN OF PARADISE VALLEY REQUIREMENTS. 13. IT SHALL BE THE RESPONSIBILITY OF THE PERMITTEE TO ARRANGE FOR THE RELOCATION AND RELOCATION COSTS OF ALL UTILITIES, AND TO SUBMIT A UTILITY RELOCATION SCHEDULE PRIOR TO THE ISSUANCE OF AN ENGINEERING CONSTRUCTION PERMIT. 14. EXISTING AND/OR NEW UTILITY CABINETS AND PEDESTALS SHALL BE LOCATED A MINIMUM OF 4' BEHIND ULTIMATE BACK OF

CURB LOCATION. 15. POOL, SPA, BARBECUE AND ANY PROPOSED STRUCTURES OVER 8"ABOVE GRADE REQUIRE SEPARATE PERMIT APPLICATIONS. 16. POOLS SHALL BE CONSTRUCTED BY SEPARATE PERMIT AND SECURED FROM UNWANTED ACCESS PER TOWN CODE, ARTICLE 5-2. 17. ALL FILL MATERIAL UNDER SLABS AND WALKS SHALL BE COMPACTED TO NOT LESS THAN 95%.

18. SETBACK CERTIFICATION IS REQUIRED AND SHALL BE PROVIDED TO TOWN INSPECTOR PRIOR TO STEM WALL INSPECTION 19. FOR BUILDING PADS THAT HAVE 1' OR MORE OF FILL MATERIAL. SOILS COMPACTION TEST RESULTS ARE REQUIRED AND SHALL BE PROVIDED TO TOWN INSPECTOR PRIOR TO PRE-SLAB INSPECTION.

20. FINISHED FLOOR ELEVATION CERTIFICATION IS REQUIRED AND SHALL BE PROVIDED TO TOWN INSPECTOR PRIOR TO FRAMING

21. MAIL BOXES SHALL COMPLY WITH THE TOWN OF PARADISE VALLEY STANDARDS FOR MAIL BOXES IN THE RIGHTOF-WAY FOR HEIGHT, WIDTH AND BREAK AWAY FEATURES. 22. ALL PATIOS, WALKS, AND DRIVES TO SLOPE AWAY FROM BUILDING AND GARAGES AT A MINIMUM SLOPE OF 1/4" PER FOOT

UNLESS SPECIFIED OTHERWISE. 23. TRENCH BEDDING AND SHADING SHALL BE FREE OF ROCKS AND DEBRIS.

24. THE TOWN ONLY APPROVES THE SCOPE OF WORK AND NOT THE ENGINEERING DESIGN. ANY CONSTRUCTION QUANTITIES SHOWN

25. THE APPROVAL OF THE PLANS IS VALID FOR 180 DAYS. IF A PERMIT FOR CONSTRUCTION HAS NOT BEEN ISSUED WITHIN 180 DAYS, THE PERMIT MUST BE RENEWED. 26. A TOWN INSPECTOR WILL INSPECT ALL WORK WITHIN THE TOWN'S RIGHTS-OF-WAY. NOTIFY TOWN INSPECTION SERVICES TO

SCHEDULE A PRECONSTRUCTION MEETING PRIOR TO STARTING CONSTRUCTION. 27. WHENEVER EXCAVATION IS NECESSARY, CALL ARIZONA811 BY DIALING 811 or 602-263-1100, TWO (2) WORKING DAYS BEFORE EXCAVATION BEGINS.

28. EXCAVATIONS SHALL COMPLY WITH REQUIREMENTS OF OSHA EXCAVATION STANDARDS (29 CFR. PART 1926, SUBPART P). UNDER NO CIRCUMSTANCES WILL THE CONTRACTORS BE ALLOWED TO WORK IN A TRENCH LOCATED WITHIN THE TOWN'S RIGHT-OF-WAY WITHOUT PROPER SHORING OR EXCAVATION METHODS.

29. PERMIT HOLDER SHALL POST A 6 SQUARE FOOT (2'X3') IDENTIFICATION SIGN, MADE OF DURABLE MATERIAL, IN THE FRONT YARD OF SUBJECT PROPERTY AND NOT IN THE TOWN'S RIGHT-OF-WAY. THE SIGN MAY NOT EXCEED A MAXIMUM OF 6 FEET IN HEIGHT FROM GRADE TO TOP OF THE SIGN. THE SIGN MUST INCLUDE THE PERMITTEE OR COMPANY NAME, PHONE NUMBER. TYPE OF WORK, ADDRESS OF PROJECT AND TOWN CONTACT NUMBER, 480-348-3556.

30. WHEN DEEMED NECESSARY, A 6-FOOT HIGH CHAIN LINK FENCE MUST BE INSTALLED AROUND THE CONSTRUCTION AREA TO PREVENT ANY POTENTIAL SAFETY HAZARD FOR THE PUBLIC. THE FENCE SHALL BE SETBACK AT LEAST 10 FEET FROM ALL RIGHTS-OF-WAY AND HAVE A 50-FOOT STREET CORNER SITE TRIANGLE WHERE APPLICABLE.

31. CLEAR ACCESS FOR NEIGHBORING PROPERTIES AND EMERGENCY VEHICLES MUST BE MAINTAINED AT ALL TIMES. CONSTRUCTION RELATED VEHICLES MUST BE LEGALLY PARKED ONLY ON ONE SIDE OF THE STREET OR JOB SITE PROPERTY.

32. ALL CONSTRUCTION DEBRIS AND EQUIPMENT MUST BE CONTAINED ON SITE AT ALL TIMES. CONTRACTOR AND PROPERTY OWNER MUST MAINTAIN THE JOB SITE FREE OF LITTER AND UNSIGHTLY MATERIALS AT ALL TIMES. CONSTRUCTION MATERIALS ARE PROHIBITED IN THE TOWN'S RIGHT-OF-WAY.

33. CONSTRUCTION ACTIVITIES ARE PERMITTED BETWEEN THE HOURS OF 7 AM AND 5 PM MONDAY THROUGH FRIDAY. CONSTRUCTION ACTIVITIES MAY START ONE (1) HOUR EARLIER DURING THE SUMMER (MAY 1ST THROUGH SEPTEMBER 30TH). 34. THE USE AND OPERATION OF FUEL-FIRED GENERATORS IS PROHIBITED UNLESS DUE TO A HARDSHIP. TOWN APPROVAL SHALL BE REQUIRED.

35. THE CONTRACTOR AND PROPERTY OWNER SHALL BE LIABLE FOR ANY DAMAGE DONE TO ANY PUBLIC PROPERTY AS A RESULT OF ANY CONSTRUCTION OR CONSTRUCTION RELATED ACTIVITIES. NO CERTIFICATE OF OCCUPANCY WILL BE ISSUED UNTIL ALL AFFECTED RIGHTS-OF-WAY ARE CLEANED AND/OR REPAIRED TO THEIR ORIGINAL CONDITION AND UNTIL ANY AND ALL DAMAGES TO AFFECTED PROPERTIES ARE RESTORED TO ORIGINAL CONDITION.

36. A KEYED SWITCH SHALL BE REQUIRED ON ALL NEW AND EXISTING ELECTRIC ENTRY GATES. THE KEYED SWITCH SHALL BE INSTALLED IN A LOCATION THAT IS READILY VISIBLE AND ACCESSIBLE. KNOX BOX ORDER FORMS ARE AVAILABLE AT THE TOWN'S BUILDING SAFETY DEPARTMENT.

37. PROPERTY OWNER, BUILDER, OR GENERAL CONTRACTOR WILL BE RESPONSIBLE FOR CONTROLLING DUST FROM THE SITE AT ALL TIMES. ALL MEANS NECESSARY SHALL BE USED BY THE BUILDER OR GENERAL CONTRACTOR TO CONTROL THE EXISTENCE OF DUST CAUSED BY ANY EARTHWORK, SPRAY APPLICATION OF MATERIALS, OR OTHER DUST-CAUSING PRACTICES REQUIRED BY THE CONSTRUCTION PROCESS.

38. APPROVAL OF THESE PLANS ARE FOR PERMIT PURPOSES ONLY AND SHALL NOT PREVENT THE TOWN FROM REQUIRING CORRECTION OF ERRORS IN THE PLANS WHERE SUCH ERRORS ARE SUBSEQUENTLY FOUND TO BE IN VIOLATION OF ANY LAW, ORDINANCE, HEALTH, SAFETY, OR OTHER DESIGN ISSUES.

39. ALL DRAINAGE PROTECTIVE DEVICES SUCH AS SWALES, INTERCEPTION DITCHES, PIPES PROTECTIVE BERMS, CONCRETE CHANNELS OR OTHER MEASURES DESIGNED TO PROTECT PROPOSED AND EXISTING IMPROVEMENTS FROM RUNOFF OR DAMAGE FROM STORM WATER, MUST BE CONSTRUCTED PRIOR TO THE CONSTRUCTION OF ANY IMPROVEMENTS.

## SHEET INDEX

. COVER SHEET SHEET 2...... GRADING & DRAINAGE PLAN SHEET 3.....CROSS SECTIONS

## UTILITY PROVIDERS

UTILITY	PROVIDER	PHONE PHONE
WATER:	EPCOR WATER	800-383-0834
SEWER:	ONSITE SEPTIC	N/A
ELECTRIC:	APS	602-371-7171
TELEPHONE:	CENTURYLINK	877-348-9005
NATURAL GAS:	SWG	877-860-6020
CABLE:	COX COMMUNICATIONS	623-594-1000

## SITE INFORMATION

SITE ADDRESS	5228 E. SOLANO DRIVE
APN: 172-47-021	
EXISTING ZONE	R-43
CONSTRUCTION YEAR	1989
LOT AREA (NET)	44,421 S.F. = 1.020 ACRES

## **BUILDING AREA** FIRST FLOOR AREA

MAIN HOUSE	
SECOND FLOOR MAIN HOUSE	5 SF
TOTAL PROPOSED BUILDING AREA11,100 TOTAL ALLOWABLE AREA11,100	

FLOOR AREA RATIO (FAR)..... TOTAL DISTURBED AREA..... ...24,420 S.F.

NET DISTURBANCE = TOTAL DISTURBANCE - BUILDING AREA ....13.319 SF NET DISTURBANCE.....

ALLOWABLE DISTURBANCE = 60% X LOT AREA ALLOWABLE DISTURBANCE......26,653 SF

## EARTHWORK QUANTITIES

100 CY FILL: 350 CY NET: 450 CY FILL

EARTHWORK PROVIDED FOR PERMITTING PURPOSES ONLY. CONTRACTOR TO PROVIDE OWN CALCULATIONS FOR CONSTRUCTION PURPOSES. EARTHWORK ESTIMATE TAKES NO SHRINKAGE OR SWELL INTO ACCOUNT.

GRADING PERMIT FEE  $$168.00 + $96.00 \times (450CY-100CY)/100CY = $504.00$ HILLSIDE ASSURANCE  $35 \times $504.00 = $17.640.00$ 

## BASIS OF BEARING

THE BASIS OF BEARING IS THE MONUMENT LINE OF SOLANO DRIVE. USING A

## **BENCHMARK**

## LEGAL DESCRIPTION

LOT 52, GIBRALTAR ESTATES, PLAT 2 ACCORDING TO BOOK 47 OF MAPS, PAGE 17, RECORDS OF MARICOPA COUNTY, AZ

**GURVINDER TAKHAR** 5228 E. SOLANO DRIVE PH. 602-705-5534

## SURVEYOR

21413 N. 23RD AVENUE PHOENIX, ARIZONA 85027 PH 623-869-0223

## FLOOD ZONE

ACCORDING TO THE FLOOD INSURANCE RATE MAP #04013C1745L, DATED OCTOBER 16, 2013, THIS PROPERTY IS LOCATED IN FLOOD ZONE "X".

BEARING OF NORTH 89 DEGREES 53 MINUTES 20 SECONDS WEST. PER THE PLAT OF STONE CANYON, RECORDED IN BOOK 62 OF MAPS PAGE 41, RECORDS OF MARICOPA COUNTY, ARIZONA.

THE BENCHMARK USED FOR THIS SURVEY IS THE BRASS CAP IN HANDHOLE AT THE INTERSECTION OF 64TH STREET AND JACKRABBIT ROAD HAVING AN ELEVATION OF 1374.008, TOWN OF PARADISE VALLEY DATUM.

### **CIVIL ENGINEER OWNER**

PARADISE VALLEY, ARIZONA 85253 CONTACT: GERVINDER TAKHAR

SUPERIOR SURVEYING SERVICES, INC. TAMIMI ARCHITECTS

## **ELEVATION NOTE**

ADD 1400 TO ALL PROPOSED SPOT GRADES.

# JOSEPH PAUL BURKE

SHEET ESIDENCE ANO DRIVE LEY, ARIZON

COVER TAKHAR F 5228 E. SO ARADISE VAI

## SURVEY NOTES

1. EXISTING TOPOGRAPHICAL INFORMATION SHOWN ON THIS DRAWING IS TAKEN FROM A TOPOGRAPHIC SURVEY PREPARED BY SUPERIOR SURVEY, INC. DATED SEPTEMBER 27, 2005.

2. VERTICAL ELEVATIONS SHOWN ON THIS SET OF DRAWINGS IS TAKEN FROM A TOPOGRAPHIC SURVEY PREPARED BY SUPERIOR SURVEY, INC. DATED SEPTEMBER 27. 2005.

3. PROPERTY BOUNDARY INFORMATION SHOWN ON THIS DRAWING IS TAKEN FROM A BOUNDARY SURVEY PREPARED BY SUPERIOR SURVEY, INC. DATED SEPTEMBER 27, 2005.

## **GENERAL NOTES**

- 1. NO CERTIFICATE OF OCCUPANCY SHALL BE ISSUED UNTIL ALL HILLSIDE STIPULATIONS AND ALL TOWN CODE REQUIREMENTS ARE COMPLIED INCLUDING, BUT NOT LIMITED TO LANDSCAPING, GROUND RESTORATION, FIRE FLOW, FIRE SAFETY AND ALL ONSITE AND OFFSITE IMPROVEMENTS.
- 2. ALL OUTDOOR LIGHTING SHALL BE IN CONFORMANCE WITH ARTICLE XXII OF THE TOWN ZONING ORDINANCE.
- 3. ALL EXCESS FILL MATERIAL SHALL BE REMOVED FROM THE SITE WITH NO NEW SPILL
- 4. THE USE OF HYDRAULIC RAM HAMMERS, OR OTHER HEAVY EQUIPMENT USED TO CUT THROUGH ROCK, INCLUDING MACHINERY WITH AUDIBLE BACK UP WARNING DEVICES SHALL BE LIMITED TO USE BETWEEN THE HOURS OF 7:00AM OR SUNRISE, WHICHEVER IS LATER, AND 6:00PM OR SUNSET, WHICHEVER IS EARLIER, MONDAY THROUGH FRIDAY, WITH LIMITED WORK ON SATURDAY AND NO WORK ON SUNDAY OR LEGAL HOLIDAYS.
- 5. CONSTRUCTION STAKING AND /OR FENCING SHALL BE PLACED AROUND THE CONSTRUCTION SITE SO AS TO PROTECT THE UNDISTURBED NATURAL
- 6. ALL RETAINING WALLS SHALL NOT EXTEND MORE THAN 6 INCHES ABOVE THE MATERIAL THEY RETAIN (WITH THE EXCEPTION OF DRIVEWAY RETAINING WALLS IN ACCORDANCE WITH 2207.VI.6).

DATE

## AS BUILT CERTIFICATION STATEMENT

I HEREBY CERTIFY THAT THE "RECORD DRAWINGS" MEASUREMENTS AS SHOWN HEREON WERE MADE UNDER MY SUPERVISION OR AS NOTED AND ARE CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

REGISTERED ENGINEER / LAND SURVEYOR

REGISTERED NUMBER

CONTACT ARIZONA 811 AT LEAST TWO WORKING DAYS BEFORE YOU BEGIN EXCAVATION CALL 811 OR CLICK ARIZONA811.CO

B.E.G

SCALE (H): 1"=10 SCALE (V): NONE DESIGNED BY: JPB CHECKED BY: -

DATE: 01/10/21 PROJECT NO.

GURV01 DRAWING NAME G&D

of 3

