

SPECIAL USE PERMIT GUIDELINES

TABLE OF CONTENTS

General Purpose	1
Lighting.....	1
Open Space Criteria.....	2
Resorts.....	3
Medical Office.....	6
Religious Facility, Private School, Non-Profit Organization, Public/Quasi Public.....	8
Country Club and Golf Course.....	10
Guardhouse, Gatehouse, and Access Control Gates.....	12

Section 1 General Purpose

The following guidelines should not be construed as an ordinance. These guidelines are a result of joint discussions between the Town Planning Commission and Town Council to provide a generally-accepted vision of appropriate site, bulk, density, perimeter, parking, sign, lighting, and other related standards during the review of a new or amended Special Use Permit for a non-residential development in the Town of Paradise Valley. The nature of the request, the architecture of the development, the unique characteristics of the site, among other factors; may merit less or more restrictive standards as determined during a complete review of each individual request. It should be noted that meeting all the guidelines listed below does not obligate the Town to grant a Special Use Permit or amendment thereto. These guidelines supplement the regulations as set forth in Article XI, Additional Use Regulations and Special Uses, of the Town Zoning Ordinance.

Section 2 Lighting

The following lighting guidelines shall apply to all non-residential properties requiring a Special Use Permit.


- a. Outdoor lighting shall be permitted so long as:
 - i. the light emitting element is shielded so that no beam of light extends above a horizontal plane placed at the lowest level of any exposed portion of the light emitting element; and
 - ii. the light emitting element and reflecting device of all lighting or illumination units is hooded or shielded so that it is not visible from any adjacent lot or real property; and
 - iii. such outdoor lighting or illuminating units do not direct light, either directly or through a reflecting device, upon any adjacent real property.
 - iv. uplighting shall be permitted so long as no Luminaire is greater than 300 Lumens.
- b. Outdoor pole lighting shall be permitted subject to the provisions of subsection A.8.a of this section so long as:
 1. the height of such lights or illumination does not exceed 16 feet measured from the natural ground level; and
 2. Each lighting or illuminating device shall be set back from the nearest property line a distance equal to or greater than the height of the device above natural ground level.

- c. Outdoor light levels, measured in foot candles or equivalent Lux in accordance with Illuminating Engineering Society of North America (IESNA) standards, shall not exceed the following levels in the locations specified:
 - i. parking lots – 1.6.
 - ii. entrance roadways, interior driveways and drop off areas – 5.0.
 - iii. adjacent to service buildings and loading docks – 5.0.
 - iv. in conjunction with architectural lighting adjacent to all other structures – 3.0.
 - v. outdoor pool decks and function areas – 5.0.
 - vi. outdoor dining areas – 10.0.
- d. No outdoor lighting shall be permitted within any setback area adjacent to a residential property unless:
 - i. the lighting measured at the property line does not exceed 0.5 foot candles; and
 - ii. all light emitting elements are less than three (3) feet in height.

Section 3 Open Space Criteria

The following Open Space Criteria shall apply to all non-residential properties requiring a Special Use Permit. To maintain view corridors around the perimeter of a property, building heights shall be limited around property lines. No building shall penetrate an imaginary plane beginning at 16 feet above the natural grade and 20 feet from exterior property lines, which plane slopes upward at a ratio of one foot vertically for each five feet horizontally measured perpendicular to the nearest property line, as illustrated in Figure 3-1. This limitation shall apply until the maximum allowable height is reached. All height measurements shall commence at the ground elevation at the 20-foot beginning line. Building height measurements shall be taken from the high points of the structure to the closest point on the 20-foot beginning line perpendicular to that portion of the structure. Notwithstanding the foregoing, no structure shall be located closer to an exterior property line than as otherwise permitted for that use.

Figure 3-1



Section 8 Guardhouse, Gatehouse, and Access Control Gates

1. Bulk, density and design standards
 - a. The appearance of the guardhouses, gatehouses, and access control gates and related improvements shall be architecturally and aesthetically compatible with adjacent buildings, structures and landscaping.
 - b. There shall be a turnaround provided outside a guardhouse, gatehouse, or access control gate which shall meet Town standards for cul-de-sacs.
 - c. An access control gate shall be set back a minimum of 150 feet from the centerline of the nearest intersecting street providing access to the facility.
 - d. Guardhouses and gatehouses shall be no higher than 16 feet in height.
 - e. No guardhouse or gatehouse shall exceed 250 square feet in area.
 - f. No access control gate shall be higher than 8 feet.
 - g. Pedestrian and non-motorized vehicle access shall be provided adjacent to roadway access.
2. Signage
 - a. One wall sign, not to exceed 6 feet in height or 6 square feet in area shall be permitted.
 - b. Ground signs, not to exceed 4 feet in height or 2 square feet each in area shall be permitted.
3. Lighting

Lighting as per Section 2 of the Special Use Permit Guidelines