

MOUNTAIN VIEW MEDICAL CENTER REDEVELOPMENT PARKING ANALYSIS

SEC corner of Tatum Boulevard and Shea Boulevard,
Town of Paradise Valley



Prepared for:

Stantec Consulting Services, Inc.
8211 South 48th Street
Phoenix, AZ 85044

By:

CivTech, Inc.
8590 East Shea Boulevard, Suite 130
Scottsdale, Arizona 85350
(480) 659-4250

September 2018
CivTech Project # 18-0850

TABLE OF CONTENTS

EXISTING CONDITIONS	2
PROPOSED DEVELOPMENT	2
PHASING	3
CONCLUSIONS	5
APPENDIX	1

LIST OF TABLES

Table 1 – Existing Parking Summary	2
Table 2 – Summary of Parking	3
Table 3 – Summary of Parking	3
Table 4 – Summary of Parking	4

The Mountain View Medical Center (MVMC) redevelopment is located at 10555 North Tatum Boulevard. The existing MVMC site encompasses approximately 10.16 net acres and consists of approximately 59,969 gross square feet of medical office land uses. The proposed redevelopment consists of approximately 91,318 net square feet of medical office land use.

CivTech has prepared a parking study that addresses the number of spaces for the proposed medical offices considering parking ratios calculated for the existing center and the future characteristics of the development. The parking analysis will be completed to meet the requirements of the Town of Paradise Valley.

EXISTING CONDITIONS

The MVMC consists of 6 existing buildings located on the southeast corner of Tatum Boulevard and Shea Boulevard. It currently consists of 59,969 gross square feet of medical office. Approximately 9,447 SF were vacant at the time of this study. There are a total of 331 existing parking spaces on site including 305 regular spaces and 26 ADA spaces. The existing site plan and unit information can be found in **Appendix A**.

Existing parking counts were conducted every 30 minutes on June 7th (Thursday) from 6:00AM to 10:00 PM. The existing conditions parking counts and resulting parking rate calculations are included in **Appendix B**. The results for the weekday count are summarized in **Table 1**.

Table 1 – Existing Parking Summary

Day	Time at Peak Use	Regular	ADA	Total
Existing Total Spaces	-	305	26	331
June 7 th (Thursday)	10:30AM	194	7	201
Max Spaces Occupied				201
Excess (Deficit) No. of Spaces				130
Excess (Deficit) Pct. of Spaces				39%

The results of the existing parking counts concluded that the parking peak occupancy on June 7th was 201 parking spaces at 10:30AM with 194 regular spaces and 7 ADA spaces occupied. There are 130 excess parking spaces (39%) on the weekday of the total 331 existing parking spaces. With the current vacancies, the existing medical office has 50,522 SF in use with a maximum of 201 spaces occupied resulting in a parking rate of approximately 0.8 parking spaces for every 200 SF.

The parking spaces and ratio were determined for the summer months. Information provided by the existing owner/tenants suggested that summer parking utilization was 90% of the winter utilization. To determine the maximum parking for the winter months an adjustment was applied to the summer maximum parking space utilization. The calculated winter maximum parking space utilization is approximately 222 parking spaces resulting in a parking rate of approximately 0.88 parking spaces per 200 square feet.

PROPOSED DEVELOPMENT

The proposed redevelopment at buildout consists of approximately 91,318 net square feet of medical center and a proposed 410 parking spaces, including 12 accessible parking spaces. The proposed parking rate is 0.88 parking spaces per 200 square feet or 4.4 parking spaces for every 1000 SF.

The Special Use Permit (SUP) Guidelines for Paradise Valley provides the Town’s Code for on-site parking requirements for medical office. The SUP Guidelines suggest that 1 parking space for every 200 SF of interior floor area should be provided. The parking information shown in the SUP Guidelines for the proposed medical office are summarized in **Table 3**.

Table 2 – Summary of Parking

Land Use	Size	Requirements Per SUP Guidelines	Required Parking Spaces
Medical Office	91,318 SF	1 Parking Space Per 200 SF	456

The Code required parking results using the SUP Guidelines for the MVMC redevelopment of 91,318 SF of medical center will require 456 parking spaces.

The existing parking ratio calculations from actual field observations results in fewer parking spaces per SF of the building than the SUP Guidelines require. The existing facility, when considering vacancies and an increase in usage by 10 percent in the winter months, requires 0.88 parking spaces for every 200 SF. The comparison between the actual parking rate calculated for the facility and the SUP guideline parking rate are provided in **Table 3** for the proposed 91,318 square foot medical facility.

Table 3 – Summary of Parking

Land Use	Size	Requirements	Required Parking Spaces
Medical Office	91,318 SF	SUP Guidelines: 1 Parking Space Per 200 SF	456
		Existing Calculations: 0.8 Parking Spaces Per 200 SF	365
		Existing Adjusted Calculations: 4.4 Parking Spaces Per 1000 SF	402

The medical office requires approximately 456 parking spaces to meet requirements shown in the SUP Guidelines. A total of 402 parking spaces are needed at the MVMC redevelopment to provide an adequate supply to support the proposed use. The development proposes to provide 410 parking spaces which exceeds the expected demand.

The Town of Paradise Valley parking rates include different requirements for specific types of medical offices such as pharmacy (1 space per 300 SF), outpatient surgical facilities (1 space per 2 employees plus 1 space per surgical room), medical laboratories (1 space per 2 employees) and physical therapy facilities (1 space per 1.5 employees) which can result in lower parking needs. The City of Scottsdale, in comparison, requires 1 space per 250 SF of medical office which the proposed redevelopment meets and exceeds. Furthermore, the growth in prominence of passenger transport services may have some effect in parking needs, though this analysis does not evaluate this mode individually.

The parking supply proposed by the MVMC redevelopment will continue to facilitate acceptable operations at the facility.

PHASING

The construction will occur in three (3) phases with Phase 1 including reconstruction of Building F (east corner of the site), Phase 2 including the reconstruction of Building A (south corner of the site) and Phase 3 reconstruction of the remaining buildings. The Town Engineer requested that parking needs be evaluated by Phase to ensure that sufficient parking is provided phases

of construction. The site plan provided in the **Attachments** indicates that Phase 1 consists of 18,697 net square feet and will provide 94 parking spaces, Phase 2 consists of 15,821 net square feet and will provide 79 parking spaces and Phase 3 consists of 56,800 net square feet and will provide 239 parking spaces. These square footages, provided parking and required parking are summarized in **Table 4**.

Table 4 – Summary of Parking

Phase	Size ⁽¹⁾	Parking Spaces by Ratio		Parking Spaces Provided
		1 per 200 SF	4.4 per 1,000 SF	
Existing	59,969 SF	300	264	331
1	69,304 SF	347	305	334
2	76,309 SF	382	336	357
3	91,318 SF	457	402	410

The project will provide over 4.4 spaces per 1,000 net square feet between each phase in addition to completion of the project.

CONCLUSIONS

The MVMC redevelopment parking evaluation findings are summarized below:

- The existing parking conditions concluded that parking peak occupancy on June 7th was 201 parking spaces with 9,447 SF of office building vacancies.
 - There are 130 excess parking spaces (39%) on the weekday of the total 331 existing parking spaces.
 - Including the current vacancies, the existing medical office has 50,522 SF in use with a maximum of 201 spaces occupied resulting in approximately 0.8 parking spaces for every 200 SF.
 - Information was obtained that 90% of the winter parking levels are in use in the summer. With the adjustment for the winter months, approximately 222 parking spaces required resulting in a rate of 0.88 parking spaces per 200 square feet or 4.4 parking spaces for every 1000 SF.
- The proposed redevelopment at buildout consists of approximately 91,318 net square feet of medical center. A total of 402 parking spaces are needed at the MVMC redevelopment to provide an adequate supply to support the proposed use. The development proposes to provide 410 parking spaces which exceeds the expected demand.
 - The medical office requires approximately 456 parking spaces per the SUP Guidelines.
 - Using the actual rate calculated for the existing medical facility and applying that rate to the proposed redevelopment, a total of 402 parking space would be required.
 - The Town of Paradise Valley parking rates include different requirements for specific types of medical offices such as pharmacy (1 space per 300 SF), outpatient surgical facilities (1 space per 2 employees plus 1 space per surgical room), medical laboratories (1 space per 2 employees) and physical therapy facilities (1 space per 1.5 employees) which can result in lower parking needs.
 - The City of Scottsdale, in comparison, requires 1 space per 250 SF of medical office which the proposed redevelopment meets and exceeds
- The parking supply proposed by the MVMC redevelopment will continue to facilitate acceptable operations at the facility.
- The project will provide over 4.4 spaces per 1,000 net square feet between each phase in addition to completion of the project.

APPENDIX

**APPENDIX A
SITE PLAN AND UNIT INFORMATION**

**APPENDIX B
EXISTING COUNTS AND CALCULATIONS**

PVMC PARKING COUNT DATA COLLECTION
 THURSDAY JUNE 7, 2018

Location		A		B		C		D		E		F	
BEGIN	END	Regular	Handicap	Regular	Handicap	Regular	Handicap	Regular	Handicap	Regular	Handicap	Regular	Handicap
Spaces from aerial		19	3	25	1	120	9	40	6	69	4	25	3
Verified Spaces		19	3	25	1	120	9	40	6	69	4	25	3
7:00	7:30	3	0	8	0	13	0	8	1	5	0	0	0
7:30	8:00	6	0	11	0	16	0	11	1	9	0	1	0
8:00	8:30	9	0	15	0	21	0	19	1	12	0	1	0
8:30	9:00	16	1	20	0	41	2	26	2	35	1	6	0
9:00	9:30	17	2	21	0	44	4	33	1	41	3	10	0
9:30	10:00	18	2	20	0	68	14	32	2	38	3	11	0
10:00	10:30	17	2	22	0	60	3	34	1	40	2	11	0
10:30	11:00	17	1	22	0	65	3	33	1	44	2	13	0
11:00	11:30	16	1	21	0	65	4	33	1	45	2	12	0
11:30	12:00	18	0	19	1	61	5	25	2	42	1	12	0
12:00	12:30	12	0	16	1	63	4	17	4	37	1	15	0
12:30	1:00	11	2	12	1	51	4	17	4	36	0	15	0
1:00	1:30	13	2	9	0	44	3	16	3	27	0	20	1
1:30	2:00	12	1	9	0	44	3	18	3	26	0	22	1
2:00	2:30	16	0	16	0	50	2	24	4	29	1	20	0
2:30	3:00	16	0	20	0	58	1	31	2	31	1	20	0
3:00	3:30	17	0	22	0	51	3	32	2	35	0	10	0
3:30	4:00	16	1	23	0	53	2	32	1	34	0	7	0
4:00	4:30	16	0	26	0	40	1	28	0	25	0	6	0
4:30	5:00	12	0	17	0	32	0	20	0	14	1	6	0
5:00	5:30	9	0	12	0	14	0	18	0	11	0	6	0
5:30	6:00	7	0	10	0	12	0	12	0	10	0	6	0
6:00	6:30	5	0	6	0	9	0	4	0	8	0	3	0

Time	A		B		C		D		E		F		Total Regular	Total ADA	Total
	Regular	ADA	Regular	ADA	Regular	ADA	Regular	ADA	Regular	ADA	Regular	ADA			
Existing Total Spaces	19	3	25	1	120	9	40	6	69	4	25	3	298	26	324
7:00 AM	3	0	8	0	13	0	8	1	5	0	0	0	37	1	38
7:30 AM	6	0	11	0	16	0	11	1	9	0	1	0	54	1	55
8:00 AM	9	0	15	0	21	0	19	1	12	0	1	0	77	1	78
8:30 AM	16	1	20	0	41	2	26	2	35	1	6	0	144	6	150
9:00 AM	17	2	21	0	44	4	30	1	41	3	10	0	163	10	173
9:30 AM	18	2	20	0	68	4	32	2	39	3	11	0	188	11	199
10:00 AM	17	2	22	0	60	3	34	1	40	2	11	0	184	8	192
10:30 AM	17	1	22	0	65	3	33	1	44	2	13	0	194	7	201
11:00 AM	16	1	21	0	65	4	33	1	45	2	12	0	192	8	200
11:30 AM	18	0	19	1	61	5	25	2	42	1	12	0	177	9	186
12:00 PM	12	0	16	1	63	4	17	4	37	1	15	0	160	10	170
12:30 PM	11	2	12	1	51	4	17	4	36	0	18	0	145	11	156
1:00 PM	13	2	9	0	44	3	16	3	27	0	20	1	129	9	138
1:30 PM	12	1	9	0	44	3	18	3	28	0	22	1	133	8	141
2:00 PM	16	0	16	0	50	2	29	4	29	1	20	0	160	7	167
2:30 PM	18	0	20	0	53	1	31	2	31	1	20	0	173	4	177
3:00 PM	17	0	22	0	51	3	32	2	35	0	10	0	167	5	172
3:30 PM	16	1	23	0	55	2	32	1	34	0	7	0	167	4	171
4:00 PM	16	0	20	0	40	1	28	0	25	0	6	0	135	1	136
4:30 PM	12	0	17	0	32	0	20	0	14	1	6	0	101	1	102
5:00 PM	9	0	12	0	19	0	18	0	11	0	6	0	75	0	75
5:30 PM	7	0	10	0	12	0	12	0	10	0	6	0	57	0	57
6:00 PM	5	0	6	0	9	0	4	0	8	0	3	0	35	0	35
Max Spaces Occupied													201		
Existing Spaces														324	
Excess (Deficit) No. of Spaces														123	
Excess (Deficit) Pct. of Spaces														38%	

Mountain View Medical Center

Traffic Impact Analysis

Southeast Corner of Tatum Blvd.
and Shea Blvd.
Mountain View, Arizona

July 2018
Project No. 18-0850

Prepared For:

Stantec Consulting Services, Inc.
8211 South 48th Street
Phoenix, AZ 85044

For Submittal to:
Town of Mountain View

Prepared By:



10605 North Hayden Road
Suite 140
Scottsdale, Arizona 85260
480-659-4250

MOUNTAIN VIEW MEDICAL CENTER REDEVELOPMENT TRAFFIC IMPACT ANALYSIS

SEC of Tatum Boulevard and Shea Boulevard Paradise Valley, Arizona

Prepared for:
Stantec Consulting Services, Inc.
8211 South 48th Street
Phoenix, AZ 85044

For Submittal to:
Town of Paradise Valley

Prepared By:



CivTech, Inc.
10605 North Hayden Road
Suite 140
Scottsdale, Arizona 85260
(480) 659-4250



Expires 2019-09-30

July 2018

CivTech Project No. 18-0850

TABLE OF CONTENTS

LIST OF FIGURES	III
EXECUTIVE SUMMARY	1
INTRODUCTION	3
EXISTING CONDITIONS	5
SURROUNDING LAND USE	5
ROADWAY NETWORK.....	5
INTERSECTION CONFIGURATIONS AND TRAFFIC CONTROLS	6
TRAFFIC VOLUMES	7
EXISTING CAPACITY ANALYSIS.....	10
PROPOSED IMPROVEMENTS	12
DESCRIPTION	12
PHASING AND INTENSITY	12
SITE ACCESS	12
TRIP GENERATION.....	12
TRIP DISTRIBUTION AND ASSIGNMENT	14
FUTURE BACKGROUND TRAFFIC.....	15
TOTAL TRAFFIC	15
INTERSECTION CAPACITY ANALYSIS.....	20
QUEUING ANALYSIS.....	21
CONCLUSIONS	24
TECHNICAL APPENDIX	27

LIST OF TABLES

Table 1 - Level of Service Criteria for Controlled Intersections 10

Table 2 - Existing Peak Hour Levels of Service 11

Table 3 - Trip Generation Summary 14

Table 4 - Trip Generation Comparison 14

Table 5 - Trip Distribution 14

Table 6 - Peak Hour Levels of Service 20

Table 7 - Right-Turn Lane Criteria 21

Table 8 – Turn Lane Queue Storage 23

LIST OF FIGURES

Figure 1 - Vicinity Map 4

Figure 2 - Existing Lane Configuration and Control 8

Figure 3 - Existing Peak Hour Traffic Volumes 9

Figure 4 - Site Plan and Access 13

Figure 5 - Trip Distribution 16

Figure 6 - Site Traffic Volumes 17

Figure 7 - Background Traffic Volumes 18

Figure 8 - Total Traffic Volumes 19

Figure 9 - Total Traffic Volumes 22

EXECUTIVE SUMMARY

The Mountain View Medical Center is located on the southeast corner of Tatum Boulevard and Shea Boulevard in Paradise Valley, Arizona. The existing medical center currently consists of $\pm 59,969$ gross square feet (SF) of medical office land use and is proposing a redevelopment to consist of $\pm 91,318$ net SF. The development provides three (3) existing access points.

CivTech has been retained by Stantec Consulting Services, Inc. to perform a traffic impact analysis (TIA) for the proposed redevelopment. The purpose of this report is to document projected traffic and any transportation impacts and needs of the proposed improvements on the surrounding streets, intersections and existing driveways.

The following conclusions and recommendations have been documented in this study.

- The redevelopment will be built out in three phases. Phase 1 consists of 18,697 SF medical use. Phase 2 adds 15,821 SF for a total of 34,518. Phase 3 adds 56,800 SF for the total of 91,318 SF.
- The redevelopment is anticipated to add approximately 1,204 daily trips to the roadway network, with 64 additional trips during the AM peak hour and 107 additional trips during the PM peak hour.
- The results of the existing conditions analysis summarized in **Table 2** indicates that all study intersections operate at overall LOS D or better with the exception of Tatum Boulevard & Shea Boulevard, Tatum Boulevard & Beryl Avenue/Tatum Corporate Center Driveway.
 - The intersection of **Tatum Boulevard and Shea Boulevard** is evaluated to operate at LOS E during the PM peak hour. This is due to high traffic volumes compared to its capacity, particularly the northbound left turn.
 - The intersection of **Tatum Boulevard & Beryl Avenue/Tatum Corporate Center Driveway** is evaluated to operate with delays in several movements during the PM peak hour. Poor levels of service during peak hours is not uncommon on side street approaches to major arterial roadways.
- The results of the proposed conditions analysis summarized in **Table 6** indicates that half of the study intersections operate at overall LOS D or better during the peak hours while the other half do not during one or more peak hours. Nearly all reported LOS with the proposed redevelopment are identical to their respective LOS without the redevelopment.
 - The intersection of **Tatum Boulevard and Shea Boulevard** continues to operate poorly during the PM peak hour due to high traffic volumes compared to its capacity, particularly the northbound left turn. The delay of the intersection is aggregated with projected future growth. Any potential future mitigation is not considered the responsibility of the developer.

- The intersections of ***Tatum Boulevard & Fry's Driveway/Medical Center Driveway*** and ***Tatum Boulevard & Beryl Avenue/Tatum Corporate Center Driveway*** have projected delays in the build and no build scenario. Poor levels of service during peak hours is not uncommon on side street approaches to major arterial roadways. No further restrictions are recommended.
- The intersection of ***50th Street and Shea Boulevard*** has projected delays due to the westbound approach capacity. If the signal does not have pedestrian recall additional time can be allotted to the westbound approach, mitigating the projected delay.
- The development will utilize existing driveways and lane configurations. No changes to existing turn lanes are recommended as part of this development.

INTRODUCTION

The Mountain View Medical Center is located on the southeast corner of Tatum Boulevard and Shea Boulevard in Paradise Valley, Arizona. The 59,969 gross square feet (SF) of medical office land use is proposed for redevelopment to become approximately 91,318 net SF. The development provides three (3) existing access points along Tatum Boulevard and Shea Boulevard. A location map is provided in **Figure 1**.

This Transportation Impact Analysis (TIA) was completed in accordance with the standard criteria set forth by the Town of Paradise Valley's Guidelines dated May, 2015. A preliminary analysis indicated that a Category 1 TIA would be required for this project. This study analyzes the traffic impact due to the proposed improvements on the surrounding street network.

Study Area

The study area for a Category 1 study is defined as all major intersections and roadway segments within 1/4 mile of the site and all major driveways within 500 feet of the project site boundary. The following site intersection has been evaluated:

- Tatum Boulevard and Desert Cove Avenue
- Tatum Boulevard and Shea Boulevard
- Tatum Boulevard and Fry's Driveway (north)/Medical Center
- Tatum Boulevard and Beryl Avenue/Tatum Corporate Center Driveway (north)
- Tatum Boulevard and Gold Dust Avenue
- Medical Center Driveway and Beryl Avenue
- Albertson's Driveway/Medical Center and Shea Boulevard
- 50th Street and Shea Boulevard

Study Years

For study purposes, it is assumed that the opening year of the redevelopment will be 2019. A Category 1 study includes the analysis of opening year/Phase 1 (2019) and 5 years after opening/buildout (2024).

Considering the Phase 1 and Phase 2 combined square footage (34,518 SF) is less than that of the existing building (59,969 SF), and the land use is unchanged, the trips generated by completion of Phase 1 and Phase 2 are expected to be less than the existing conditions. The traffic impact for the opening year (Phase 1) is expected to be less than the existing conditions and analysis thereof is not necessary. For this reason, this analysis was limited to the 5th year with Phase 3/buildout (2024).




Figure 1: Vicinity Map

EXISTING CONDITIONS

The Mountain View Medical Center is located on the southeast corner of Tatum Boulevard and Shea Boulevard. The existing site encompasses approximately 10.16 net acres and consists of approximately 59,969 gross SF of medical land uses.

SURROUNDING LAND USE

North of the site is Paradise Village Gateway, a shopping center that encompasses approximately 30 acres and consists of a grocery store, coffee shops, restaurants and retail shops. South and east of the site are various neighborhoods with single-family homes. Directly west of the site is a Fry's Food Store.

ROADWAY NETWORK

The existing roadway network within the study area includes Tatum Boulevard, Shea Boulevard, Gold Dust Avenue, Beryl Avenue, Desert Cove Avenue and 50th Street.

Tatum Boulevard is a north/south six (6) lane roadway with three (3) lanes in each direction of travel, divided by a raised median north of Shea Boulevard and a two-way left-turn lane (TWLTL) south of Shea Boulevard. Tatum Boulevard is classified as a major arterial street by the City of Phoenix. Tatum Boulevard begins to the north at the intersection with Cave Creek Road and terminates to the south at the intersection with McDonald Dr. where it converts to 44th Street. The posted speed limit within the vicinity of the site is 40 mph.

Shea Boulevard is an east/west six (6) lane roadway with three (3) lanes in each direction of travel and a center raised median. Shea Boulevard is classified as a major arterial street by the City of Phoenix. Shea Boulevard begins to the west at the intersection with 24th street and terminates to the east at SR 87. Shea Boulevard provides access to SR 51, SR Loop 101 and SR 87. The posted speed limit within the vicinity of the site is 45 mph.

Gold Dust Avenue is an east/west (2) lane roadway with one (1) lane in each direction of travel and unmarked stripping within the vicinity of the site. The roadway is assumed to be a collector street. The segment of Gold Dust Avenue within the vicinity of the site begins at 44th Street and terminates ½-mile to the east at Tatum Boulevard. The posted speed limit within the vicinity of the site is 25 mph.

Beryl Avenue is a two (2) lane local street with (1) lane in each direction of travel and unmarked stripping within the vicinity of the site. The segment of Beryl Avenue within the vicinity of the site begins at Shea Boulevard and terminates ¾-mile east at 50th Place. Beryl Avenue serves as circulation for Mountain View Medical Center and the neighborhood adjacent to the Medical Center. The posted speed limit within the vicinity of the site is assumed to be 15 mph.

Desert Cove Avenue is a two (2) lane local street with one (1) lane in each direction of travel and unmarked striping within the vicinity of the site. The segment of Desert Cove Avenue within the vicinity of the site begins east of Tatum Boulevard at the driveway off Paradise Valley Office Suites and terminates 0.35 miles to the west where it converts into 50th Street. Desert Cove Avenue serves as access to Paradise Village Gateway and various multi-family housing complexes. There is no posted speed limit within the vicinity of the site.

50th Street is a two (2) lane driveway with one (2) lane in each direction of travel and unmarked striping within the vicinity of the site. The segment of 50th Street within the vicinity of the site is a 500 FT driveway that provides access to Paradise Village Gateway, Paradise Valley Plaza and a multi-family housing complex.

INTERSECTION CONFIGURATIONS AND TRAFFIC CONTROLS

The intersection of **Tatum Boulevard and Desert Cove Avenue** operates as a signalized four-legged intersection with permitted left-turns on all approaches. The northbound and southbound approaches consist of one (1) exclusive left-turn lane, two (2) through lanes and one (1) shared through/right-turn lane. The eastbound and westbound approach consists of one (1) shared left/through/right-turn lane.

The intersection of **Tatum Boulevard and Shea Boulevard** operates as a signalized four-legged intersection with protected left turns on all approaches. The northbound and southbound approaches consist of dual left-turn lanes, two (2) through lanes and one (1) shared through/right-turn lane. The eastbound and westbound approach consist of dual left-turn lanes, three (3) through lanes and one (1) dedicated right-turn lane.

The intersection of **Tatum Boulevard and Fry's Driveway (north)/Medical Center** operates as a four-legged intersection with stop control on the eastbound and westbound approaches. The northbound approach consists of one (1) left turn lane, two (2) through lanes and one (1) shared through/right-turn lane. The southbound approach consists of three (3) through lanes and one (1) dedicated right-turn lane. Left-turns into the medical driveway are not allowed. The eastbound and westbound approaches consist of one (1) shared left/through/right-turn lane. Eastbound left-turns are not permitted between the hours of 2 PM and 6 PM.

The intersection of **Tatum Boulevard and Beryl Avenue/Tatum Corporate Center Driveway (north)** operates as a four-legged intersection with stop control on the eastbound and westbound approach. The northbound approach consists of a center two-way left-turn lane, two (2) through lanes and a 24 foot outside lane that has the width for both a through and a right turn lane. The southbound approach consists of a center two-way left-turn lane, two (2) through lanes and a through/right-turn lane. The eastbound and westbound approaches consist of one (1) shared left/through/right-turn lane.

The intersection of **Tatum Boulevard and Gold Dust Avenue** operates a “T” intersection with stop control in the eastbound approach. The northbound approach consists of a two-way left-turn lane and three (3) through lanes. The southbound approach consists of two (2) through lanes and one (1) dedicated right-turn lane. The eastbound approach consists of one (1) shared left/right-turn lane.

The intersection of **Medical Center Driveway and Beryl Avenue** operates as a “T” intersection with no posted stop control yet functions as a yield in the southbound approach. The southbound approach consists of one (1) right-turn lane. The eastbound approach consists of one (1) shared left-turn/through lane. The westbound approach consists of one (1) shared through/right-turn lane.

The intersection of **Albertson’s Driveway/Medical Center and Shea Boulevard** operates as a four-legged intersection with stop control on the northbound and southbound approaches. The northbound and southbound approaches consist of one (1) restricted right-turn lane, with left-turn and through movements restricted by a median on Shea Boulevard. The eastbound approach consists of one (1) exclusive left-turn lane, two (2) through lanes and one (1) shared through/right-turn lane. The westbound approach consists of one (1) exclusive left-turn lane, three (3) through lanes, and one (1) dedicated right-turn lane.

The intersection of **50th Street and Shea Boulevard** operates as a signalized “T” intersection with permitted left-turns on all approaches. The southbound approach consists of one (1) exclusive left-turn lane and one (1) dedicated right-turn lane. The eastbound approach consists of one (1) exclusive left-turn lane and three (3) through lanes. The westbound approach consists of one (1) through lane and one (1) shared through/right-turn lane.

The existing lane configurations and traffic controls are illustrated **Figure 2**.

TRAFFIC VOLUMES

CivTech engaged Field Data Services of Arizona, Inc. to record traffic volumes at the proposed study intersections within the project vicinity. Peak hour volume turning movement counts were performed on either Tuesday, June 5, 2018 or Wednesday, June 6, 2018 from 7:00 AM to 9:00 AM and 4:00 PM to 6:00 PM at the study intersections. Data sheets for the recorded volumes are provided in **Appendix B**.

Since the existing volumes were collected in June during a time where the roadway is not at full capacity an adjustment factor was calculated. The City of Phoenix’s adjustment factors (from ADT) are 0.99 for June and 0.99 for Tuesday. The seasonal adjustment factor to be applied is $1 / [\text{monthly factor}] / [\text{weekday factor}] = 1.020$. An analysis using slightly older numbers considered a more conservative seasonal adjustment factor of 1.022. Existing traffic volumes were multiplied by 1.022. Also, the 59,969 gross SF of medical center was ninety percent occupied at the time the counts were conducted. To account for the vacancies, the existing volumes at the site driveways were adjusted. The adjusted existing traffic volumes for this study are illustrated in **Figure 3** for both AM and PM peak hours.







Figure 2: Existing Lane Configurations and Traffic Controls

Source: CivTech 2018



Source: CivTech 2018

Figure 3: Existing Traffic Volumes

It should be noted that the traffic counts recorded vehicles making illegal left turns at the intersection of Tatum Boulevard and Fry’s Driveway/Medical Center Driveway. They were left in the analysis but were not grown for future conditions.

EXISTING CAPACITY ANALYSIS

Peak hour capacity analyses have been conducted for the study intersections based on existing intersection lane configurations and traffic volumes. All intersections have been analyzed using the methodologies presented in the Transportation Research Board’s *Highway Capacity Manual* and using Synchro software.

The concept of level of service (LOS) uses qualitative measures that characterize operational conditions within the traffic stream. The individual levels of service are described by factors that include speed, travel time, freedom to maneuver, traffic interruptions, and comfort and convenience. Six levels of service are defined for each type of facility for which analysis procedures are available. They are given letter designations A through F, with LOS A representing the best operating conditions and LOS F the worst. Each level of service represents a range of operating conditions. Levels of service for intersections are defined in terms of delay ranges. **Table 1** lists the level of service criteria for signalized and unsignalized intersections, respectively.

Table 1 - Level of Service Criteria for Controlled Intersections

Level-of-Service	Unsignalized Control Delay (sec/veh)	Signalized Control Delay (sec/veh)
A	≤ 10	≤ 10
B	> 10-20	> 10-15
C	> 20-35	> 15-25
D	> 35-55	> 25-35
E	> 55-80	> 35-50
F	> 80 (or v/c > 1)	> 50 (or v/c > 1)

Source: Exhibits 19-8, 20-2, 21-8, and 22-8, *Highway Capacity Manual 2017*

Synchro 10 software calculates the LOS per the HCM 6th edition methodology. Synchro analysis worksheets report individual movement delay/LOS and overall delay/LOS for signalized intersections; unsignalized intersection worksheets report the worst-case delay/LOS and the average overall intersection delay. Results of the existing level of service analyses are shown in **Table 2** for both AM and PM peak hours. The existing conditions analysis worksheets have been included in **Appendix C**.

Table 2 - Existing Peak Hour Levels of Service

ID	Intersection	Stop Control	Approach	LOS	
				AM	PM
1	Tatum Blvd. & Desert Cove Ave.	Signal	NB	C	B
			SB	C	B
			EB	B	C
			WB	B	C
			Overall	C	B
2	Tatum Blvd. & Shea Blvd	Signal	NB	E	E
			SB	E	D
			EB	D	D
			WB	D	F
			Overall	D	E
3	Tatum Blvd. & Fry's Dwy. /Medical Center Dwy.	2-way Stop (EB & WB)	NB Shared	B	B
			SB Shared	B	D
			EB Shared	C	B
			WB Shared	B	D
			4	Tatum Blvd. & Beryl Ave. /Tatum Corporate Center Dwy.	2-way Stop (EB & WB)
5	Tatum Blvd. & Gold Dust Ave.	1-way Stop (EB)	SB Left	B	E
			EB Shared	C	F
			WB Shared	B	F
			6	Medical Center Dwy. & Beryl Ave.	1-way Yield (SB)
7	Albertson's Dwy. /Medical Center Dwy. & Shea Blvd.	2-way Stop (NB & SB)	EB Shared	B	B
			WB Left	B	B
			NB Right	B	B
			SB Right	B	D
8	50 th St. & Shea Blvd.	Signal	SB	C	C
			EB	C	C
			WB	C	E
			Overall	C	D

The results of the existing conditions analysis summarized in **Table 2** indicates that all study intersections operate at overall LOS D or better with the exception of Tatum Boulevard & Shea Boulevard, Tatum Boulevard & Beryl Avenue/Tatum Corporate Center Driveway.

The intersection of **Tatum Boulevard and Shea Boulevard** is evaluated to operate at LOS E during the PM peak hour. This is due to high traffic volumes compared to its capacity, particularly the northbound left turn.

The intersection of **Tatum Boulevard & Beryl Avenue/Tatum Corporate Center Driveway** is evaluated to operate with delays in several movements during the PM peak hour. Poor levels of service during peak hours is not uncommon on side street approaches to major arterial roadways.

PROPOSED IMPROVEMENTS

DESCRIPTION

The redevelopment will consist of three phases between opening year 2019 and horizon year 2024. The proposed medical center will be composed of 91,318 net SF once fully built out.

PHASING AND INTENSITY

The redevelopment will be built out in three phases. Phase 1 consists of 18,697 SF medical use. Phase 2 adds 15,821 SF for a total of 34,518. Phase 3 adds 56,800 SF for the total of 91,318 SF. Phase 1 is expected to open in 2019 and Phase 3 is anticipated to be completed by 2024.

SITE ACCESS

Access to the redeveloped building will be via the three (3) existing driveways listed below:

- Tatum Boulevard and Fry's Driveway (north)/ Medical Center
- Medical Center Driveway and Beryl Avenue
- Albertson's Driveway/Medical Center and Shea Boulevard

The driveways were previously described in the existing conditions section. The proposed site plan is displayed in **Figure 4**.

TRIP GENERATION

Generated trips were estimated for the proposed improvements at Mountain View Medical Center were estimated utilizing the data given in the latest (10th) edition of the Institute of Transportation Engineers' (ITE) *Trip Generation Manual* and the methodology discussed in the ITE *Trip Generation Handbook, 3rd Edition*. The *Trip Generation Manual* report contains data collected by various transportation professionals for a wide range of different land uses. The data are summarized in the report and average rates and equations have been established that correlate the relationship between an independent variable that describes the development size and generated trips for each categorized land use. The report provides information for daily and peak hour trips.

The Mountain View Medical Center improvements include the redevelopment of an existing 59,969-SF medical office land use to 91,318-SF medical office land use. The trips generated by Mountain View Medical Center were estimated with land use code 720 (medical offices) as there are various uses for the offices tenants have occupied. **Table 3** shows the anticipated number of trips generated at full buildout. Detailed trip generation worksheets are included in **Appendix D**.

SHEA BOULEVARD

7




Figure 4: Site Plan and Access

Table 3 - Trip Generation Summary

Land Use	ITE Code	Size		Weekday Generated Trips						
				Daily Total	AM Peak Hour			PM Peak Hour		
					Enter	Exit	Total	Enter	Exit	Total
Medical Offices	720	91.318	KSF	3,420	161	45	206	87	225	312

After full buildout, the proposed redevelopment is anticipated to generate 3,420 weekday daily trips, 206 trips during the AM peak hour and 312 trips during the PM peak hour.

Since the total square footage of the Mountain View Medical Center has increased, the total number of trips to/from the site is anticipated to increase. **Table 4** shows the net increase of trips generated by the proposed expansion/redevelopment.

Table 4 - Trip Generation Comparison

Land Use	ITE Code	Size		Weekday Generated Trips						
				Daily Total	AM Peak Hour			PM Peak Hour		
					Enter	Exit	Total	Enter	Exit	Total
Medical Offices (new)	720	91.318	KSF	3,420	161	45	206	87	225	312
Medical Offices (existing)	720	59.969	KSF	2,216	111	31	142	57	148	205
New Trips Added				1,204	50	14	64	30	77	107

The redevelopment is anticipated to add approximately 1,204 daily trips to the roadway network, with 64 additional trips during the AM peak hour and 107 additional trips during the PM peak hour.

TRIP DISTRIBUTION AND ASSIGNMENT

It is expected that the residential development will generate trips based on future population within a 10-mile radius of the site. Future total population within a 10-mile radius of the site, as predicted by the 2020 socio-economic data compiled by the Maricopa Association of Governments (MAG), was used as a basis to estimate trip distribution for the residential development. The resulting trip distribution percentages for the study area are shown and summarized in **Table 5**.

Table 5 - Trip Distribution

Roadway (To/From)	Trip Distribution
Tatum Blvd (North)	13%
Tatum Blvd (South)	30%
Shea Boulevard (East)	12%
Shea Blvd (West)	42%
Gold Dust Ave (West)	3%
Total	100%

The percentages presented in **Table 5** are also depicted in **Figure 5** and were applied to the site trips generated to determine the AM and PM peak hour site traffic at the intersections within the study area. The resulting site generated traffic for the proposed development is presented in **Figure 6** for horizon year 2024.

FUTURE BACKGROUND TRAFFIC

CivTech utilized the 2015 and 2011 average daily traffic on Tatum Boulevard north of Shea Boulevard and on Shea Boulevard west of Tatum Boulevard as published by the Maricopa Association of Governments (MAG). The 2011 and 2015 volumes resulted in an average annual growth rate of 0.9 percent on Tatum Boulevard and 3.2 percent on Shea Boulevard. The average of the two growth rates (2.1 percent) was applied annually to the adjusted existing traffic counts to represent regional growth. This correlates to an expansion factor of 1.129 for horizon year 2024. The 2024 background peak hour traffic volumes are shown in **Figure 7**.

TOTAL TRAFFIC

Total traffic was determined by adding the site generated traffic and the projected background traffic. Total AM and PM peak hour traffic volumes are depicted in **Figure 8** for the horizon year.






Figure 5: Vicinity Map





Source: CivTech 2018

Figure 6: Site Generated Traffic Volumes



Source: CivTech 2018

Figure 7: 2024 Background Traffic Volumes



Source: CivTech 2018

Figure 8: 2024 Total Traffic Volumes

INTERSECTION CAPACITY ANALYSIS

The overall intersection and approach levels of service are summarized in **Table 5** for the 2024 background and total traffic conditions. Detailed analysis worksheets for 2024 analysis can be found in **Appendix F**.

Table 6 - Peak Hour Levels of Service

ID	Intersection	Stop Control	Approach	2024 AM (PM) LOS	
				No-Build	Build
1	Tatum Blvd. & Desert Cove Ave.	Signal	NB	C(B)	C(B)
			SB	C(B)	C(B)
			EB	B(C)	B(C)
			WB	B(C)	B(C)
			Overall	C(B)	C(B)
2	Tatum Blvd. & Shea Blvd	Signal	NB	E(F)	E(F)
			SB	E(E)	E(E)
			EB	D(E)	E(E)
			WB	D(F)	D(F)
			Overall	D(F)	D(F)
3	Tatum Blvd. & Fry's Dwy. /Medical Center Dwy.	2-way Stop (EB & WB)	NB Shared	B(B)	B(B)
			SB Thru/Right	B(E)	B(E)
			EB Shared	C(B)	C(B)
			WB Shared	B(E)	B(F)
4	Tatum Blvd. & Beryl Ave. /Tatum Corporate Center Dwy.	2-way Stop (EB & WB)	NB Left	B(A)	B(A)
			SB Left	C(F)	C(F)
			EB Shared	C(F)	C(F)
			WB Shared	B(F)	B(F)
5	Tatum Blvd. & Gold Dust Ave.	1-way Stop (EB)	NB Left	B(A)	B(A)
			EB Shared	C(C)	C(C)
6	Medical Center Dwy. & Beryl Ave.	1-way Yield (SB)	SB Right	A(A)	A(A)
			EB Left	A(A)	A(A)
7	Albertson's Dwy. /Medical Center Dwy. & Shea Blvd.	2-way Stop (NB & SB)	EB Left	B(C)	B(C)
			WB Left	B(B)	B(B)
			NB Right	B(B)	B(B)
			SB Right	B(D)	B(D)
8	50 th St. & Shea Blvd.	Signal	SB	C(C)	C(C)
			EB	C(C)	C(C)
			WB	D(F)	D(F)
			Overall	C(E)	C(E)

The results of the proposed conditions analysis summarized in **Table 6** indicates that half of the study intersections operate at overall LOS D or better during the peak hours while the other half do not during one or more peak hours. Nearly all reported LOS with the proposed redevelopment are identical to their respective LOS without the redevelopment.

The intersection of **Tatum Boulevard and Shea Boulevard** continues to operate poorly during the PM peak hour due to high traffic volumes compared to its capacity, particularly the northbound left turn. The delay of the intersection is aggregated with projected future growth. Any potential future mitigation is not considered the responsibility of the developer.

The intersections of **Tatum Boulevard & Fry’s Driveway/Medical Center Driveway** and **Tatum Boulevard & Beryl Avenue/Tatum Corporate Center Driveway** have projected delays in the build and no build scenario. Poor levels of service during peak hours is not uncommon on side street approaches to major arterial roadways. No further restrictions are recommended.

The intersection of **50th Street and Shea Boulevard** has projected delays due to the westbound approach capacity. If the signal does not have pedestrian recall additional time can be allotted to the westbound approach, mitigating the projected delay.

The proposed lane configuration and signal control is illustrated in **Figure 9**.

QUEUING ANALYSIS

Right-Turn Declaration Lanes.

Per *The Town of Paradise Valley Traffic Impact Analysis Criteria, May 2015*, the need for a deceleration lane is determined with criteria. The proposed site conditions must meet a **minimum of three** of the following criteria:

1. At least 5,000 vehicles per day are using or are expected in the near future (five years after the development is build out) to be using the adjacent street.
2. The posted speed limit is 35 mph or the 85th percentile speed limit is greater than 35 mph.
3. At least 1,000 vehicles per day are using or are expected to use the driveways(s) for the development or adjacent developments(s) (existing or future).
4. At least 90 vehicles are expected to make right turns into the driveway(s) for a one-hour period for the development or adjacent developments (existing or future).

Table 7 - Right-Turn Lane Criteria

Intersection	Peak Period Right-turn Volume AM (PM)	Criteria Met?			
		Criteria 1	Criteria 2	Criteria 3	Criteria 4
Tatum Blvd & Fry’s Dwy/Medical Center Dwy	NB – 27(13)	Yes	Yes	No	No
Tatum Blvd & Beryl Avenue	NB – 17(8)	Yes	Yes	No	No
Albertson’s Dwy/Medical Center Dwy & Shea Blvd	EB – 57(26)	Yes	Yes	No	No

Turn Lane Storage

Adequate turn storage should be supplied on any approach where turn lanes are permitted and/or warranted. A queuing analysis was prepared according to the methodology documented in *AASHTO’s A Policy on Geometric Design of Highways and Streets*. The study intersections were analyzed to determine the left-turn and right-turn storage needed to accommodate the expected traffic volumes in the 2024 horizon year.





Figure 9: Proposed Lane Configurations and Traffic Controls

Source: CivTech 2018

The storage length for a turn lane is typically estimated as the length required to hold the average number of arriving vehicles per one and one-half minutes, where unsignalized, or per two signal cycles, where signalized.¹ The formulas used for the calculations are shown below, and the resulting turn lane storage requirements for the study intersections are summarized in **Table 8** on the following page. A detailed worksheet is included in **Appendix G**.

For signalized intersections, storage length is determined by the following formula:

$$\text{Storage Length} = [1.5 \times (\text{veh/hr}) / (\text{cycles/hr})] \times 25 \text{ feet}$$

For unsignalized intersections, storage length is determined by the following formula:

$$\text{Storage Length} = [(\text{veh/hr}) / (30 \text{ periods/hr})] \times 25 \text{ feet}$$

Table 8 – Turn Lane Queue Storage

ID	Intersection	Intersection Control	Movement	2024 Queue Storage		
				Existing ⁽¹⁾	AASHTO	Recommended
1	Tatum Blvd. & Desert Cove Ave.	Signal	NB Left	100'	50'	100'
			SB Left	135'	125'	135'
			NB Right	150'	50'	150'
2	Tatum Blvd. & Shea Blvd	Signal	NB Left	190' ⁽²⁾	525' ⁽²⁾	190' ⁽²⁾⁽³⁾⁽⁴⁾⁽⁵⁾
			SB Left	195' ⁽²⁾	225' ⁽²⁾	195' ⁽²⁾⁽³⁾⁽⁴⁾
			EB Left	195' ⁽²⁾	275' ⁽²⁾	195' ⁽²⁾⁽³⁾⁽⁴⁾
			WB Left	275' ⁽²⁾	250' ⁽²⁾	275'
			EB Right	195'	725'	195' ⁽³⁾⁽⁶⁾
			WB Right	245'	325'	245' ⁽³⁾⁽⁶⁾
3	Tatum Blvd. & Fry's Dwy. /Medical Center Dwy.	2-way Stop (EB & WB)	NB Left	105'	50'	105'
			SB Right	150'	125'	150'
4	Tatum Blvd. & Beryl Ave. /Tatum Corporate Center Dwy.	2-way Stop (EB & WB)	NB Left	TWLTL	25'	TWLTL
			SB Left	TWLTL	50'	TWLTL
			SB Right	245'	25'	245'
5	Tatum Blvd. & Gold Dust Ave.	1-way Stop (EB)	NB Left	TWLTL	50'	TWLTL
			SB Right	245'	75'	245'
7	Albertson's Dwy. /Medical Center Dwy. & Shea Blvd.	2-way Stop (NB & SB)	EB Left	115'	50'	115'
			WB Left	195'	50'	195'
			EB Right	155'	100'	155'
8	50 th St. & Shea Blvd.	Signal	EB Left	95'	75'	95'
			SB Right	75'	100'	75'
			SB Left	75'	200'	75'

- (1) Measured from stop bar using Google Earth
- (2) Dual left-turn lanes
- (3) Developer does not propose modifying this lane.
- (4) The width of the dual turn lane allows additional storage within the gap.
- (5) Street is dashed 245' to indicate a queuing lane prior to the solid striped dual turn lanes.
- (6) Storage may be decreased for right turns do to less conflict during green phase and right turn on red.

The development will utilize existing driveways and lane configurations. No changes to existing turn lanes are recommended as part of this development.

¹ The American Association of Highway and Transportation Officials on pages 718-719 of its publication, *Geometric Design of Highways and Streets* ("AASHTO Green Book"), indicates that storage length for a turn lane, exclusive of taper, "should usually be based on one and one-half to two times the average number of vehicles that would store per cycle" at a signalized intersection.

CONCLUSIONS

The following conclusions and recommendations have been documented in this study:

- The redevelopment will be built out in three phases. Phase 1 consists of 18,697 SF medical use. Phase 2 adds 15,821 SF for a total of 34,518. Phase 3 adds 56,800 SF for the total of 91,318 SF.
- The redevelopment is anticipated to add approximately 1,204 daily trips to the roadway network, with 64 additional trips during the AM peak hour and 107 additional trips during the PM peak hour.
- The results of the existing conditions analysis summarized in **Table 2** indicates that all study intersections operate at overall LOS D or better with the exception of Tatum Boulevard & Shea Boulevard, Tatum Boulevard & Beryl Avenue/Tatum Corporate Center Driveway.
 - The intersection of **Tatum Boulevard and Shea Boulevard** is evaluated to operate at LOS E during the PM peak hour. This is due to high traffic volumes compared to its capacity, particularly the northbound left turn.
 - The intersection of **Tatum Boulevard & Beryl Avenue/Tatum Corporate Center Driveway** is evaluated to operate with delays in several movements during the PM peak hour. Poor levels of service during peak hours is not uncommon on side street approaches to major arterial roadways.
- The results of the proposed conditions analysis summarized in **Table 6** indicates that half of the study intersections operate at overall LOS D or better during the peak hours while the other half do not during one or more peak hours. Nearly all reported LOS with the proposed redevelopment are identical to their respective LOS without the redevelopment.
 - The intersection of **Tatum Boulevard and Shea Boulevard** continues to operate poorly during the PM peak hour due to high traffic volumes compared to its capacity, particularly the northbound left turn. The delay of the intersection is aggregated with projected future growth. Any potential future mitigation is not considered the responsibility of the developer.
 - The intersections of **Tatum Boulevard & Fry's Driveway/Medical Center Driveway** and **Tatum Boulevard & Beryl Avenue/Tatum Corporate Center Driveway** have projected delays in the build and no build scenario. Poor levels of service during peak hours is not uncommon on side street approaches to major arterial roadways. No further restrictions are recommended.
 - The intersection of **50th Street and Shea Boulevard** has projected delays due to the westbound approach capacity. If the signal does not have pedestrian recall additional time can be allotted to the westbound approach, mitigating the projected delay.

LIST OF REFERENCES

A Policy on Geometric Design of Highways and Streets, American Association of State Highway and Transportation Officials, Washington, D.C., 2011.

Design and Safety of Pedestrian Facilities, Institute of Transportation Engineers, Washington, D.C., March 1998.

Highway Capacity Manual. Transportation Research Board, National Research Council, Washington, D.C., 2010.

Manual on Uniform Traffic Control Devices. U.S. Department of Transportation, Federal Highways Administration, Washington, D.C., 2009.

Trip Generation Manual, 10th Edition, Institute of Transportation Engineers, Washington, D.C., 2016.

Trip Generation Handbook, 3rd Edition, Institute of Transportation Engineers, Washington, D.C., 2016.

Traffic Impact Analysis (TIA) Criteria, Town of Paradise Valley, 2015.

TECHNICAL APPENDIX

- APPENDIX A: REVIEW COMMENTS
- APPENDIX B: EXISTING TRAFFIC COUNTS
- APPENDIX C: EXISTING CAPACITY ANALYSIS
- APPENDIX D: TRIP GENERATION CALCULATIONS
- APPENDIX E: BACKGROUND TRAFFIC CALCULATIONS
- APPENDIX F: PEAK HOUR TRAFFIC ANALYSIS
- APPENDIX G: QUEUE LENGTH ANALYSIS

APPENDIX A

**REVIEW COMMENTS AND RESPONSES
(RESERVED)**

APPENDIX B


EXISTING TRAFFIC COUNTS

**Intersection Turning Movement
Prepared by:**



Project #: 18-1276-001

TMC SUMMARY OF Tatum Blvd. & Desert Cove Ave.



Intersection Turning Movement

Prepared by:



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



veracitytrafficgroup

N-S STREET: Tatum Blvd. DATE: 06/05/18 LOCATION: Phoenix
 E-W STREET: Desert Cove Ave. DAY: TUESDAY PROJECT# 18-1276-001

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	1	3	0	1	3	0	0	1	0	0	1	0	
6:00 AM													
6:15 AM													
6:30 AM													
6:45 AM													
7:00 AM	5	114	4	9	271	3	0	0	0	7	0	9	422
7:15 AM	3	124	3	6	319	4	0	1	0	4	0	2	466
7:30 AM	7	152	2	13	293	4	0	0	3	2	1	9	486
7:45 AM	5	146	8	12	251	2	0	0	0	3	0	7	434
8:00 AM	5	158	14	13	267	2	1	0	1	5	0	10	476
8:15 AM	4	177	5	22	247	4	0	0	0	4	0	8	471
8:30 AM	8	194	7	22	252	1	3	0	3	4	0	12	506
8:45 AM	9	197	6	18	197	2	4	0	0	5	0	13	451
9:00 AM													
9:15 AM													
9:30 AM													
9:45 AM													
10:00 AM													
10:15 AM													
10:30 AM													
10:45 AM													
11:00 AM													
11:15 AM													
11:30 AM													
11:45 AM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	46	1262	49	115	2097	22	8	1	7	34	1	70	3712
Approach %	3.39	93.00	3.61	5.15	93.87	0.98	50.00	6.25	43.75	32.38	0.95	66.67	
App/Depart	1357	/	1340	2234	/	2138	16	/	165	105	/	69	

AM Peak Hr Begins at: 800 AM

PEAK

Volumes	26	726	32	75	963	9	8	0	4	18	0	43	1904
Approach %	3.32	92.60	4.08	7.16	91.98	0.86	66.67	0.00	33.33	29.51	0.00	70.49	

PEAK HR.

FACTOR:	0.925	0.928	0.500	0.847	0.941
---------	-------	-------	-------	-------	-------

CONTROL: Signal
 COMMENT 1:
 GPS: 33.586296, -111.977893

Intersection Turning Movement



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



N-S STREET: Tatum Blvd. DATE: 06/05/18 LOCATION: Phoenix
 0
 E-W STREET: Desert Cove Ave. DAY: TUESDAY PROJECT# 18-1276-001

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	1	3	0	1	3	0	0	1	0	0	1	0	
1:00 PM													
1:15 PM													
1:30 PM													
1:45 PM													
2:00 PM													
2:15 PM													
2:30 PM													
2:45 PM													
3:00 PM													
3:15 PM													
3:30 PM													
3:45 PM													
4:00 PM	6	356	7	22	249	3	4	0	4	8	1	24	684
4:15 PM	0	326	4	25	245	2	7	0	1	14	0	17	641
4:30 PM	5	321	12	18	238	0	6	0	3	19	0	25	647
4:45 PM	6	356	10	29	325	1	10	0	13	22	1	23	796
5:00 PM	0	397	9	21	278	1	6	0	7	19	0	25	763
5:15 PM	2	381	8	23	267	0	5	1	3	14	0	21	725
5:30 PM	1	357	8	25	237	0	3	0	1	12	0	18	662
5:45 PM	1	274	6	25	190	0	2	0	3	7	0	22	530
6:00 PM													
6:15 PM													
6:30 PM													
6:45 PM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	21	2768	64	188	2029	7	43	1	35	115	2	175	5448
Approach %	0.74	97.02	2.24	8.45	91.23	0.31	54.43	1.27	44.30	39.38	0.68	59.93	
App/Depart	2853	/	2986	2224	/	2179	79	/	253	292	/	30	

PM Peak Hr Begins at: 445 PM

PEAK

Volumes	9	1491	35	98	1107	2	24	1	24	67	1	87	2946
Approach %	0.59	97.13	2.28	8.12	91.71	0.17	48.98	2.04	48.98	43.23	0.65	56.13	

PEAK HR.

FACTOR:	0.945	0.850	0.533	0.842	0.925
---------	-------	-------	-------	-------	-------


CONTROL: Signal
 COMMENT 1: 0
 GPS: 33.586296, -111.977893

**Intersection Turning Movement
Prepared by:**



Project #: 18-1276-002

TMC SUMMARY OF Tatum Blvd. & Shea Blvd.



TOTAL	AM	MD	PM
526	203		323
2416	1360		1056
631	423		208

AM	MD	PM	TOTAL
161		187	348
854		1362	2216
286		171	457

TOTAL	AM	MD	PM
791	248		543
1340	366		974
430	196		234

LOCATION #: 18-1276-002

TURNING MOVEMENT COUNT

Tatum Blvd. & Shea Blvd.
(Intersection Name)

TUESDAY
Day

06/05/18
Date

COUNT PERIODS		
AM	700AM	- 900AM
NOON		-
PM	400PM	- 600PM

AM PEAK HOUR 745 AM
 NOON PEAK HOUR _____
 PM PEAK HOUR 445 PM

Intersection Turning Movement

Prepared by:



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



veracitytrafficgroup

N-S STREET: Tatum Blvd. DATE: 06/05/18 LOCATION: Phoenix
 E-W STREET: Shea Blvd. DAY: TUESDAY PROJECT# 18-1276-002

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	2	3	0	2	3	0	2	3	1	2	3	1	
6:00 AM													
6:15 AM													
6:30 AM													
6:45 AM													
7:00 AM	47	55	37	35	184	23	34	277	94	64	185	23	1058
7:15 AM	61	68	37	57	213	15	30	326	133	72	183	22	1217
7:30 AM	49	112	56	67	191	24	45	316	114	72	207	39	1292
7:45 AM	40	71	41	40	163	19	36	354	123	69	182	39	1177
8:00 AM	61	101	53	58	197	24	43	310	115	72	204	37	1275
8:15 AM	63	98	46	49	143	27	56	360	94	59	232	43	1270
8:30 AM	84	96	56	49	152	32	68	336	91	86	236	42	1328
8:45 AM	58	117	59	48	104	42	75	275	67	70	194	51	1160
9:00 AM													
9:15 AM													
9:30 AM													
9:45 AM													
10:00 AM													
10:15 AM													
10:30 AM													
10:45 AM													
11:00 AM													
11:15 AM													
11:30 AM													
11:45 AM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	463	718	385	403	1347	206	387	2554	831	564	1623	296	9777
Approach %	29.57	45.85	24.58	20.60	68.87	10.53	10.26	67.71	22.03	22.71	65.36	11.92	
App/Depart	1566	/	1401	1956	/	2742	3772	/	3342	2483	/	2292	

AM Peak Hr Begins at: 745 AM

PEAK

Volumes	248	366	196	196	655	102	203	1360	423	286	854	161	5050
Approach %	30.62	45.19	24.20	20.57	68.73	10.70	10.22	68.48	21.30	21.98	65.64	12.38	

PEAK HR.

FACTOR:	0.858	0.854	0.968	0.894	0.951
---------	-------	-------	-------	-------	-------

CONTROL: Signal
 COMMENT 1:
 GPS: 33.582677, -111.977906

Intersection Turning Movement



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



N-S STREET: Tatum Blvd. DATE: 06/05/18 LOCATION: Phoenix
 E-W STREET: Shea Blvd. DAY: TUESDAY PROJECT# 18-1276-002

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	2	3	0	2	3	0	2	3	1	2	3	1	
1:00 PM													
1:15 PM													
1:30 PM													
1:45 PM													
2:00 PM													
2:15 PM													
2:30 PM													
2:45 PM													
3:00 PM													
3:15 PM													
3:30 PM													
3:45 PM													
4:00 PM	130	208	52	54	139	46	69	216	47	63	336	78	1438
4:15 PM	113	197	55	53	138	46	72	267	50	44	302	48	1385
4:30 PM	117	210	46	48	133	57	81	280	35	40	340	63	1450
4:45 PM	134	210	52	64	165	66	86	245	51	39	321	55	1488
5:00 PM	140	272	72	74	154	65	69	282	53	44	356	38	1619
5:15 PM	147	249	53	59	148	60	81	265	59	47	344	32	1544
5:30 PM	122	243	57	52	128	58	87	264	45	41	341	62	1500
5:45 PM	98	161	52	51	101	34	81	226	40	43	277	50	1214
6:00 PM													
6:15 PM													
6:30 PM													
6:45 PM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	1001	1750	439	455	1106	432	626	2045	380	361	2617	426	11638
Approach %	31.38	54.86	13.76	22.83	55.49	21.68	20.52	67.03	12.45	10.61	76.88	12.51	
App/Depart	3190	/	2802	1993	/	1847	3051	/	2939	3404	/	4050	

PM Peak Hr Begins at: 445 PM

PEAK

Volumes	543	974	234	249	595	249	323	1056	208	171	1362	187	6151
Approach %	31.01	55.63	13.36	22.78	54.44	22.78	20.35	66.54	13.11	9.94	79.19	10.87	

PEAK HR.

FACTOR:	0.904	0.926	0.980	0.968	0.950
---------	-------	-------	-------	-------	-------

CONTROL: Signal
 COMMENT 1: 0
 GPS: 33.582677, -111.977906


Intersection Turning Movement Prepared by:



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745

Project #: 18-1276-003

TMC SUMMARY OF Tatum Blvd. & Fry's Driveway North



Intersection Turning Movement

Prepared by:



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



veracitytrafficgroup

N-S STREET: Tatum Blvd. DATE: 6/6/18 LOCATION: Phoenix
 E-W STREET: Fry's Driveway North DAY: WEDNESDAY PROJECT# 18-1276-003

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	1	3	0	0	3	1	0	1	0	0	1	0	

6:00 AM													
6:15 AM													
6:30 AM													
6:45 AM													
7:00 AM	5	138	4	0	345	10	3	0	15	0	0	2	522
7:15 AM	11	186	2	0	404	15	4	0	15	0	0	0	637
7:30 AM	8	199	5	0	364	22	9	0	2	0	0	3	612
7:45 AM	6	158	6	0	347	23	4	0	17	1	0	2	564
8:00 AM	13	196	4	1	362	21	6	0	27	1	0	6	637
8:15 AM	10	201	2	3	281	18	11	1	24	1	1	6	559
8:30 AM	11	209	5	1	320	19	8	0	17	3	0	4	597
8:45 AM	7	225	5	1	228	25	4	0	16	1	0	9	521
9:00 AM													
9:15 AM													
9:30 AM													
9:45 AM													
10:00 AM													
10:15 AM													
10:30 AM													
10:45 AM													
11:00 AM													
11:15 AM													
11:30 AM													
11:45 AM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	71	1512	33	6	2651	153	49	1	133	7	1	32	4649
Approach %	4.39	93.56	2.04	0.21	94.34	5.44	26.78	0.55	72.68	17.50	2.50	80.00	
App/Depart	1616	/	1593	2810	/	2791	183	/	40	40	/	225	

AM Peak Hr Begins at: 715 AM

PEAK													
Volumes	38	739	17	1	1477	81	23	0	61	2	0	11	2450
Approach %	4.79	93.07	2.14	0.06	94.74	5.20	27.38	0.00	72.62	15.38	0.00	84.62	

PEAK HR.													
FACTOR:		0.932			0.930			0.636			0.464		0.962

CONTROL: 2-Way Stop (EB-WB)
 COMMENT 1:
 GPS: 33.581381, -111.977890

Intersection Turning Movement



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



N-S STREET: Tatum Blvd. DATE: 6/6/18 LOCATION: Phoenix
 0
 E-W STREET: Fry's Driveway North DAY: WEDNESDAY PROJECT# 18-1276-003

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	1	3	0	0	3	1	0	1	0	0	1	0	
1:00 PM													
1:15 PM													
1:30 PM													
1:45 PM													
2:00 PM													
2:15 PM													
2:30 PM													
2:45 PM													
3:00 PM													
3:15 PM													
3:30 PM													
3:45 PM													
4:00 PM	11	388	5	0	204	56	7	0	20	1	0	12	704
4:15 PM	12	358	3	2	214	25	5	0	25	0	0	9	653
4:30 PM	10	365	3	0	193	37	6	0	24	1	0	11	650
4:45 PM	8	387	1	2	229	27	3	0	31	0	0	21	709
5:00 PM	7	494	3	0	215	37	3	0	34	0	0	18	811
5:15 PM	19	431	1	0	235	35	7	0	17	0	0	7	752
5:30 PM	14	407	2	0	186	30	8	0	28	1	0	9	685
5:45 PM	11	306	0	0	172	29	4	0	27	1	0	2	552
6:00 PM													
6:15 PM													
6:30 PM													
6:45 PM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	92	3136	18	4	1648	276	43	0	206	4	0	89	5516
Approach %	2.83	96.61	0.55	0.21	85.48	14.32	17.27	0.00	82.73	4.30	0.00	95.70	
App/Depart	3246	/	3268	1928	/	1858	249	/	22	93	/	368	

PM Peak Hr Begins at: 445 PM

PEAK

Volumes	48	1719	7	2	865	129	21	0	110	1	0	55	2957
Approach %	2.71	96.90	0.39	0.20	86.85	12.95	16.03	0.00	83.97	1.79	0.00	98.21	

PEAK HR.

FACTOR:	0.880	0.922	0.885	0.667	0.912
---------	-------	-------	-------	-------	-------

CONTROL: 2-Way Stop (EB-WB)

COMMENT 1: 0


GPS: 33.581381, -111.977890

**Intersection Turning Movement
Prepared by:**



Project #: 18-1276-004

TMC SUMMARY OF Tatum Blvd. & Beryl Ave.



APPROACH LANES			
AM	MD	PM	TOTAL
21		4	25
1384		968	2352
24		25	49

TOTAL	AM	MD	PM
9	2		7
1	0		1
4	2		2

AM	MD	PM	TOTAL
21		35	56
0		0	0
0		6	6

TOTAL	AM	MD	PM
5	5		0
2478	777		1701
10	7		3

LOCATION #: 18-1276-004

TURNING MOVEMENT COUNT

Tatum Blvd. & Beryl Ave.
(Intersection Name)

TUESDAY
Day

06/05/18
Date

COUNT PERIODS

AM	700AM	-	900AM
NOON		-	
PM	400PM	-	600PM

AM PEAK HOUR 730 AM

NOON PEAK HOUR _____

PM PEAK HOUR 430 PM

Intersection Turning Movement

Prepared by:



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



veracitytrafficgroup

N-S STREET: Tatum Blvd. DATE: 06/05/18 LOCATION: Phoenix
 E-W STREET: Beryl Ave. DAY: TUESDAY PROJECT# 18-1276-004

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	0	3	0	0	3	0	0	1	0	0	1	0	

6:00 AM													
6:15 AM													
6:30 AM													
6:45 AM													
7:00 AM	0	173	1	4	334	2	0	0	0	2	0	3	519
7:15 AM	0	177	2	5	336	1	0	0	0	5	0	4	530
7:30 AM	1	191	1	8	382	5	1	0	1	0	0	4	594
7:45 AM	3	188	3	4	358	4	0	0	0	0	0	4	564
8:00 AM	1	196	2	10	332	4	1	0	0	0	0	5	551
8:15 AM	0	202	1	2	312	8	0	0	1	0	0	8	534
8:30 AM	0	216	1	7	270	5	2	0	1	1	0	6	509
8:45 AM	0	208	1	9	258	5	1	0	0	0	0	4	486
9:00 AM													
9:15 AM													
9:30 AM													
9:45 AM													
10:00 AM													
10:15 AM													
10:30 AM													
10:45 AM													
11:00 AM													
11:15 AM													
11:30 AM													
11:45 AM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	5	1551	12	49	2582	34	5	0	3	8	0	38	4287
Approach %	0.32	98.92	0.77	1.84	96.89	1.28	62.50	0.00	37.50	17.39	0.00	82.61	
App/Depart	1568	/	1594	2665	/	2593	8	/	61	46	/	39	

AM Peak Hr Begins at: 730 AM

PEAK	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	5	777	7	24	1384	21	2	0	2	0	0	21	2243
Approach %	0.63	98.48	0.89	1.68	96.85	1.47	50.00	0.00	50.00	0.00	0.00	100.00	

PEAK HR. FACTOR:	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
		0.972			0.904			0.500			0.656		0.944

CONTROL: 2-Way Stop (EB & WB)
 COMMENT 1:
 GPS: 33.580026, -111.977876

Intersection Turning Movement



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



veracitytrafficgroup

N-S STREET: Tatum Blvd. DATE: 06/05/18 LOCATION: Phoenix
 E-W STREET: Beryl Ave. DAY: TUESDAY PROJECT# 18-1276-004

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	0	3	0	0	3	0	0	1	0	0	1	0	

1:00 PM													
1:15 PM													
1:30 PM													
1:45 PM													
2:00 PM													
2:15 PM													
2:30 PM													
2:45 PM													
3:00 PM													
3:15 PM													
3:30 PM													
3:45 PM													
4:00 PM	0	368	0	7	248	1	2	0	0	0	0	3	629
4:15 PM	0	378	1	6	229	1	2	0	1	3	0	13	634
4:30 PM	0	403	2	8	241	1	1	0	0	2	0	10	668
4:45 PM	0	388	0	5	254	2	4	0	1	1	0	8	663
5:00 PM	0	479	1	10	251	0	1	1	0	1	0	9	753
5:15 PM	0	431	0	2	222	1	1	0	1	2	0	8	668
5:30 PM	0	347	0	3	216	0	0	0	1	2	0	4	573
5:45 PM	0	264	0	3	192	0	3	0	0	0	0	3	465
6:00 PM													
6:15 PM													
6:30 PM													
6:45 PM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	0	3058	4	44	1853	6	14	1	4	11	0	58	5053
Approach %	0.00	99.87	0.13	2.31	97.37	0.32	73.68	5.26	21.05	15.94	0.00	84.06	
App/Depart	3062	/	3130	1903	/	1868	19	/	49	69	/	6	

PM Peak Hr Begins at: 430 PM

PEAK													
Volumes	0	1701	3	25	968	4	7	1	2	6	0	35	2752
Approach %	0.00	99.82	0.18	2.51	97.09	0.40	70.00	10.00	20.00	14.63	0.00	85.37	

PEAK HR. FACTOR:													
		0.888			0.955			0.500			0.854		0.914


CONTROL: 2-Way Stop (EB & WB)
 COMMENT 1: 0
 GPS: 33.580026, -111.977876

**Intersection Turning Movement
Prepared by:**



Project #: 18-1276-005

TMC SUMMARY OF Tatum Blvd. & Gold Dust Ave.



APPROACH LANES				
	AM	MD	PM	TOTAL
Left	17		56	73
Through	1395		904	2299
Right	0		0	0

	TOTAL	AM	MD	PM
Left	30	16		14
Through	0	0		0
Right	71	53		18

	AM	MD	PM	TOTAL
Left	0		0	0
Through	0		0	0
Right	0		0	0

CONTROL
1-Way Stop
EB

	TOTAL	AM	MD	PM
Left	55	14		41
Through	2474	739		1735
Right	0	0		0

LOCATION #: 18-1276-005

TURNING MOVEMENT COUNT

Tatum Blvd. & Gold Dust Ave.
(Intersection Name)

TUESDAY 06/05/18
Day Date

COUNT PERIODS		
AM	700AM	- 900AM
NOON		
PM	400PM	- 600PM

AM PEAK HOUR 715 AM
NOON PEAK HOUR _____
PM PEAK HOUR 430 PM

Intersection Turning Movement

Prepared by:



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



N-S STREET: Tatum Blvd. DATE: 06/05/18 LOCATION: Phoenix
 E-W STREET: Gold Dust Ave. DAY: TUESDAY PROJECT# 18-1276-005

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	0	3	0	0	2	1	0	1	0	0	0	0	

6:00 AM													
6:15 AM													
6:30 AM													
6:45 AM													
7:00 AM	2	169	0	0	327	9	3	0	14	0	0	0	524
7:15 AM	4	171	0	0	336	2	5	0	12	0	0	0	530
7:30 AM	4	189	0	0	378	5	4	0	15	0	0	0	595
7:45 AM	2	188	0	0	354	4	4	0	15	0	0	0	567
8:00 AM	4	191	0	0	327	6	3	0	11	0	0	0	542
8:15 AM	4	198	0	0	306	4	6	0	7	0	0	0	525
8:30 AM	7	212	0	0	253	12	7	0	12	0	0	0	503
8:45 AM	5	198	0	0	238	9	8	0	4	0	0	0	462
9:00 AM													
9:15 AM													
9:30 AM													
9:45 AM													
10:00 AM													
10:15 AM													
10:30 AM													
10:45 AM													
11:00 AM													
11:15 AM													
11:30 AM													
11:45 AM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	32	1516	0	0	2519	51	40	0	90	0	0	0	4248
Approach %	2.07	97.93	0.00	0.00	98.02	1.98	30.77	0.00	69.23	####	####	####	
App/Depart	1548	/	1556	2570	/	2609	130	/	0	0	/	83	

AM Peak Hr Begins at: 715 AM

PEAK	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	14	739	0	0	1395	17	16	0	53	0	0	0	2234
Approach %	1.86	98.14	0.00	0.00	98.80	1.20	23.19	0.00	76.81	####	####	####	

PEAK HR. FACTOR:	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
		0.965			0.922			0.908			0.000		0.939

CONTROL: 1-Way Stop (EB)
 COMMENT 1:
 GPS: 33.579076, -111.977859

Intersection Turning Movement



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



veracitytrafficgroup

N-S STREET: Tatum Blvd. DATE: 06/05/18 LOCATION: Phoenix
 E-W STREET: Gold Dust Ave. DAY: TUESDAY PROJECT# 18-1276-005

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	0	3	0	0	2	1	0	1	0	0	0	0	
1:00 PM													
1:15 PM													
1:30 PM													
1:45 PM													
2:00 PM													
2:15 PM													
2:30 PM													
2:45 PM													
3:00 PM													
3:15 PM													
3:30 PM													
3:45 PM													
4:00 PM	8	380	0	0	235	4	1	0	0	0	0	0	628
4:15 PM	6	388	0	0	220	18	1	0	2	0	0	0	635
4:30 PM	5	407	0	0	221	13	2	0	4	0	0	0	652
4:45 PM	8	380	0	0	244	10	3	0	3	0	0	0	648
5:00 PM	14	494	0	0	238	17	4	0	5	0	0	0	772
5:15 PM	14	454	0	0	201	16	5	0	6	0	0	0	696
5:30 PM	7	357	0	0	205	12	1	0	1	0	0	0	583
5:45 PM	7	270	0	0	185	11	1	0	1	0	0	0	475
6:00 PM													
6:15 PM													
6:30 PM													
6:45 PM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	69	3130	0	0	1749	101	18	0	22	0	0	0	5089
Approach %	2.16	97.84	0.00	0.00	94.54	5.46	45.00	0.00	55.00	####	####	####	
App/Depart	3199	/	3148	1850	/	1771	40	/	0	0	/	170	

PM Peak Hr Begins at: 430 PM

PEAK

Volumes	41	1735	0	0	904	56	14	0	18	0	0	0	2768
Approach %	2.31	97.69	0.00	0.00	94.17	5.83	43.75	0.00	56.25	####	####	####	

PEAK HR. FACTOR:

	0.874		0.941		0.727		0.000		0.896
--	-------	--	-------	--	-------	--	-------	--	-------


CONTROL: 1-Way Stop (EB)
 COMMENT 1: 0
 GPS: 33.579076, -111.977859

**Intersection Turning Movement
Prepared by:**



Project #: 18-1276-006

TMC SUMMARY OF Medical Center Driveway & Beryl Ave.



LOCATION #: 18-1276-006

TURNING MOVEMENT COUNT

Medical Center Driveway & Beryl Ave.
(Intersection Name)

TUESDAY 06/05/18
Day Date

COUNT PERIODS	
AM	700AM - 900AM
NOON	
PM	400PM - 600PM

AM PEAK HOUR 800 AM
NOON PEAK HOUR _____
PM PEAK HOUR 415 PM

Intersection Turning Movement

Prepared by:



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



N-S STREET: Medical Center Driveway DATE: 06/05/18 LOCATION: Phoenix
 E-W STREET: Beryl Ave. DAY: TUESDAY PROJECT# 18-1276-006

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	0	0	0	0	1	0	0	1	0	0	1	0	
6:00 AM													
6:15 AM													
6:30 AM													
6:45 AM													
7:00 AM	0	0	0	0	0	0	1	3	0	0	5	0	9
7:15 AM	0	0	0	0	0	1	5	3	0	0	7	0	16
7:30 AM	0	0	0	0	0	0	4	4	0	0	5	1	14
7:45 AM	0	0	0	0	0	1	3	4	0	0	3	0	11
8:00 AM	0	0	0	0	0	0	8	4	0	0	5	1	18
8:15 AM	0	0	0	0	0	0	2	2	0	0	8	0	12
8:30 AM	0	0	0	1	0	0	6	3	0	0	6	0	16
8:45 AM	0	0	0	0	0	1	6	4	0	0	3	0	14
9:00 AM													
9:15 AM													
9:30 AM													
9:45 AM													
10:00 AM													
10:15 AM													
10:30 AM													
10:45 AM													
11:00 AM													
11:15 AM													
11:30 AM													
11:45 AM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	0	0	0	1	0	3	35	27	0	0	42	2	110
Approach %	####	####	####	25.00	0.00	75.00	56.45	43.55	0.00	0.00	95.45	4.55	
App/Depart	0	/	37	4	/	0	62	/	28	44	/	45	

AM Peak Hr Begins at: 800 AM

PEAK

Volumes	0	0	0	1	0	1	22	13	0	0	22	1	60
Approach %	####	####	####	50.00	0.00	50.00	62.86	37.14	0.00	0.00	95.65	4.35	

PEAK HR.

FACTOR:	0.000	0.500	0.729	0.719	0.833
---------	-------	-------	-------	-------	-------

CONTROL: No Controls
 COMMENT 1:
 GPS: 33.580032, -111.977364

Intersection Turning Movement



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



N-S STREET: Medical Center Driveway 0	DATE: 06/05/18	LOCATION: Phoenix
E-W STREET: Beryl Ave.	DAY: TUESDAY	PROJECT#: 18-1276-006

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	0	0	0	0	1	0	0	1	0	0	1	0	
1:00 PM													
1:15 PM													
1:30 PM													
1:45 PM													
2:00 PM													
2:15 PM													
2:30 PM													
2:45 PM													
3:00 PM													
3:15 PM													
3:30 PM													
3:45 PM													
4:00 PM	0	0	0	0	0	1	2	5	0	0	3	0	11
4:15 PM	0	0	0	0	0	9	1	6	0	0	5	1	22
4:30 PM	0	0	0	0	0	7	3	6	0	0	6	1	23
4:45 PM	0	0	0	1	0	7	2	4	0	0	2	0	16
5:00 PM	0	0	0	0	0	6	4	7	0	0	4	0	21
5:15 PM	0	0	0	0	0	5	0	4	0	0	5	1	15
5:30 PM	0	0	0	0	0	2	1	2	0	0	4	0	9
5:45 PM	0	0	0	0	0	0	0	3	0	0	3	0	6
6:00 PM													
6:15 PM													
6:30 PM													
6:45 PM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	0	0	0	1	0	37	13	37	0	0	32	3	123
Approach %	#####	#####	#####	2.63	0.00	97.37	26.00	74.00	0.00	0.00	91.43	8.57	
App/Depart	0	/	16	38	/	0	50	/	38	35	/	69	

PM Peak Hr Begins at: 4:15 PM

PEAK

Volumes	0	0	0	1	0	29	10	23	0	0	17	2	82
Approach %	#####	#####	#####	3.33	0.00	96.67	30.30	69.70	0.00	0.00	89.47	10.53	

PEAK HR.

FACTOR:	0.000	0.833	0.750	0.679	0.891
---------	-------	-------	-------	-------	-------


CONTROL: No Controls
 COMMENT 1: 0
 GPS: 33.580032, -111.977364

**Intersection Turning Movement
Prepared by:**



Project #: 18-1276-007

TMC SUMMARY OF Albertsons Driveway & Shea Blvd.



Intersection Turning Movement

Prepared by:



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



N-S STREET: Albertsons Driveway Medical Center DATE: 06/05/18 LOCATION: Phoenix
E-W STREET: Shea Blvd. DAY: TUESDAY PROJECT# 18-1276-007

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	0	0	1	0	0	1	1	3	0	0	3	1	
6:00 AM													
6:15 AM													
6:30 AM													
6:45 AM													
7:00 AM	0	0	2	0	0	6	12	328	3	1	244	4	600
7:15 AM	0	0	0	0	0	2	11	402	7	2	270	6	700
7:30 AM	0	0	3	0	0	4	15	368	4	11	252	5	662
7:45 AM	0	0	1	0	0	7	8	431	10	6	286	2	751
8:00 AM	0	0	2	0	0	7	6	435	8	4	322	5	789
8:15 AM	0	0	2	0	0	6	15	410	8	4	321	6	772
8:30 AM	0	0	1	0	0	5	11	477	6	3	343	8	854
8:45 AM	0	0	6	0	0	12	13	404	10	8	320	8	781
9:00 AM													
9:15 AM													
9:30 AM													
9:45 AM													
10:00 AM													
10:15 AM													
10:30 AM													
10:45 AM													
11:00 AM													
11:15 AM													
11:30 AM													
11:45 AM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	0	0	17	0	0	49	91	3255	56	39	2358	44	5909
Approach %	0.00	0.00	100.00	0.00	0.00	100.00	2.67	95.68	1.65	1.60	96.60	1.80	
App/Depart	17	/	135	49	/	95	3402	/	3272	2441	/	2407	

AM Peak Hr Begins at: 800 AM

PEAK

Volumes	0	0	11	0	0	30	45	1726	32	19	1306	27	3196
Approach %	0.00	0.00	100.00	0.00	0.00	100.00	2.50	95.73	1.77	1.41	96.60	2.00	

PEAK HR.

FACTOR:	0.458	0.625	0.912	0.955	0.936
---------	-------	-------	-------	-------	-------

CONTROL: 2-Way Stop (NB-SB)
COMMENT 1:
GPS: 33.582676, -111.974761

Intersection Turning Movement



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



N-S STREET: Albertsons Driveway Medical Center DATE: 06/05/18 LOCATION: Phoenix
E-W STREET: Shea Blvd. DAY: TUESDAY PROJECT# 18-1276-007

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	0	0	1	0	0	1	1	3	0	0	3	1	
1:00 PM													
1:15 PM													
1:30 PM													
1:45 PM													
2:00 PM													
2:15 PM													
2:30 PM													
2:45 PM													
3:00 PM													
3:15 PM													
3:30 PM													
3:45 PM													
4:00 PM	0	0	10	0	0	16	12	320	1	1	425	15	800
4:15 PM	0	0	4	0	0	13	22	366	4	2	401	20	832
4:30 PM	0	0	5	0	0	12	9	347	2	3	413	11	802
4:45 PM	0	0	5	0	0	12	11	352	3	3	423	20	829
5:00 PM	0	0	12	0	0	10	9	375	3	1	428	15	853
5:15 PM	0	0	3	0	0	10	4	403	3	2	427	20	872
5:30 PM	0	0	3	0	0	17	8	331	3	2	423	17	804
5:45 PM	0	0	2	0	0	11	11	354	1	1	394	18	792
6:00 PM													
6:15 PM													
6:30 PM													
6:45 PM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	0	0	44	0	0	101	86	2848	20	15	3334	136	6584
Approach %	0.00	0.00	100.00	0.00	0.00	100.00	2.91	96.41	0.68	0.43	95.67	3.90	
App/Depart	44	/	222	101	/	35	2954	/	2892	3485	/	3435	

PM Peak Hr Begins at: 445 PM

PEAK

Volumes	0	0	23	0	0	49	32	1461	12	8	1701	72	3358
Approach %	0.00	0.00	100.00	0.00	0.00	100.00	2.13	97.08	0.80	0.45	95.51	4.04	

PEAK HR.

FACTOR:	0.479	0.721	0.918	0.992	0.963
---------	-------	-------	-------	-------	-------

CONTROL: 2-Way Stop (NB-SB)
COMMENT 1: 0
GPS: 33.582676, -111.974761

Intersection Turning Movement
Prepared by:



FIELD DATA SERVICES OF ARIZONA, INC.
520.316.6745



N-S STREET: 50th St. DATE: 06/05/18 LOCATION: Phoenix
E-W STREET: Shea Blvd. DAY: TUESDAY PROJECT# 18-1276-008

LANES:	NORTHBOUND			SOUTHBOUND			EASTBOUND			WESTBOUND			TOTAL
	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	
	0	0	0	1	0	1	1	3	0	0	2	0	

6:00 AM													
6:15 AM													
6:30 AM													
6:45 AM													
7:00 AM	0	0	0	14	0	6	4	345	0	0	268	3	640
7:15 AM	0	0	0	10	0	10	5	426	0	0	283	3	737
7:30 AM	0	0	0	13	0	9	6	445	0	0	321	12	806
7:45 AM	0	0	0	11	0	10	6	434	0	0	278	13	752
8:00 AM	0	0	0	17	0	8	16	416	0	0	325	7	789
8:15 AM	0	0	0	17	0	11	2	448	0	0	317	11	806
8:30 AM	0	0	0	21	0	9	10	424	0	0	375	16	855
8:45 AM	0	0	0	32	0	11	5	366	0	0	313	18	745
9:00 AM													
9:15 AM													
9:30 AM													
9:45 AM													
10:00 AM													
10:15 AM													
10:30 AM													
10:45 AM													
11:00 AM													
11:15 AM													
11:30 AM													
11:45 AM													

TOTAL	NL	NT	NR	SL	ST	SR	EL	ET	ER	WL	WT	WR	TOTAL
Volumes	0	0	0	135	0	74	54	3304	0	0	2480	83	6130
Approach %	#####	#####	#####	64.59	0.00	35.41	1.61	98.39	0.00	0.00	96.76	3.24	
App/Depart	0	/	137	209	/	0	3358	/	3439	2563	/	2554	

AM Peak Hr Begins at: 745 AM

PEAK

Volumes	0	0	0	66	0	38	34	1722	0	0	1295	47	3202
Approach %	#####	#####	#####	63.46	0.00	36.54	1.94	98.06	0.00	0.00	96.50	3.50	

PEAK HR.

FACTOR:	0.000	0.867	0.976	0.858	0.936
---------	-------	-------	-------	-------	-------

CONTROL: 1-Way Stop (SB)

COMMENT 1:

GPS: 33.582714, -111.973552


Mountain View Medical Center
Existing AM

1: Tatum Blvd & Desert Cove Ave
Timing Report, Sorted By Phase

Phase Number	2	4	6	8
Movement	NBTL	EBTL	SBTL	WBTL
Lead/Lag				
Lead-Lag Optimize				
Recall Mode	None	C-Max	None	C-Max
Maximum Split (s)	66	36	66	36
Maximum Split (%)	64.7%	35.3%	64.7%	35.3%
Minimum Split (s)	25.3	35	25.3	35
Yellow Time (s)	4.3	3	4.3	3
All-Red Time (s)	1	3	1	3
Minimum Initial (s)	15	4	15	4
Vehicle Extension (s)	3	3	3	3
Minimum Gap (s)	3	3	3	3
Time Before Reduce (s)	0	0	0	0
Time To Reduce (s)	0	0	0	0
Walk Time (s)	8	7	8	7
Flash Dont Walk (s)	12	22	12	22
Dual Entry	Yes	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes
Start Time (s)	55	19	55	19
End Time (s)	19	55	19	55
Yield/Force Off (s)	13.7	49	13.7	49
Yield/Force Off 170(s)	1.7	27	1.7	27
Local Start Time (s)	36	0	36	0
Local Yield (s)	96.7	30	96.7	30
Local Yield 170(s)	84.7	8	84.7	8

Intersection Summary	
Cycle Length	102
Control Type	Actuated-Coordinated
Natural Cycle	65
Offset: 19 (19%), Referenced to phase 4:EBTL and 8:WBTL, Start of Green	

Splits and Phases: 1: Tatum Blvd & Desert Cove Ave



Mountain View Medical Center
Existing AM

1: Tatum Blvd & Desert Cove Ave
HCM 6th Signalized Intersection Summary

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		⇕			⇕		↖	↗	↘	↙	↖	↗
Traffic Volume (veh/h)	8	0	4	18	0	44	27	742	33	77	984	9
Future Volume (veh/h)	8	0	4	18	0	44	27	742	33	77	984	9
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00		1.00	1.00		1.00	1.00		1.00	1.00	
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	9	0	4	20	0	49	30	824	37	86	1093	10
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh. %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	573	11	233	259	23	578	169	1844	572	223	1884	17
Arrive On Green	0.53	0.00	0.53	0.53	0.00	0.53	0.36	0.36	0.36	0.36	0.36	0.36
Sat Flow, veh/h	972	20	441	403	44	1095	511	5106	1585	642	5218	48
Grp Volume(v), veh/h	13	0	0	69	0	0	30	824	37	86	713	390
Grp Sat Flow(s),veh/h/ln	1434	0	0	1542	0	0	511	1702	1585	642	1702	1862
Q Serve(g_s), s	0.0	0.0	0.0	0.0	0.0	0.0	5.1	12.5	1.6	12.0	17.3	17.3
Cycle Q Clear(g_c), s	0.4	0.0	0.0	2.1	0.0	0.0	22.4	12.5	1.6	24.6	17.3	17.3
Prop In Lane	0.69		0.31	0.29		0.71	1.00		1.00		1.00	0.03
Lane Grp Cap(c), veh/h	817	0	0	860	0	0	169	1844	572	223	1229	672
V/C Ratio(X)	0.02	0.00	0.00	0.08	0.00	0.00	0.18	0.45	0.06	0.38	0.58	0.58
Avail Cap(c_a), veh/h	817	0	0	860	0	0	288	3039	943	374	2026	1108
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	1.00	0.00	0.00	0.85	0.85	0.85	1.00	1.00	1.00
Uniform Delay (d), s/veh	11.4	0.0	0.0	11.8	0.0	0.0	35.4	24.8	21.3	34.2	26.3	26.3
Incr Delay (d2), s/veh	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.1	0.0	1.1	0.4	0.8
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	0.3	0.0	0.0	1.4	0.0	0.0	1.2	8.4	1.0	3.5	11.3	12.2
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	11.5	0.0	0.0	12.0	0.0	0.0	35.8	25.0	21.4	35.3	26.8	27.1
LnGrp LOS	B	A	A	B	A	A	D	C	C	D	C	C
Approach Vol, veh/h	13			69			891			1189		
Approach Delay, s/veh	11.5			12.0			25.2			27.5		
Approach LOS	B			B			C			C		
Timer - Assigned Phs	2			4			6			8		
Phs Duration (G+Y+Rc), s	42.1			59.9			42.1			59.9		
Change Period (Y+Rc), s	5.3			6.0			5.3			6.0		
Max Green Setting (Gmax), s	60.7			30.0			60.7			30.0		
Max Q Clear Time (g_c+1), s	24.4			2.4			26.6			4.1		
Green Ext Time (p_c), s	7.5			0.0			10.3			0.3		
Intersection Summary												
HCM 6th Ctrl Delay	26.0											
HCM 6th LOS	C											

Mountain View Medical Center
Existing AM

2: Tatum Blvd & Shea Blvd
Timing Report, Sorted By Phase

Phase Number	1	2	3	4	5	6	7	8
Movement	WBL	EBT	SBL	NBT	EBL	WBT	NBL	SBT
Lead/Lag	Lead	Lag	Lead	Lag	Lead	Lag	Lead	Lag
Lead-Lag Optimize	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Recall Mode	None	C-Max	None	None	None	C-Max	None	None
Maximum Split (s)	26	40	24	50	26	40	24	50
Maximum Split (%)	18.6%	28.6%	17.1%	35.7%	18.6%	28.6%	17.1%	35.7%
Minimum Split (s)	10	36.9	20	40	10	36.9	20	40
Yellow Time (s)	4	4.3	4	4.3	4	4.3	4	4.3
All-Red Time (s)	1	1.6	1	1.7	1	1.6	1	1.7
Minimum Initial (s)	5	15	15	15	5	15	15	15
Vehicle Extension (s)	3	3	3	3	3	3	3	3
Minimum Gap (s)	3	3	3	3	3	3	3	3
Time Before Reduce (s)	0	0	0	0	0	0	0	0
Time To Reduce (s)	0	0	0	0	0	0	0	0
Walk Time (s)		8		8		8		8
Flash Dont Walk (s)		23		26		23		26
Dual Entry	No	Yes	No	Yes	No	Yes	No	Yes
Inhibit Max	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Start Time (s)	114	0	40	64	114	0	40	64
End Time (s)	0	40	64	114	0	40	64	114
Yield/Force Off (s)	135	34.1	59	108	135	34.1	59	108
Yield/Force Off 170(s)	135	11.1	59	82	135	11.1	59	82
Local Start Time (s)	114	0	40	64	114	0	40	64
Local Yield (s)	135	34.1	59	108	135	34.1	59	108
Local Yield 170(s)	135	11.1	59	82	135	11.1	59	82

Intersection Summary

Cycle Length	140
Control Type	Actuated-Coordinated
Natural Cycle	110
Offset: 0 (0%), Referenced to phase 2:EBT and 6:WBT, Start of Green, Master Intersection	

Splits and Phases: 2: Tatum Blvd & Shea Blvd

← 01	→ 02 (R)	↖ 03	↗ 04
26 s	40 s	24 s	50 s
↖ 05	↗ 06 (R)	← 07	→ 08
26 s	40 s	24 s	50 s

Mountain View Medical Center
Existing AM

2: Tatum Blvd & Shea Blvd
HCM 6th Signalized Intersection Summary

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔
Traffic Volume (veh/h)	207	1390	432	292	873	165	253	374	200	200	669	104
Future Volume (veh/h)	207	1390	432	292	873	165	253	374	200	200	669	104
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	230	1544	480	324	970	183	281	416	222	222	743	116
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	288	2103	653	382	2242	696	370	728	339	370	954	148
Arrive On Green	0.08	0.41	0.41	0.11	0.44	0.44	0.11	0.21	0.21	0.11	0.21	0.21
Sat Flow, veh/h	3456	5106	1585	3456	5106	1585	3456	3404	1585	3456	4460	690
Grp Volume(v), veh/h	230	1544	480	324	970	183	281	416	222	222	566	293
Grp Sat Flow(s),veh/h/ln	1728	1702	1585	1728	1702	1585	1728	1702	1585	1728	1702	1746
Q Serve(g_s), s	9.1	35.7	35.8	12.9	18.4	10.3	11.1	15.3	17.9	8.6	21.9	22.2
Cycle Q Clear(g_c), s	9.1	35.7	35.8	12.9	18.4	10.3	11.1	15.3	17.9	8.6	21.9	22.2
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.40
Lane Grp Cap(c), veh/h	288	2103	653	382	2242	696	370	728	339	370	728	374
V/C Ratio(X)	0.80	0.73	0.74	0.85	0.43	0.26	0.76	0.57	0.65	0.60	0.78	0.79
Avail Cap(c_a), veh/h	518	2103	653	518	2242	696	469	1070	498	469	1070	549
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.73	0.73
Uniform Delay (d), s/veh	63.0	34.7	34.7	61.1	27.2	24.9	60.7	49.3	50.3	59.6	51.9	52.0
Incr Delay (d2), s/veh	5.1	2.3	7.2	9.5	0.6	0.9	5.4	0.7	2.1	1.1	1.6	3.4
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	7.6	21.6	21.4	10.2	12.2	7.4	8.9	10.9	11.8	6.6	13.9	14.6
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	68.1	37.0	42.0	70.6	27.8	25.8	66.2	50.0	52.4	60.8	53.5	55.3
LnGrp LOS	E	D	D	E	C	C	E	D	D	E	D	E
Approach Vol, veh/h		2254			1477			919				1081
Approach Delay, s/veh		41.2			36.9			55.5				55.5
Approach LOS		D			D			E				E
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	20.5	63.6	20.0	36.0	16.7	67.4	20.0	36.0				
Change Period (Y+Rc), s	5.0	*5.9	5.0	*6	5.0	*5.9	5.0	*6				
Max Green Setting (Gmax), s	21.0	*34	19.0	*44	21.0	*34	19.0	*44				
Max Q Clear Time (g_c+I1), s	14.9	37.8	10.6	19.9	11.1	20.4	13.1	24.2				
Green Ext Time (p_c), s	0.6	0.0	0.5	4.5	0.5	6.3	0.5	5.7				

Intersection Summary

HCM 6th Ctrl Delay	45.1
HCM 6th LOS	D

Notes

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Mountain View Medical Center
Existing AM

3: Tatum Blvd & Fry's Dwy/Medical Center Dwy
HCM 6th TWSC

Intersection												
Int Delay, s/veh	0.9											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↕		↕		↕		↕		↕		↕	
Traffic Vol, veh/h	24	0	62	2	0	11	39	755	17	1	1509	83
Future Vol, veh/h	24	0	62	2	0	11	39	755	17	1	1509	83
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	105	-	-	-	-	150
Veh in Median Storage, #	-	0	-	-	0	-	-	-	0	-	-	0
Grade, %	-	0	-	-	0	-	-	-	0	-	-	0
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	27	0	69	2	0	12	43	839	19	1	1677	92

Major/Minor	Minor2		Minor1		Major1			Major2				
Conflicting Flow All	2101	2623	839	1608	2706	429	1769	0	0	858	0	0
Stage 1	1679	1679	-	935	935	-	-	-	-	-	-	-
Stage 2	422	944	-	673	1771	-	-	-	-	-	-	-
Critical Hdwy	6.44	6.54	7.14	6.44	6.54	7.14	5.34	-	-	5.34	-	-
Critical Hdwy Stg 1	7.34	5.54	-	7.34	5.54	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.74	5.54	-	6.74	5.54	-	-	-	-	-	-	-
Follow-up Hdwy	3.82	4.02	3.92	3.82	4.02	3.92	3.12	-	-	3.12	-	-
Pot Cap-1 Maneuver	*255	*77	*571	*586	64	491	636	-	-	458	-	-
Stage 1	*586	*557	-	*221	342	-	-	-	-	-	-	-
Stage 2	*531	*339	-	*586	496	-	-	-	-	-	-	-
Platoon blocked, %	1	1	1	1	1	1	-	-	-	-	-	-
Mov Cap-1 Maneuver	*180	*49	*571	*373	41	491	636	-	-	458	-	-
Mov Cap-2 Maneuver	*180	*49	-	*373	41	-	-	-	-	-	-	-
Stage 1	*546	*385	-	*206	319	-	-	-	-	-	-	-
Stage 2	*483	*316	-	*356	342	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	18.8	12.9	0.5	0
HCM LOS	C	B		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	636	-	-	355	468	458	-	-
HCM Lane V/C Ratio	0.068	-	-	0.269	0.031	0.002	-	-
HCM Control Delay (s)	11.1	-	-	18.8	12.9	12.9	-	-
HCM Lane LOS	B	-	-	C	B	B	-	-
HCM 95th %tile Q(veh)	0.2	-	-	1.1	0.1	0	-	-

Notes
 -: Volume exceeds capacity S: Delay exceeds 300s +/-: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Existing AM

4: Tatum Blvd & Tatum Corp. Center Dwy/Beryl Ave
HCM 6th TWSC

Intersection												
Int Delay, s/veh	0.4											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↕		↕		↕		↕		↕		↕	
Traffic Vol, veh/h	2	0	2	0	0	24	5	794	8	27	1414	21
Future Vol, veh/h	2	0	2	0	0	24	5	794	8	27	1414	21
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	50	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	-	0	-	-	0
Grade, %	-	0	-	-	0	-	-	-	0	-	-	0
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	2	0	2	0	0	27	6	882	9	30	1571	23

Major/Minor	Minor2		Minor1		Major1			Major2				
Conflicting Flow All	2008	2546	797	1587	2553	446	1594	0	0	891	0	0
Stage 1	1643	1643	-	899	899	-	-	-	-	-	-	-
Stage 2	365	903	-	688	1654	-	-	-	-	-	-	-
Critical Hdwy	6.44	6.54	7.14	6.44	6.54	7.14	5.34	-	-	5.34	-	-
Critical Hdwy Stg 1	7.34	5.54	-	7.34	5.54	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.74	5.54	-	6.74	5.54	-	-	-	-	-	-	-
Follow-up Hdwy	3.82	4.02	3.92	3.82	4.02	3.92	3.12	-	-	3.12	-	-
Pot Cap-1 Maneuver	270	82	*590	*606	80	479	*742	-	-	442	-	-
Stage 1	553	543	-	*234	356	-	-	-	-	-	-	-
Stage 2	574	354	-	*606	534	-	-	-	-	-	-	-
Platoon blocked, %	1	1	1	1	1	1	-	-	-	-	-	-
Mov Cap-1 Maneuver	131	32	*590	*309	31	479	*742	-	-	442	-	-
Mov Cap-2 Maneuver	131	32	-	*309	31	-	-	-	-	-	-	-
Stage 1	549	213	-	*232	353	-	-	-	-	-	-	-
Stage 2	538	351	-	*236	209	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	22.2	13	0.1	0.3
HCM LOS	C	B		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	*742	-	-	214	479	442	-	-
HCM Lane V/C Ratio	0.007	-	-	0.021	0.056	0.068	-	-
HCM Control Delay (s)	9.9	-	-	22.2	13	13.7	-	-
HCM Lane LOS	A	-	-	C	B	B	-	-
HCM 95th %tile Q(veh)	0	-	-	0.1	0.2	0.2	-	-

Notes
 -: Volume exceeds capacity S: Delay exceeds 300s +/-: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Existing AM

5: Tatum Blvd & Gold Dust Avenue
HCM 6th TWSC

Intersection						
Int Delay, s/veh	0.5					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	↖		↖ ↗ ↗	↗	↖	↗
Traffic Vol, veh/h	16	54	14	755	1426	17
Future Vol, veh/h	16	54	14	755	1426	17
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	50	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	18	60	16	839	1584	19

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	1952	792	1603	0	- 0
Stage 1	1584	-	-	-	-
Stage 2	368	-	-	-	-
Critical Hdwy	6.29	6.94	4.14	-	-
Critical Hdwy Stg 1	5.84	-	-	-	-
Critical Hdwy Stg 2	6.04	-	-	-	-
Follow-up Hdwy	3.67	3.32	2.22	-	-
Pot Cap-1 Maneuver	*449	*496	*742	-	-
Stage 1	*449	-	-	-	-
Stage 2	*634	-	-	-	-
Platoon blocked, %	1	1	1	-	-
Mov Cap-1 Maneuver	*439	*496	*742	-	-
Mov Cap-2 Maneuver	*401	-	-	-	-
Stage 1	*439	-	-	-	-
Stage 2	*634	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	14.1	0.2	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	*742	-	471	-	-
HCM Lane V/C Ratio	0.021	-	0.165	-	-
HCM Control Delay (s)	10	-	14.1	-	-
HCM Lane LOS	A	-	B	-	-
HCM 95th %tile Q(veh)	0.1	-	0.6	-	-

Notes
 --: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Existing AM

6: Beryl Ave & Medical Center Dwy
HCM 6th TWSC

Intersection						
Int Delay, s/veh	3.2					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations		↖	↖			↗
Traffic Vol, veh/h	25	13	22	1	1	1
Future Vol, veh/h	25	13	22	1	1	1
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	-	-	-	0
Veh in Median Storage, #	-	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	28	14	24	1	1	1

Major/Minor	Major1	Major2	Minor2		
Conflicting Flow All	25	0	- 0	95	25
Stage 1	-	-	-	25	-
Stage 2	-	-	-	70	-
Critical Hdwy	4.12	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	3.518	3.318
Pot Cap-1 Maneuver	1589	-	-	905	1051
Stage 1	-	-	-	998	-
Stage 2	-	-	-	953	-
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	1589	-	-	889	1051
Mov Cap-2 Maneuver	-	-	-	889	-
Stage 1	-	-	-	980	-
Stage 2	-	-	-	953	-

Approach	EB	WB	SB
HCM Control Delay, s	4.8	0	8.4
HCM LOS			A

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR	SBLn1
Capacity (veh/h)	1589	-	-	-	1051
HCM Lane V/C Ratio	0.017	-	-	-	0.001
HCM Control Delay (s)	7.3	0	-	-	8.4
HCM Lane LOS	A	A	-	-	A
HCM 95th %tile Q(veh)	0.1	-	-	-	0

Mountain View Medical Center
Existing AM

7: Med. Center Dwy/Albertson's Dwy & Shea Blvd
HCM 6th TWSC

Intersection												
Int Delay, s/veh	0.4											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑ ↑ ↑			↑ ↑ ↑			↑			↑		
Traffic Vol, veh/h	50	1764	33	19	1335	30	0	0	12	0	0	31
Future Vol, veh/h	50	1764	33	19	1335	30	0	0	12	0	0	31
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	205	-	-	85	-	150	-	-	0	-	-	0
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	56	1960	37	21	1483	33	0	0	13	0	0	34

Major/Minor	Major1	Major2	Minor1	Minor2
Conflicting Flow All	1516	0	0	1997
Stage 1	-	-	-	-
Stage 2	-	-	-	-
Critical Hdwy	5.34	-	-	5.34
Critical Hdwy Stg 1	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-
Follow-up Hdwy	3.12	-	-	3.12
Pot Cap-1 Maneuver	*757	-	-	*623
Stage 1	-	-	-	-
Stage 2	-	-	-	-
Platoon blocked, %	1	-	-	1
Mov Cap-1 Maneuver	*757	-	-	*623
Mov Cap-2 Maneuver	-	-	-	-
Stage 1	-	-	-	-
Stage 2	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	0.3	0.2	12.5	11.3
HCM LOS			B	B

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	496	*757	-	-	*623	-	-	602
HCM Lane V/C Ratio	0.027	0.073	-	-	0.034	-	-	0.057
HCM Control Delay (s)	12.5	10.1	-	-	11	-	-	11.3
HCM Lane LOS	B	B	-	-	B	-	-	B
HCM 95th %tile Q(veh)	0.1	0.2	-	-	0.1	-	-	0.2

Notes
 -: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon


Mountain View Medical Center
Existing AM

8: Shea Blvd & 50th Street
Timing Report, Sorted By Phase

Phase Number	4	6	8
Movement	EBTL	SBL	WBT
Lead/Lag			
Lead-Lag Optimize			
Recall Mode	C-Max	Max	C-Max
Maximum Split (s)	70	50	70
Maximum Split (%)	58.3%	41.7%	58.3%
Minimum Split (s)	25.3	29.2	25.3
Yellow Time (s)	4.3	3	4.3
All-Red Time (s)	1	2.2	1
Minimum Initial (s)	15	5	15
Vehicle Extension (s)	3	3	3
Minimum Gap (s)	3	3	3
Time Before Reduce (s)	0	0	0
Time To Reduce (s)	0	0	0
Walk Time (s)	8	8	8
Flash Dont Walk (s)	12	16	12
Dual Entry	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes
Start Time (s)	47	117	47
End Time (s)	117	47	117
Yield/Force Off (s)	111.7	41.8	111.7
Yield/Force Off 170(s)	99.7	25.8	99.7
Local Start Time (s)	0	70	0
Local Yield (s)	64.7	114.8	64.7
Local Yield 170(s)	52.7	98.8	52.7

Intersection Summary	
Cycle Length	120
Control Type	Actuated-Coordinated
Natural Cycle	65
Offset: 47 (39%), Referenced to phase 4:EBTL and 8:WBT, Start of Green	

Splits and Phases: 8: Shea Blvd & 50th Street



Mountain View Medical Center
Existing AM

8: Shea Blvd & 50th Street
HCM 6th Signalized Intersection Summary

Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↑	↑↑↑	↑↑		↑	↑
Traffic Volume (veh/h)	35	1760	1323	48	67	39
Future Volume (veh/h)	35	1760	1323	48	67	39
Initial Q (Qb), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	39	1956	1470	53	74	43
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh. %	2	2	2	2	2	2
Cap, veh/h	130	2753	1886	68	665	592
Arrive On Green	0.54	0.54	0.54	0.54	0.37	0.37
Sat Flow, veh/h	342	5274	3592	126	1781	1585
Grp Volume(v), veh/h	39	1956	745	778	74	43
Grp Sat Flow(s),veh/h/ln	342	1702	1777	1848	1781	1585
Q Serve(g_s), s	12.3	34.3	39.9	40.2	3.3	2.1
Cycle Q Clear(g_c), s	52.5	34.3	39.9	40.2	3.3	2.1
Prop In Lane	1.00			0.07	1.00	1.00
Lane Grp Cap(c), veh/h	130	2753	958	996	665	592
V/C Ratio(X)	0.30	0.71	0.78	0.78	0.11	0.07
Avail Cap(c_a), veh/h	130	2753	958	996	665	592
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	42.9	20.7	21.9	22.0	24.6	24.2
Incr Delay (d2), s/veh	5.8	1.6	6.2	6.1	0.3	0.2
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile.BackOfQ(95%),veh/ln	2.3	19.7	24.6	25.5	2.6	1.5
Unsig. Movement Delay, s/veh						
LnGrp Delay(d),s/veh	48.7	22.2	28.1	28.1	24.9	24.5
LnGrp LOS	D	C	C	C	C	C
Approach Vol, veh/h		1995	1523		117	
Approach Delay, s/veh		22.8	28.1		24.8	
Approach LOS		C	C		C	
Timer - Assigned Phs				4	6	8
Phs Duration (G+Y+Rc), s				70.0	50.0	70.0
Change Period (Y+Rc), s				5.3	5.2	5.3
Max Green Setting (Gmax), s				64.7	44.8	64.7
Max Q Clear Time (g_c+I1), s				54.5	5.3	42.2
Green Ext Time (p_c), s				8.5	0.3	12.1
Intersection Summary						
HCM 6th Ctrl Delay			25.1			
HCM 6th LOS			C			


Mountain View Medical Center
Existing PM

1: Tatum Blvd & Desert Cove Ave
Timing Report, Sorted By Phase

	2	4	6	8
Phase Number	2	4	6	8
Movement	NBTL	EBTL	SBTL	WBTL
Lead/Lag				
Lead-Lag Optimize				
Recall Mode	None	C-Max	None	C-Max
Maximum Split (s)	66	36	66	36
Maximum Split (%)	64.7%	35.3%	64.7%	35.3%
Minimum Split (s)	25.3	35	25.3	35
Yellow Time (s)	4.3	3	4.3	3
All-Red Time (s)	1	3	1	3
Minimum Initial (s)	15	4	15	4
Vehicle Extension (s)	3	3	3	3
Minimum Gap (s)	3	3	3	3
Time Before Reduce (s)	0	0	0	0
Time To Reduce (s)	0	0	0	0
Walk Time (s)	8	7	8	7
Flash Dont Walk (s)	12	22	12	22
Dual Entry	Yes	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes
Start Time (s)	86	50	86	50
End Time (s)	50	86	50	86
Yield/Force Off (s)	44.7	80	44.7	80
Yield/Force Off 170(s)	32.7	58	32.7	58
Local Start Time (s)	36	0	36	0
Local Yield (s)	96.7	30	96.7	30
Local Yield 170(s)	84.7	8	84.7	8

Intersection Summary	
Cycle Length	102
Control Type	Actuated-Coordinated
Natural Cycle	100
Offset: 50 (49%), Referenced to phase 4:EBTL and 8:WBTL, Start of Green	

Splits and Phases: 1: Tatum Blvd & Desert Cove Ave



Mountain View Medical Center
Existing PM

1: Tatum Blvd & Desert Cove Ave
HCM 6th Signalized Intersection Summary

	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Movement												
Lane Configurations		↕			↕		↕	↑↑↑	↕	↕	↑↑↑	↕
Traffic Volume (veh/h)	25	1	25	68	1	89	9	1524	36	100	1131	2
Future Volume (veh/h)	25	1	25	68	1	89	9	1524	36	100	1131	2
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No				No
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	28	1	28	76	1	99	10	1693	40	111	1257	2
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	246	25	211	223	21	250	277	3039	943	181	3133	5
Arrive On Green	0.29	0.29	0.29	0.29	0.29	0.29	0.60	0.60	0.60	0.60	0.60	0.60
Sat Flow, veh/h	659	84	717	587	73	849	441	5106	1585	279	5265	8
Grp Volume(v), veh/h	57	0	0	176	0	0	10	1693	40	111	813	446
Grp Sat Flow(s), veh/h/ln	1459	0	0	1509	0	0	441	1702	1585	279	1702	1869
Q Serve(g_s), s	0.0	0.0	0.0	6.6	0.0	0.0	1.3	20.5	1.1	40.2	13.0	13.0
Cycle Q Clear(g_c), s	2.5	0.0	0.0	9.2	0.0	0.0	14.2	20.5	1.1	60.7	13.0	13.0
Prop In Lane	0.49		0.49	0.43		0.56	1.00		1.00	1.00		0.00
Lane Grp Cap(c), veh/h	482	0	0	494	0	0	277	3039	943	181	2026	1112
V/C Ratio(X)	0.12	0.00	0.00	0.36	0.00	0.00	0.04	0.56	0.04	0.61	0.40	0.40
Avail Cap(c_a), veh/h	482	0	0	494	0	0	277	3039	943	181	2026	1112
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	1.00	0.00	0.00	0.54	0.54	0.54	1.00	1.00	1.00
Uniform Delay (d), s/veh	26.3	0.0	0.0	28.6	0.0	0.0	14.8	12.5	8.6	31.0	11.0	11.0
Incr Delay (d2), s/veh	0.5	0.0	0.0	2.0	0.0	0.0	0.1	0.0	6.1	0.1	0.2	0.2
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	1.9	0.0	0.0	6.6	0.0	0.0	0.2	10.5	0.6	5.3	8.1	8.8
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	26.8	0.0	0.0	30.6	0.0	0.0	14.8	12.6	8.6	37.1	11.1	11.2
LnGrp LOS	C	A	A	C	A	A	B	B	A	D	B	B
Approach Vol, veh/h	57			176			1743				1370	
Approach Delay, s/veh	26.8			30.6			12.6				13.3	
Approach LOS	C			C			B				B	
Timer - Assigned Phs	2			4			6				8	
Phs Duration (G+Y+Rc), s	66.0			36.0			66.0				36.0	
Change Period (Y+Rc), s	5.3			6.0			5.3				6.0	
Max Green Setting (Gmax), s	60.7			30.0			60.7				30.0	
Max Q Clear Time (g_c+I1), s	22.5			4.5			62.7				11.2	
Green Ext Time (p_c), s	18.9			0.3			0.0				0.9	

Intersection Summary	
HCM 6th Ctrl Delay	14.0
HCM 6th LOS	B


Mountain View Medical Center
Existing PM

2: Tatum Blvd & Shea Blvd
Timing Report, Sorted By Phase

Phase Number	1	2	3	4	5	6	7	8
Movement	WBL	EBT	SBL	NBT	EBL	WBT	NBL	SBT
Lead/Lag	Lead	Lag	Lead	Lag	Lead	Lag	Lead	Lag
Lead-Lag Optimize	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Recall Mode	None	None	None	C-Max	None	None	None	C-Max
Maximum Split (s)	26	45	29	50	26	45	29	50
Maximum Split (%)	17.3%	30.0%	19.3%	33.3%	17.3%	30.0%	19.3%	33.3%
Minimum Split (s)	10	36.9	20	40	10	36.9	20	40
Yellow Time (s)	4	4.3	4	4.3	4	4.3	4	4.3
All-Red Time (s)	1	1.6	1	1.7	1	1.6	1	1.7
Minimum Initial (s)	5	15	15	15	5	15	15	15
Vehicle Extension (s)	3	3	3	3	3	3	3	3
Minimum Gap (s)	3	3	3	3	3	3	3	3
Time Before Reduce (s)	0	0	0	0	0	0	0	0
Time To Reduce (s)	0	0	0	0	0	0	0	0
Walk Time (s)		8		8		8		8
Flash Dont Walk (s)		23		26		23		26
Dual Entry	No	Yes	No	Yes	No	Yes	No	Yes
Inhibit Max	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Start Time (s)	105	131	26	55	105	131	26	55
End Time (s)	131	26	55	105	131	26	55	105
Yield/Force Off (s)	126	20.1	50	99	126	20.1	50	99
Yield/Force Off 170(s)	126	147.1	50	73	126	147.1	50	73
Local Start Time (s)	50	76	121	0	50	76	121	0
Local Yield (s)	71	115.1	145	44	71	115.1	145	44
Local Yield 170(s)	71	92.1	145	18	71	92.1	145	18

Intersection Summary	
Cycle Length	150
Control Type	Actuated-Coordinated
Natural Cycle	130
Offset: 55 (37%), Referenced to phase 4:NBT and 8:SBT, Start of Green	

Splits and Phases: 2: Tatum Blvd & Shea Blvd



Mountain View Medical Center
Existing PM

2: Tatum Blvd & Shea Blvd
HCM 6th Signalized Intersection Summary

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↔↔	↔↔↔	↔	↔↔	↔↔↔	↔	↔↔	↔↔↔	↔	↔↔	↔↔↔	↔
Traffic Volume (veh/h)	330	1079	213	175	1392	191	555	995	239	254	608	254
Future Volume (veh/h)	330	1079	213	175	1392	191	555	995	239	254	608	254
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No				No
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	367	1199	237	194	1547	212	617	1106	266	282	676	282
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	417	1583	491	247	1331	413	553	1531	368	346	1110	456
Arrive On Green	0.12	0.31	0.31	0.07	0.26	0.26	0.16	0.37	0.37	0.10	0.31	0.31
Sat Flow, veh/h	3456	5106	1585	3456	5106	1585	3456	5109	988	3456	3553	1459
Grp Volume(v), veh/h	367	1199	237	194	1547	212	617	916	456	282	647	311
Grp Sat Flow(s), veh/h/ln	1728	1702	1585	1728	1702	1585	1728	1702	1693	1728	1702	1608
Q Serve(g_s), s	15.7	31.8	18.2	8.3	39.1	17.1	24.0	34.7	34.7	12.0	24.2	24.7
Cycle Q Clear(g_c), s	15.7	31.8	18.2	8.3	39.1	17.1	24.0	34.7	34.7	12.0	24.2	24.7
Prop In Lane	1.00		1.00	1.00		1.00	1.00		0.58	1.00		0.91
Lane Grp Cap(c), veh/h	417	1583	491	247	1331	413	553	1268	631	346	1064	502
V/C Ratio(X)	0.88	0.76	0.48	0.79	1.16	0.51	1.12	0.72	0.82	0.61	0.62	0.62
Avail Cap(c_a), veh/h	484	1583	491	484	1331	413	553	1268	631	553	1064	502
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.91	0.91	0.91
Uniform Delay (d), s/veh	64.9	46.7	42.0	68.5	55.5	47.3	63.0	40.4	40.4	66.1	43.8	43.9
Incr Delay (d2), s/veh	15.2	2.2	0.7	5.4	81.7	1.1	74.2	3.6	7.0	4.6	2.4	5.1
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	12.4	19.9	11.7	7.0	38.5	11.3	24.1	21.6	22.2	9.2	15.7	15.7
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	80.1	48.8	42.7	74.0	137.1	48.4	137.2	44.0	47.5	70.8	46.1	49.1
LnGrp LOS	F	D	D	E	F	D	F	D	D	E	D	D
Approach Vol, veh/h		1803			1953			1989				1240
Approach Delay, s/veh		54.4			121.2			73.7				52.5
Approach LOS		D			F			E				D

Timer - Assigned Phs	1	2	3	4	5	6	7	8
Phs Duration (G+Y+Rc), s	15.7	52.4	20.0	61.9	23.1	45.0	29.0	52.9
Change Period (Y+Rc), s	5.0	*5.9	5.0	*6	5.0	*5.9	5.0	*6
Max Green Setting (Gmax), s	21.0	*39	24.0	*44	21.0	*39	24.0	*44
Max Q Clear Time (g_c+11), s	10.3	33.8	14.0	36.7	17.7	41.1	26.0	26.7
Green Ext Time (p_c), s	0.4	3.7	0.7	4.9	0.4	0.0	0.0	6.2

Intersection Summary	
HCM 6th Ctrl Delay	78.2
HCM 6th LOS	E

Notes

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Mountain View Medical Center
Existing PM

3: Tatum Blvd & Fry's Dwy/Medical Center Dwy
HCM 6th TWSC

Intersection												
Int Delay, s/veh	1.3											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↕		↕		↕		↕		↕		↕	
Traffic Vol, veh/h	21	0	112	1	0	56	49	1757	7	2	884	132
Future Vol, veh/h	21	0	112	1	0	56	49	1757	7	2	884	132
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	105	-	-	-	-	150
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	23	0	124	1	0	62	54	1952	8	2	982	147

Major/Minor	Minor2	Minor1	Major1	Major2
Conflicting Flow All	1875	3054	491	2461
Stage 1	986	986	-	2064
Stage 2	889	2068	-	397
Critical Hdwy	6.44	6.54	7.14	6.44
Critical Hdwy Stg 1	7.34	5.54	-	7.34
Critical Hdwy Stg 2	6.74	5.54	-	6.74
Follow-up Hdwy	3.82	4.02	3.92	3.82
Pot Cap-1 Maneuver	164	18	*718	*58
Stage 1	726	694	-	*35
Stage 2	276	95	-	*737
Platoon blocked, %	1	1	1	1
Mov Cap-1 Maneuver	107	16	*718	*44
Mov Cap-2 Maneuver	107	16	-	*44
Stage 1	673	664	-	*32
Stage 2	181	88	-	*583

Approach	EB	WB	NB	SB
HCM Control Delay, s	11.1	31.1	0.3	0.1
HCM LOS	B	D		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	737	-	-	718	200	131	-	-
HCM Lane V/C Ratio	0.074	-	-	0.173	0.317	0.017	-	-
HCM Control Delay (s)	10.3	-	-	11.1	31.1	33	-	-
HCM Lane LOS	B	-	-	B	D	D	-	-
HCM 95th %tile Q(veh)	0.2	-	-	0.6	1.3	0.1	-	-

Notes
 -: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Existing PM

4: Tatum Blvd & Tatum Corp. Center Dwy/Beryl Ave
HCM 6th TWSC

Intersection												
Int Delay, s/veh	1.8											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↕		↕		↕		↕		↕		↕	
Traffic Vol, veh/h	7	1	2	7	0	39	0	1738	3	28	989	4
Future Vol, veh/h	7	1	2	7	0	39	0	1738	3	28	989	4
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	50	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	8	1	2	8	0	43	0	1931	3	31	1099	4

Major/Minor	Minor2	Minor1	Major1	Major2
Conflicting Flow All	1935	3097	552	2435
Stage 1	1163	1163	-	1933
Stage 2	772	1934	-	502
Critical Hdwy	6.44	6.54	7.14	6.44
Critical Hdwy Stg 1	7.34	5.54	-	7.34
Critical Hdwy Stg 2	6.74	5.54	-	6.74
Follow-up Hdwy	3.82	4.02	3.92	3.82
Pot Cap-1 Maneuver	177	18	*682	*70
Stage 1	684	656	-	*43
Stage 2	325	111	-	*700
Platoon blocked, %	1	1	1	1
Mov Cap-1 Maneuver	75	7	*682	*33
Mov Cap-2 Maneuver	75	7	-	*33
Stage 1	684	266	-	*43
Stage 2	260	111	-	*282

Approach	EB	WB	NB	SB
HCM Control Delay, s	119.1	57	0	1.1
HCM LOS	F	F		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	*858	-	-	42	118	135	-	-
HCM Lane V/C Ratio	-	-	-	0.265	0.433	0.23	-	-
HCM Control Delay (s)	0	-	-	119.1	57	39.5	-	-
HCM Lane LOS	A	-	-	F	F	E	-	-
HCM 95th %tile Q(veh)	0	-	-	0.9	1.9	0.8	-	-

Notes
 -: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Existing PM

5: Tatum Blvd & Gold Dust Avenue
HCM 6th TWSC

Intersection						
Int Delay, s/veh	0.3					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	¶		¶	¶¶¶	¶¶	¶
Traffic Vol, veh/h	14	18	42	1773	924	57
Future Vol, veh/h	14	18	42	1773	924	57
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	50	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	16	20	47	1970	1027	63

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	1909	514	1090	0	-
Stage 1	1027	-	-	-	-
Stage 2	882	-	-	-	-
Critical Hdwy	6.29	6.94	4.14	-	-
Critical Hdwy Stg 1	5.84	-	-	-	-
Critical Hdwy Stg 2	6.04	-	-	-	-
Follow-up Hdwy	3.67	3.32	2.22	-	-
Pot Cap-1 Maneuver	*338	*702	*1050	-	-
Stage 1	*635	-	-	-	-
Stage 2	*339	-	-	-	-
Platoon blocked, %	1	1	1	-	-
Mov Cap-1 Maneuver	*322	*702	*1050	-	-
Mov Cap-2 Maneuver	*263	-	-	-	-
Stage 1	*607	-	-	-	-
Stage 2	*339	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	14.7	0.2	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	*1050	-	406	-	-
HCM Lane V/C Ratio	0.044	-	0.088	-	-
HCM Control Delay (s)	8.6	-	14.7	-	-
HCM Lane LOS	A	-	B	-	-
HCM 95th %tile Q(veh)	0.1	-	0.3	-	-

Notes
 -: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Existing PM

6: Beryl Ave & Medical Center Dwy
HCM 6th TWSC

Intersection						
Int Delay, s/veh	4.2					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations		¶	¶			¶
Traffic Vol, veh/h	11	24	17	2	1	33
Future Vol, veh/h	11	24	17	2	1	33
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	-	-	-	0
Veh in Median Storage, #	-	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	12	27	19	2	1	37

Major/Minor	Major1	Major2	Minor2		
Conflicting Flow All	21	0	0	71	20
Stage 1	-	-	-	20	-
Stage 2	-	-	-	51	-
Critical Hdwy	4.12	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	3.518	3.318
Pot Cap-1 Maneuver	1595	-	-	933	1058
Stage 1	-	-	-	1003	-
Stage 2	-	-	-	971	-
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	1595	-	-	926	1058
Mov Cap-2 Maneuver	-	-	-	926	-
Stage 1	-	-	-	995	-
Stage 2	-	-	-	971	-

Approach	EB	WB	SB
HCM Control Delay, s	2.3	0	8.5
HCM LOS			A

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR	SBLn1
Capacity (veh/h)	1595	-	-	-	1058
HCM Lane V/C Ratio	0.008	-	-	-	0.035
HCM Control Delay (s)	7.3	0	-	-	8.5
HCM Lane LOS	A	A	-	-	A
HCM 95th %tile Q(veh)	0	-	-	-	0.1

Mountain View Medical Center
Existing PM

7: Med. Center Dwy/Albertson's Dwy & Shea Blvd
HCM 6th TWSC

Intersection												
Int Delay, s/veh	0.5											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↔ ↑↑↑			↔ ↑↑↑			↔ ↑			↔ ↑		
Traffic Vol, veh/h	36	1493	12	8	1738	81	0	0	26	0	0	50
Future Vol, veh/h	36	1493	12	8	1738	81	0	0	26	0	0	50
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	205	-	-	85	-	-	150	-	-	0	-	0
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	40	1659	13	9	1931	90	0	0	29	0	0	56

Major/Minor	Major1	Major2	Minor1	Minor2
Conflicting Flow All	2021	0	0	1672
Stage 1	-	-	-	-
Stage 2	-	-	-	-
Critical Hdwy	5.34	-	5.34	-
Critical Hdwy Stg 1	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-
Follow-up Hdwy	3.12	-	3.12	-
Pot Cap-1 Maneuver	598	-	183	-
Stage 1	-	-	-	-
Stage 2	-	-	-	-
Platoon blocked, %	1	-	-	-
Mov Cap-1 Maneuver	598	-	183	-
Mov Cap-2 Maneuver	-	-	-	-
Stage 1	-	-	-	-
Stage 2	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	0.3	0.1	20.1	12.9
HCM LOS			C	B

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	267	598	-	-	183	-	-	514
HCM Lane V/C Ratio	0.108	0.067	-	-	0.049	-	-	0.108
HCM Control Delay (s)	20.1	11.5	-	-	25.7	-	-	12.9
HCM Lane LOS	C	B	-	-	D	-	-	B
HCM 95th %tile Q(veh)	0.4	0.2	-	-	0.2	-	-	0.4

Notes
 --: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon


Mountain View Medical Center
Existing PM

8: Shea Blvd & 50th Street
Timing Report, Sorted By Phase

Phase Number	4	6	8
Movement	EBTL	SBL	WBT
Lead/Lag			
Lead-Lag Optimize			
Recall Mode	C-Max	Max	C-Max
Maximum Split (s)	70	50	70
Maximum Split (%)	58.3%	41.7%	58.3%
Minimum Split (s)	25.3	29.2	25.3
Yellow Time (s)	4.3	3	4.3
All-Red Time (s)	1	2.2	1
Minimum Initial (s)	15	5	15
Vehicle Extension (s)	3	3	3
Minimum Gap (s)	3	3	3
Time Before Reduce (s)	0	0	0
Time To Reduce (s)	0	0	0
Walk Time (s)	8	8	8
Flash Dont Walk (s)	12	16	12
Dual Entry	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes
Start Time (s)	3	73	3
End Time (s)	73	3	73
Yield/Force Off (s)	67.7	117.8	67.7
Yield/Force Off 170(s)	55.7	101.8	55.7
Local Start Time (s)	0	70	0
Local Yield (s)	64.7	114.8	64.7
Local Yield 170(s)	52.7	98.8	52.7

Intersection Summary	
Cycle Length	120
Control Type	Actuated-Coordinated
Natural Cycle	90
Offset: 3 (3%), Referenced to phase 4:EBTL and 8:WBT, Start of Green	

Splits and Phases: 8: Shea Blvd & 50th Street



Mountain View Medical Center
Existing PM

8: Shea Blvd & 50th Street
HCM 6th Signalized Intersection Summary



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↵	↑↑↑	↑↵		↵	↵
Traffic Volume (veh/h)	52	1499	1803	44	128	65
Future Volume (veh/h)	52	1499	1803	44	128	65
Initial Q (Qb), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	No
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	58	1666	2003	49	142	72
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2
Cap, veh/h	60	2753	1912	47	665	592
Arrive On Green	0.54	0.54	0.54	0.54	0.37	0.37
Sat Flow, veh/h	205	5274	3639	86	1781	1585
Grp Volume(v), veh/h	58	1666	1000	1052	142	72
Grp Sat Flow(s), veh/h/ln	205	1702	1777	1855	1781	1585
Q Serve(g_s), s	0.0	26.8	64.7	64.7	6.5	3.6
Cycle Q Clear(g_c), s	64.7	26.8	64.7	64.7	6.5	3.6
Prop In Lane	1.00			0.05	1.00	1.00
Lane Grp Cap(c), veh/h	60	2753	958	1000	665	592
V/C Ratio(X)	0.97	0.61	1.04	1.05	0.21	0.12
Avail Cap(c_a), veh/h	60	2753	958	1000	665	592
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	60.0	18.9	27.6	27.7	25.6	24.7
Incr Delay (d2), s/veh	107.0	1.0	41.1	43.2	0.7	0.4
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	6.4	15.9	48.6	51.5	5.2	2.6
Unsig. Movement Delay, s/veh						
LnGrp Delay(d),s/veh	167.0	19.9	68.7	70.9	26.3	25.1
LnGrp LOS	F	B	F	F	C	C
Approach Vol, veh/h		1724	2052		214	
Approach Delay, s/veh		24.9	69.8		25.9	
Approach LOS		C	E		C	
Timer - Assigned Phs				4	6	8
Phs Duration (G+Y+Rc), s				70.0	50.0	70.0
Change Period (Y+Rc), s				5.3	5.2	5.3
Max Green Setting (Gmax), s				64.7	44.8	64.7
Max Q Clear Time (g_c+I1), s				66.7	8.5	66.7
Green Ext Time (p_c), s				0.0	0.6	0.0
Intersection Summary						
HCM 6th Ctrl Delay			48.0			
HCM 6th LOS			D			

APPENDIX D

TRIP GENERATION CALCULATIONS

Mountain View Medical Office

Proposed

Trip Generation

January 2017

Appendix D

Land Use Types and Size			
Proposed Use	Amount Units	ITE LUC	ITE Land Use Name
Medical Office	91.318 KSF	720	Medical-Dental Office Building
Medical Office (Existing)	59.969 KSF	720	Medical-Dental Office Building

-Abbreviations: ITE = Institute of Transportation Engineers, LUC = land use code, SF = square feet, KSF = 1,000 square feet, DU = Dwelling Units, Keys = keyed guest units.

Weighted Average Rate or Fitted Curve Equation Used in Analysis?							
Proposed Use	ADT	Trips	AM	Trips	PM	Trips	(not used)
Medical Office	Fitted Curve	3,420	Fitted Curve	206	Fitted Curve	312	
Medical Office (Existing)	Fitted Curve	2,216	Fitted Curve	142	Fitted Curve	205	

Notes: -ITE methodology per the *Trip Generation Handbook* is the basis for deciding which rate/equation to use. Exceptions are highlighted.

Note: The proposed minus the existing trips (red text) generated, results in the net number of base trips.

Base Trips	Proposed Use	ADT				AM				PM				(not used)
		% In	In	Out	Total	% In	In	Out	Total	% In	In	Out	Total	
	Medical Office	50%	1,710	1,710	3,420	78%	161	45	206	28%	87	225	312	
	Medical Office (Existing)	50%	1,108	1,108	2,216	78%	111	31	142	28%	57	148	205	
	Net		602	602	1,204		50	14	64		30	77	107	

Notes: -Per ITE's *Trip Generation Handbook, 3rd edition*, the rates in the *Trip Generation Manual* represent base trip generation rates for "low-density, single-use, suburban developments with little or no transit service, limited bicycle access, and little or no convenient pedestrian access" and that the "analyst needs to adjust the baseline vehicle trip generation" if the subject development is an infill site, mixed-use development, transit-friendly development, is located within an urban core area or near a school, and/or other conditions.

-The base trips projected for the site are displayed in the table above. The following pages, if any, present appropriate adjustments to the base volumes and/or separate trip types.

APPENDIX E

BACKGROUND TRAFFIC CALCULATIONS

Source(s) <http://azmag.gov/Programs/Transportation/System-Analysis-and-Forecasting/Traffic-Volur>

Location of counts: Tatum Boulevard north of Shea Boulevard

	Year	Volume	Avg Growth Rate to 2015	Expansion Factor to 2015
Beginning	2015	35,100		
End	2011	33,900	0.9%	1.035

Location of counts: Shea Boulevard East of Tatum Boulevard

	Year	Volume	Avg Growth Rate to 2015	Expansion Factor to 2015
Beginning	2015	45200		
End	2011	39,800	3.2%	0.882

Growth Rate Average 2.1%

Growth Rate Used 2.1%
Per-Year Multiplier 1.021

Year	Expansion Factor(s)	
2018	1.000	
2019	1.021	<- Expansion factor to opening year
2020	1.041	
2021	1.063	
2022	1.085	
2023	1.107	
2024	1.129	'<- Expansion factor to 5 years after opening
2025	1.153	
2026	1.176	
2027	1.200	
2028	1.225	
2029	1.250	
2030	1.276	
2031	1.302	
2032	1.329	
2033	1.356	
2034	1.384	
2035	1.412	
2036	1.441	
2037	1.470	
2038	1.501	

APPENDIX F

PEAK HOUR TRAFFIC ANALYSIS

Mountain View Medical Center
Background AM

1: Tatum Blvd & Desert Cove Ave
Timing Report, Sorted By Phase




Phase Number	2	4	6	8
Movement	NBTL	EBTL	SBTL	WBTL
Lead/Lag				
Lead-Lag Optimize				
Recall Mode	None	C-Max	None	C-Max
Maximum Split (s)	66	36	66	36
Maximum Split (%)	64.7%	35.3%	64.7%	35.3%
Minimum Split (s)	25.3	35	25.3	35
Yellow Time (s)	4.3	3	4.3	3
All-Red Time (s)	1	3	1	3
Minimum Initial (s)	15	4	15	4
Vehicle Extension (s)	3	3	3	3
Minimum Gap (s)	3	3	3	3
Time Before Reduce (s)	0	0	0	0
Time To Reduce (s)	0	0	0	0
Walk Time (s)	8	7	8	7
Flash Dont Walk (s)	12	22	12	22
Dual Entry	Yes	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes
Start Time (s)	55	19	55	19
End Time (s)	19	55	19	55
Yield/Force Off (s)	13.7	49	13.7	49
Yield/Force Off 170(s)	1.7	27	1.7	27
Local Start Time (s)	36	0	36	0
Local Yield (s)	96.7	30	96.7	30
Local Yield 170(s)	84.7	8	84.7	8

Intersection Summary

Cycle Length	102
Control Type	Actuated-Coordinated
Natural Cycle	65
Offset: 19 (19%), Referenced to phase 4:EBTL and 8:WBTL, Start of Green	

Splits and Phases: 1: Tatum Blvd & Desert Cove Ave



Mountain View Medical Center
Background AM

1: Tatum Blvd & Desert Cove Ave
HCM 6th Signalized Intersection Summary



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕		↕	↕↕↕	↕	↕	↕↕↕	↕
Traffic Volume (veh/h)	9	0	5	20	0	50	30	838	37	87	1111	10
Future Volume (veh/h)	9	0	5	20	0	50	30	838	37	87	1111	10
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	10	0	6	22	0	56	33	931	41	97	1234	11
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh. %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	476	13	259	230	23	530	173	2102	652	233	2149	19
Arrive On Green	0.48	0.00	0.48	0.48	0.00	0.48	0.41	0.41	0.41	0.41	0.41	0.41
Sat Flow, veh/h	877	27	543	387	49	1109	447	5106	1585	578	5220	47
Grp Volume(v), veh/h	16	0	0	78	0	0	33	931	41	97	805	440
Grp Sat Flow(s),veh/h/ln	1447	0	0	1544	0	0	447	1702	1585	578	1702	1862
Q Serve(g_s), s	0.0	0.0	0.0	0.0	0.0	0.0	6.3	13.4	1.6	14.8	18.6	18.6
Cycle Q Clear(g_c), s	0.5	0.0	0.0	2.6	0.0	0.0	24.9	13.4	1.6	28.2	18.6	18.6
Prop In Lane	0.62		0.37	0.28		0.72	1.00		1.00	1.00		0.02
Lane Grp Cap(c), veh/h	748	0	0	783	0	0	173	2102	652	233	1401	766
V/C Ratio(X)	0.02	0.00	0.00	0.10	0.00	0.00	0.19	0.44	0.06	0.42	0.57	0.57
Avail Cap(c_a), veh/h	748	0	0	783	0	0	255	3039	943	339	2026	1108
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	1.00	0.00	0.00	0.84	0.84	0.84	1.00	1.00	1.00
Uniform Delay (d), s/veh	14.0	0.0	0.0	14.6	0.0	0.0	32.7	21.6	18.1	31.7	23.1	23.1
Incr Delay (d2), s/veh	0.1	0.0	0.0	0.3	0.0	0.0	0.4	0.1	0.0	1.2	0.4	0.7
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	0.4	0.0	0.0	1.9	0.0	0.0	1.3	8.7	1.1	3.8	11.8	12.8
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	14.1	0.0	0.0	14.9	0.0	0.0	33.1	21.7	18.2	32.9	23.5	23.8
LnGrp LOS	B	A	A	B	A	A	C	C	B	C	C	C
Approach Vol, veh/h	16			78			1005			1342		
Approach Delay, s/veh	14.1			14.9			21.9			24.3		
Approach LOS	B			B			C			C		
Timer - Assigned Phs	2			4			6			8		
Phs Duration (G+Y+Rc), s	47.3			54.7			47.3			54.7		
Change Period (Y+Rc), s	5.3			6.0			5.3			6.0		
Max Green Setting (Gmax), s	60.7			30.0			60.7			30.0		
Max Q Clear Time (g_c+I), s	26.9			2.5			30.2			4.6		
Green Ext Time (p_c), s	8.7			0.0			11.8			0.4		

Intersection Summary

HCM 6th Ctrl Delay	22.9
HCM 6th LOS	C

Mountain View Medical Center
Background AM


2: Tatum Blvd & Shea Blvd
Timing Report, Sorted By Phase

	↖	→	↘	↑	↙	←	↗	↓
Phase Number	1	2	3	4	5	6	7	8
Movement	WBL	EBT	SBL	NBT	EBL	WBT	NBL	SBT
Lead/Lag	Lead	Lag	Lead	Lag	Lead	Lag	Lead	Lag
Lead-Lag Optimize	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Recall Mode	None	C-Max	None	None	None	C-Max	None	None
Maximum Split (s)	26	40	24	50	26	40	24	50
Maximum Split (%)	18.6%	28.6%	17.1%	35.7%	18.6%	28.6%	17.1%	35.7%
Minimum Split (s)	10	36.9	20	40	10	36.9	20	40
Yellow Time (s)	4	4.3	4	4.3	4	4.3	4	4.3
All-Red Time (s)	1	1.6	1	1.7	1	1.6	1	1.7
Minimum Initial (s)	5	15	15	15	5	15	15	15
Vehicle Extension (s)	3	3	3	3	3	3	3	3
Minimum Gap (s)	3	3	3	3	3	3	3	3
Time Before Reduce (s)	0	0	0	0	0	0	0	0
Time To Reduce (s)	0	0	0	0	0	0	0	0
Walk Time (s)		8		8		8		8
Flash Dont Walk (s)		23		26		23		26
Dual Entry	No	Yes	No	Yes	No	Yes	No	Yes
Inhibit Max	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Start Time (s)	114	0	40	64	114	0	40	64
End Time (s)	0	40	64	114	0	40	64	114
Yield/Force Off (s)	135	34.1	59	108	135	34.1	59	108
Yield/Force Off 170(s)	135	11.1	59	82	135	11.1	59	82
Local Start Time (s)	114	0	40	64	114	0	40	64
Local Yield (s)	135	34.1	59	108	135	34.1	59	108
Local Yield 170(s)	135	11.1	59	82	135	11.1	59	82

Intersection Summary

Cycle Length	140
Control Type	Actuated-Coordinated
Natural Cycle	130
Offset: 0 (0%), Referenced to phase 2:EBT and 6:WBT, Start of Green, Master Intersection	

Splits and Phases: 2: Tatum Blvd & Shea Blvd



Mountain View Medical Center
Background AM

2: Tatum Blvd & Shea Blvd
HCM 6th Signalized Intersection Summary

	↖	→	↘	↑	↙	←	↗	↓	↖	↗	↘	↙	↘	↙
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR		
Lane Configurations	↖↖	↖↖↖	↖	↖↖	↖↖↖	↖	↖↖	↖↖↖	↖	↖↖	↖↖	↖↖	↖↖	↖↖
Traffic Volume (veh/h)	234	1569	488	330	986	186	286	422	226	226	755	117		
Future Volume (veh/h)	234	1569	488	330	986	186	286	422	226	226	755	117		
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0		
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00		
Parking Bus, Adj	1.00	1.00		1.00	1.00		1.00	1.00	1.00	1.00	1.00	1.00		
Work Zone On Approach		No			No			No				No		
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	260	1743	542	367	1096	207	318	469	251	251	839	130		
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90		
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2		
Cap, veh/h	319	1924	597	423	2079	645	373	807	376	376	1055	162		
Arrive On Green	0.09	0.38	0.38	0.12	0.41	0.41	0.11	0.24	0.24	0.11	0.24	0.24		
Sat Flow, veh/h	3456	5106	1585	3456	5106	1585	3456	3404	1585	3456	4463	688		
Grp Volume(v), veh/h	260	1743	542	367	1096	207	318	469	251	251	639	330		
Grp Sat Flow(s), veh/h/ln	1728	1702	1585	1728	1702	1585	1728	1702	1585	1728	1702	1747		
Q Serve(g_s), s	10.3	45.2	45.3	14.6	22.7	12.5	12.7	17.1	20.1	9.8	24.7	24.9		
Cycle Q Clear(g_c), s	10.3	45.2	45.3	14.6	22.7	12.5	12.7	17.1	20.1	9.8	24.7	24.9		
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	1.00		0.39		
Lane Grp Cap(c), veh/h	319	1924	597	423	2079	645	373	807	376	376	804	413		
V/C Ratio(X)	0.82	0.91	0.91	0.87	0.53	0.32	0.85	0.58	0.67	0.68	0.79	0.80		
Avail Cap(c_a), veh/h	518	1924	597	518	2079	645	469	1070	498	469	1070	549		
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75		
Uniform Delay (d), s/veh	62.4	41.3	41.3	60.3	31.3	28.3	61.3	47.2	48.4	60.2	50.3	50.3		
Incr Delay (d2), s/veh	5.1	7.6	20.0	12.4	1.0	1.3	11.7	0.7	2.1	2.1	2.3	4.7		
Initial Q Delay (d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
%ile BackOfQ(95%),veh/ln	8.4	27.6	28.4	11.5	14.6	8.7	10.3	11.8	12.9	7.4	15.5	16.3		
Unsig. Movement Delay, s/veh														
LnGrp Delay(d),s/veh	67.5	48.9	61.3	72.7	32.3	29.6	73.1	47.9	50.5	62.2	52.6	55.0		
LnGrp LOS	E	D	E	E	C	C	E	D	D	E	D	E		
Approach Vol, veh/h		2545			1670			1038				1220		
Approach Delay, s/veh		53.5			40.8			56.2				55.2		
Approach LOS		D			D			E				E		
Timer - Assigned Phs	1	2	3	4	5	6	7	8						
Phs Duration (G+Y+Rc), s	22.2	58.6	20.0	39.2	17.9	62.9	20.1	39.1						
Change Period (Y+Rc), s	5.0	* 5.9	5.0	* 6	5.0	* 5.9	5.0	* 6						
Max Green Setting (Gmax), s	21.0	* 34	19.0	* 44	21.0	* 34	19.0	* 44						
Max Q Clear Time (g_c+1), s	16.6	47.3	11.8	22.1	12.3	24.7	14.7	26.9						
Green Ext Time (p_c), s	0.6	0.0	0.5	5.0	0.6	5.5	0.5	6.2						

Intersection Summary

HCM 6th Ctrl Delay	51.0
HCM 6th LOS	D

Notes
* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Mountain View Medical Center
Background AM

3: Tatum Blvd & Fry's Dwy/Medical Center Dwy
HCM 6th TWSC

Intersection												
Int Delay, s/veh	0.9											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↕		↕		↕		↕		↕		↕	
Traffic Vol, veh/h	27	0	70	2	0	12	44	852	19	1	1704	94
Future Vol, veh/h	27	0	70	2	0	12	44	852	19	1	1704	94
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	105	-	-	-	-	150
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	30	0	78	2	0	13	49	947	21	1	1893	104

Major/Minor	Minor2	Minor1	Major1	Major2
Conflicting Flow All	2372	2961	947	1815
Stage 1	1895	1895	-	1056
Stage 2	477	1066	-	759
Critical Hdwy	6.44	6.54	7.14	6.44
Critical Hdwy Stg 1	7.34	5.54	-	7.34
Critical Hdwy Stg 2	6.74	5.54	-	6.74
Follow-up Hdwy	3.82	4.02	3.92	3.82
Pot Cap-1 Maneuver	*212	*47	*514	*528
Stage 1	*528	*502	-	*182
Stage 2	*492	*297	-	*528
Platoon blocked, %	1	1	1	1
Mov Cap-1 Maneuver	*193	*43	*514	*421
Mov Cap-2 Maneuver	*193	*43	-	*421
Stage 1	*486	*502	-	*168
Stage 2	*440	*274	-	*448

Approach	EB	WB	NB	SB
HCM Control Delay, s	19.7	13.3	0.5	0
HCM LOS	C	B		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	622	-	-	351	447	406	-	-
HCM Lane V/C Ratio	0.079	-	-	0.307	0.035	0.003	-	-
HCM Control Delay (s)	11.3	-	-	19.7	13.3	13.9	-	-
HCM Lane LOS	B	-	-	C	B	B	-	-
HCM 95th %tile Q(veh)	0.3	-	-	1.3	0.1	0	-	-

Notes
 --: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Background AM

4: Tatum Blvd & Tatum Corp. Center Dwy/Beryl Ave
HCM 6th TWSC

Intersection												
Int Delay, s/veh	0.4											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↕		↕		↕		↕		↕		↕	
Traffic Vol, veh/h	2	0	2	0	0	27	6	896	9	30	1596	24
Future Vol, veh/h	2	0	2	0	0	27	6	896	9	30	1596	24
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	50	-	-	-	0	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	2	0	2	0	0	30	7	996	10	33	1773	27

Major/Minor	Minor2	Minor1	Major1	Major2
Conflicting Flow All	2265	2873	900	1790
Stage 1	1853	1853	-	1015
Stage 2	412	1020	-	775
Critical Hdwy	6.44	6.54	7.14	6.44
Critical Hdwy Stg 1	7.34	5.54	-	7.34
Critical Hdwy Stg 2	6.74	5.54	-	6.74
Follow-up Hdwy	3.82	4.02	3.92	3.82
Pot Cap-1 Maneuver	204	48	*552	*567
Stage 1	484	486	-	*194
Stage 2	538	312	-	*567
Platoon blocked, %	1	1	1	1
Mov Cap-1 Maneuver	177	43	*552	*524
Mov Cap-2 Maneuver	177	43	-	*524
Stage 1	479	445	-	*192
Stage 2	496	309	-	*517

Approach	EB	WB	NB	SB
HCM Control Delay, s	18.7	13.8	0.1	0.3
HCM LOS	C	B		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	682	-	-	268	440	389	-	-
HCM Lane V/C Ratio	0.01	-	-	0.017	0.068	0.086	-	-
HCM Control Delay (s)	10.3	-	-	18.7	13.8	15.1	-	-
HCM Lane LOS	B	-	-	C	B	C	-	-
HCM 95th %tile Q(veh)	0	-	-	0.1	0.2	0.3	-	-

Notes
 --: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Background AM

5: Tatum Blvd & Gold Dust Avenue
HCM 6th TWSC

Intersection						
Int Delay, s/veh	0.6					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	↔		↔	↑↑↑	↑↑	↔
Traffic Vol, veh/h	18	61	16	852	1610	19
Future Vol, veh/h	18	61	16	852	1610	19
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	50	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	20	68	18	947	1789	21

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	2204	895	1810	0	-
Stage 1	1789	-	-	-	-
Stage 2	415	-	-	-	-
Critical Hdwy	6.29	6.94	4.14	-	-
Critical Hdwy Stg 1	5.84	-	-	-	-
Critical Hdwy Stg 2	6.04	-	-	-	-
Follow-up Hdwy	3.67	3.32	2.22	-	-
Pot Cap-1 Maneuver	*368	*407	*608	-	-
Stage 1	*368	-	-	-	-
Stage 2	*600	-	-	-	-
Platoon blocked, %	1	1	1	-	-
Mov Cap-1 Maneuver	*357	*407	*608	-	-
Mov Cap-2 Maneuver	*326	-	-	-	-
Stage 1	*357	-	-	-	-
Stage 2	*600	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	17.1	0.2	0
HCM LOS	C		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	*608	-	385	-	-
HCM Lane V/C Ratio	0.029	-	0.228	-	-
HCM Control Delay (s)	11.1	-	17.1	-	-
HCM Lane LOS	B	-	C	-	-
HCM 95th %tile Q(veh)	0.1	-	0.9	-	-

Notes
 --: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Background AM

6: Beryl Ave & Medical Center Dwy
HCM 6th TWSC

Intersection						
Int Delay, s/veh	3.1					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations		↔	↑			↔
Traffic Vol, veh/h	28	15	25	1	1	1
Future Vol, veh/h	28	15	25	1	1	1
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	0
Veh in Median Storage, #	-	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	31	17	28	1	1	1

Major/Minor	Major1	Major2	Minor2		
Conflicting Flow All	29	0	-	0	108
Stage 1	-	-	-	-	29
Stage 2	-	-	-	-	79
Critical Hdwy	4.12	-	-	-	6.42
Critical Hdwy Stg 1	-	-	-	-	5.42
Critical Hdwy Stg 2	-	-	-	-	5.42
Follow-up Hdwy	2.218	-	-	-	3.518
Pot Cap-1 Maneuver	1584	-	-	-	889
Stage 1	-	-	-	-	994
Stage 2	-	-	-	-	944
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	1584	-	-	-	871
Mov Cap-2 Maneuver	-	-	-	-	871
Stage 1	-	-	-	-	974
Stage 2	-	-	-	-	944

Approach	EB	WB	SB
HCM Control Delay, s	4.8	0	8.4
HCM LOS			A

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR	SBLn1
Capacity (veh/h)	1584	-	-	-	1046
HCM Lane V/C Ratio	0.02	-	-	-	0.001
HCM Control Delay (s)	7.3	0	-	-	8.4
HCM Lane LOS	A	A	-	-	A
HCM 95th %tile Q(veh)	0.1	-	-	-	0

Mountain View Medical Center
Background AM

7: Med. Center Dwy/Albertson's Dwy & Shea Blvd
HCM 6th TWSC

Intersection												
Int Delay, s/veh	0.4											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑↑↑			↑↑↑			↑			↑		
Traffic Vol, veh/h	56	1992	37	21	1507	34	0	0	14	0	0	35
Future Vol, veh/h	56	1992	37	21	1507	34	0	0	14	0	0	35
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	205	-	-	85	-	150	-	-	0	-	-	0
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	62	2213	41	23	1674	38	0	0	16	0	0	39

Major/Minor	Major1	Major2	Minor1	Minor2
Conflicting Flow All	1712	0	0	2254
Stage 1	-	-	-	-
Stage 2	-	-	-	-
Critical Hdwy	5.34	-	5.34	-
Critical Hdwy Stg 1	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-
Follow-up Hdwy	3.12	-	3.12	-
Pot Cap-1 Maneuver	*701	-	*552	-
Stage 1	-	-	0	0
Stage 2	-	-	0	0
Platoon blocked, %	1	-	1	-
Mov Cap-1 Maneuver	*701	-	*552	-
Mov Cap-2 Maneuver	-	-	-	-
Stage 1	-	-	-	-
Stage 2	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	0.3	0.2	13.5	11.9
HCM LOS			B	B

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	439	*701	-	-	*552	-	-	558
HCM Lane V/C Ratio	0.035	0.089	-	-	0.042	-	-	0.07
HCM Control Delay (s)	13.5	10.6	-	-	11.8	-	-	11.9
HCM Lane LOS	B	B	-	-	B	-	-	B
HCM 95th %tile Q(veh)	0.1	0.3	-	-	0.1	-	-	0.2


Notes
 -: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Background AM

8: Shea Blvd & 50th Street
Timing Report, Sorted By Phase


Phase Number	4	6	8
Movement	EBTL	SBL	WBT
Lead/Lag			
Lead-Lag Optimize			
Recall Mode	C-Max	Max	C-Max
Maximum Split (s)	70	50	70
Maximum Split (%)	58.3%	41.7%	58.3%
Minimum Split (s)	25.3	29.2	25.3
Yellow Time (s)	4.3	3	4.3
All-Red Time (s)	1	2.2	1
Minimum Initial (s)	15	5	15
Vehicle Extension (s)	3	3	3
Minimum Gap (s)	3	3	3
Time Before Reduce (s)	0	0	0
Time To Reduce (s)	0	0	0
Walk Time (s)	8	8	8
Flash Dont Walk (s)	12	16	12
Dual Entry	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes
Start Time (s)	47	117	47
End Time (s)	117	47	117
Yield/Force Off (s)	111.7	41.8	111.7
Yield/Force Off 170(s)	99.7	25.8	99.7
Local Start Time (s)	0	70	0
Local Yield (s)	64.7	114.8	64.7
Local Yield 170(s)	52.7	98.8	52.7

Intersection Summary	
Cycle Length	120
Control Type	Actuated-Coordinated
Natural Cycle	75
Offset: 47 (39%), Referenced to phase 4:EBTL and 8:WBT, Start of Green	



Mountain View Medical Center
Background AM

8: Shea Blvd & 50th Street
HCM 6th Signalized Intersection Summary



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↔	↑↑↑	↑↔		↔	↔
Traffic Volume (veh/h)	40	1987	1494	54	76	44
Future Volume (veh/h)	40	1987	1494	54	76	44
Initial Q (Qb), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	44	2208	1660	60	84	49
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2
Cap, veh/h	94	2753	1886	68	665	592
Arrive On Green	0.54	0.54	0.54	0.54	0.37	0.37
Sat Flow, veh/h	283	5274	3592	126	1781	1585
Grp Volume(v), veh/h	44	2208	840	880	84	49
Grp Sat Flow(s), veh/h/ln	283	1702	1777	1848	1781	1585
Q Serve(g_s), s	14.4	42.1	49.6	50.3	3.7	2.4
Cycle Q Clear(g_c), s	64.7	42.1	49.6	50.3	3.7	2.4
Prop In Lane	1.00			0.07	1.00	1.00
Lane Grp Cap(c), veh/h	94	2753	958	996	665	592
V/C Ratio(X)	0.47	0.80	0.88	0.88	0.13	0.08
Avail Cap(c_a), veh/h	94	2753	958	996	665	592
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	54.4	22.4	24.2	24.3	24.7	24.3
Incr Delay (d2), s/veh	15.8	2.6	11.1	11.3	0.4	0.3
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	3.2	23.6	30.7	32.2	3.0	1.7
Unsig. Movement Delay, s/veh						
LnGrp Delay(d),s/veh	70.2	25.0	35.3	35.6	25.1	24.6
LnGrp LOS	E	C	D	D	C	C
Approach Vol, veh/h		2252	1720		133	
Approach Delay, s/veh		25.9	35.5		24.9	
Approach LOS		C	D		C	
Timer - Assigned Phs				4	6	8
Phs Duration (G+Y+Rc), s				70.0	50.0	70.0
Change Period (Y+Rc), s				5.3	5.2	5.3
Max Green Setting (Gmax), s				64.7	44.8	64.7
Max Q Clear Time (g_c+I1), s				66.7	5.7	52.3
Green Ext Time (p_c), s				0.0	0.4	9.1
Intersection Summary						
HCM 6th Ctrl Delay			29.9			
HCM 6th LOS			C			


Mountain View Medical Center
Background PM

1: Tatum Blvd & Desert Cove Ave
Timing Report, Sorted By Phase

	↑	→	↓	←
Phase Number	2	4	6	8
Movement	NBTL	EBTL	SBTL	WBTL
Lead/Lag				
Lead-Lag Optimize				
Recall Mode	None	C-Max	None	C-Max
Maximum Split (s)	66	36	66	36
Maximum Split (%)	64.7%	35.3%	64.7%	35.3%
Minimum Split (s)	25.3	35	25.3	35
Yellow Time (s)	4.3	3	4.3	3
All-Red Time (s)	1	3	1	3
Minimum Initial (s)	15	4	15	4
Vehicle Extension (s)	3	3	3	3
Minimum Gap (s)	3	3	3	3
Time Before Reduce (s)	0	0	0	0
Time To Reduce (s)	0	0	0	0
Walk Time (s)	8	7	8	7
Flash Dont Walk (s)	12	22	12	22
Dual Entry	Yes	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes
Start Time (s)	86	50	86	50
End Time (s)	50	86	50	86
Yield/Force Off (s)	44.7	80	44.7	80
Yield/Force Off 170(s)	32.7	58	32.7	58
Local Start Time (s)	36	0	36	0
Local Yield (s)	96.7	30	96.7	30
Local Yield 170(s)	84.7	8	84.7	8

Intersection Summary	
Cycle Length	102
Control Type	Actuated-Coordinated
Natural Cycle	150
Offset: 50 (49%), Referenced to phase 4:EBTL and 8:WBTL, Start of Green	

Splits and Phases: 1: Tatum Blvd & Desert Cove Ave



Mountain View Medical Center
Background PM

1: Tatum Blvd & Desert Cove Ave
HCM 6th Signalized Intersection Summary

	↖	→	↘	↙	←	↖	↘	↑	↙	↘	↓	↖
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕		↖	↗	↖	↗	↕	↕
Traffic Volume (veh/h)	28	1	28	77	1	100	10	1721	41	113	1277	2
Future Volume (veh/h)	28	1	28	77	1	100	10	1721	41	113	1277	2
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	31	1	31	86	1	111	11	1912	46	126	1419	2
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh. %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	243	24	208	225	21	249	239	3039	943	150	3134	4
Arrive On Green	0.29	0.29	0.29	0.29	0.29	0.29	0.60	0.60	0.60	0.60	0.60	0.60
Sat Flow, veh/h	647	81	706	592	72	847	378	5106	1585	224	5266	7
Grp Volume(v), veh/h	63	0	0	198	0	0	11	1912	46	126	917	504
Grp Sat Flow(s),veh/h/ln	1434	0	0	1510	0	0	378	1702	1585	224	1702	1869
Q Serve(g_s), s	0.0	0.0	0.0	7.6	0.0	0.0	1.7	24.7	1.2	36.0	15.2	15.2
Cycle Q Clear(g_c), s	2.9	0.0	0.0	10.5	0.0	0.0	16.9	24.7	1.2	60.7	15.2	15.2
Prop In Lane	0.49		0.49	0.43		0.56	1.00		1.00	1.00		0.00
Lane Grp Cap(c), veh/h	474	0	0	495	0	0	239	3039	943	150	2026	1112
V/C Ratio(X)	0.13	0.00	0.00	0.40	0.00	0.00	0.05	0.63	0.05	0.84	0.45	0.45
Avail Cap(c_a), veh/h	474	0	0	495	0	0	239	3039	943	150	2026	1112
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	1.00	0.00	0.00	0.34	0.34	0.34	1.00	1.00	1.00
Uniform Delay (d), s/veh	26.4	0.0	0.0	29.0	0.0	0.0	16.1	13.4	8.6	39.7	11.4	11.4
Incr Delay (d2), s/veh	0.6	0.0	0.0	2.4	0.0	0.0	0.0	-0.1	0.0	32.9	0.2	0.3
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	2.2	0.0	0.0	7.6	0.0	0.0	0.3	11.6	0.7	8.1	9.2	10.0
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	27.0	0.0	0.0	31.4	0.0	0.0	16.2	13.5	8.6	72.6	11.6	11.7
LnGrp LOS	C	A	A	C	A	A	B	B	A	E	B	B
Approach Vol, veh/h		63			198			1969				1547
Approach Delay, s/veh		27.0			31.4			13.4				16.6
Approach LOS		C			C			B				B
Timer - Assigned Phs		2		4		6		8				
Phs Duration (G+Y+Rc), s		66.0		36.0		66.0		36.0				
Change Period (Y+Rc), s		5.3		6.0		5.3		6.0				
Max Green Setting (Gmax), s		60.7		30.0		60.7		30.0				
Max Q Clear Time (g_c+I1), s		26.7		4.9		62.7		12.5				
Green Ext Time (p_c), s		20.9		0.3		0.0		1.0				

Intersection Summary	
HCM 6th Ctrl Delay	15.9
HCM 6th LOS	B

Mountain View Medical Center
Background PM

2: Tatum Blvd & Shea Blvd
Timing Report, Sorted By Phase

Phase Number	1	2	3	4	5	6	7	8
Movement	WBL	EBT	SBL	NBT	EBL	WBT	NBL	SBT
Lead/Lag	Lead	Lag	Lead	Lag	Lead	Lag	Lead	Lag
Lead-Lag Optimize	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Recall Mode	None	None	None	C-Max	None	None	None	C-Max
Maximum Split (s)	26	45	29	50	26	45	29	50
Maximum Split (%)	17.3%	30.0%	19.3%	33.3%	17.3%	30.0%	19.3%	33.3%
Minimum Split (s)	10	36.9	20	40	10	36.9	20	40
Yellow Time (s)	4	4.3	4	4.3	4	4.3	4	4.3
All-Red Time (s)	1	1.6	1	1.7	1	1.6	1	1.7
Minimum Initial (s)	5	15	15	15	5	15	15	15
Vehicle Extension (s)	3	3	3	3	3	3	3	3
Minimum Gap (s)	3	3	3	3	3	3	3	3
Time Before Reduce (s)	0	0	0	0	0	0	0	0
Time To Reduce (s)	0	0	0	0	0	0	0	0
Walk Time (s)		8		8		8		8
Flash Dont Walk (s)		23		26		23		26
Dual Entry	No	Yes	No	Yes	No	Yes	No	Yes
Inhibit Max	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Start Time (s)	105	131	26	55	105	131	26	55
End Time (s)	131	26	55	105	131	26	55	105
Yield/Force Off (s)	126	20.1	50	99	126	20.1	50	99
Yield/Force Off 170(s)	126	147.1	50	73	126	147.1	50	73
Local Start Time (s)	50	76	121	0	50	76	121	0
Local Yield (s)	71	115.1	145	44	71	115.1	145	44
Local Yield 170(s)	71	92.1	145	18	71	92.1	145	18

Intersection Summary

Cycle Length	150
Control Type	Actuated-Coordinated
Natural Cycle	150
Offset: 55 (37%), Referenced to phase 4:NBT and 8:SBT, Start of Green	

Splits and Phases: 2: Tatum Blvd & Shea Blvd

Ø1	Ø2	Ø3	Ø4 (R)
26 s	45 s	29 s	50 s
Ø5	Ø6	Ø7	Ø8 (R)
26 s	45 s	29 s	50 s

Mountain View Medical Center
Background PM

2: Tatum Blvd & Shea Blvd
HCM 6th Signalized Intersection Summary

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔	↔
Traffic Volume (veh/h)	373	1218	240	198	1572	216	627	1123	270	287	686	287
Future Volume (veh/h)	373	1218	240	198	1572	216	627	1123	270	287	686	287
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach	No		No		No		No		No		No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	414	1353	267	220	1747	240	697	1248	300	319	762	319
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	459	1605	498	274	1331	413	553	1445	347	376	1064	441
Arrive On Green	0.13	0.31	0.31	0.08	0.26	0.26	0.16	0.35	0.35	0.11	0.30	0.30
Sat Flow, veh/h	3456	5106	1585	3456	5106	1585	3456	4109	987	3456	3541	1469
Grp Volume(v), veh/h	414	1353	267	220	1747	240	697	1034	514	319	732	349
Grp Sat Flow(s),veh/h/ln	1728	1702	1585	1728	1702	1585	1728	1702	1693	1728	1702	1606
Q Serve(g_s), s	17.7	37.1	20.8	9.4	39.1	19.8	24.0	42.4	42.4	13.6	28.8	29.1
Cycle Q Clear(g_c), s	17.7	37.1	20.8	9.4	39.1	19.8	24.0	42.4	42.4	13.6	28.8	29.1
Prop In Lane	1.00		1.00	1.00		1.00	1.00		0.58	1.00		0.91
Lane Grp Cap(c), veh/h	459	1605	498	274	1331	413	553	1197	595	376	1023	483
V/C Ratio(X)	0.90	0.84	0.54	0.80	1.31	0.58	1.26	0.86	0.86	0.85	0.72	0.72
Avail Cap(c_a), veh/h	484	1605	498	484	1331	413	553	1197	595	553	1023	483
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.88	0.88	0.88
Uniform Delay (d), s/veh	64.1	48.0	42.4	67.9	55.5	48.3	63.0	45.3	45.3	65.6	46.8	46.9
Incr Delay (d2), s/veh	19.3	4.3	1.1	5.5	146.1	2.0	131.3	8.4	15.4	7.2	3.8	8.0
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	14.0	23.0	13.2	7.8	51.4	12.8	31.2	26.5	27.8	10.3	18.3	18.3
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	83.4	52.2	43.5	73.4	201.6	50.4	194.3	53.7	60.6	72.8	50.6	54.9
LnGrp LOS	F	D	D	E	F	D	F	D	E	E	D	D
Approach Vol, veh/h		2034			2207			2245				1400
Approach Delay, s/veh		57.4			172.3			98.9				56.7
Approach LOS		E			F			F				E
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	16.9	53.1	21.3	58.7	24.9	45.0	29.0	51.1				
Change Period (Y+Rc), s	5.0	* 5.9	5.0	* 6	5.0	* 5.9	5.0	* 6				
Max Green Setting (Gmax), s	21.0	* 39	24.0	* 44	21.0	* 39	24.0	* 44				
Max Q Clear Time (g_c+1), s	11.4	39.1	15.6	44.4	19.7	41.1	26.0	31.1				
Green Ext Time (p_c), s	0.5	0.0	0.7	0.0	0.2	0.0	0.0	6.0				

Intersection Summary

HCM 6th Ctrl Delay	101.3
HCM 6th LOS	F

Notes
* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Mountain View Medical Center
Background PM

3: Tatum Blvd & Fry's Dwy/Medical Center Dwy
HCM 6th TWSC

Intersection												
Int Delay, s/veh	1.5											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↔		↔		↔		↔		↔		↔	
Traffic Vol, veh/h	24	0	126	1	0	63	55	1984	8	2	998	149
Future Vol, veh/h	24	0	126	1	0	63	55	1984	8	2	998	149
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	105	-	-	-	-	150
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	27	0	140	1	0	70	61	2204	9	2	1109	166

Major/Minor	Minor2	Minor1	Major1	Major2
Conflicting Flow All	2117	3448	555	2779
Stage 1	1113	1113	-	2331
Stage 2	1004	2335	-	448
Critical Hdwy	6.44	6.54	7.14	6.44
Critical Hdwy Stg 1	7.34	5.54	-	7.34
Critical Hdwy Stg 2	6.74	5.54	-	6.74
Follow-up Hdwy	3.82	4.02	3.92	3.82
Pot Cap-1 Maneuver	*127	*9	*682	*36
Stage 1	*700	*666	-	*22
Stage 2	*234	*69	-	*700
Platoon blocked, %	1	1	1	1
Mov Cap-1 Maneuver	*67	*8	*682	*25
Mov Cap-2 Maneuver	*67	*8	-	*25
Stage 1	*641	*616	-	*20
Stage 2	*129	*63	-	*515

Approach	EB	WB	NB	SB
HCM Control Delay, s	11.6	44	0.3	0.1
HCM LOS	B	E		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1WBLn1	SBL	SBT	SBR
Capacity (veh/h)	720	-	-	682	161	97	-
HCM Lane V/C Ratio	0.085	-	-	0.205	0.442	0.023	-
HCM Control Delay (s)	10.5	-	-	11.6	44	43	-
HCM Lane LOS	B	-	-	B	E	E	-
HCM 95th %tile Q(veh)	0.3	-	-	0.8	2	0.1	-

Notes
 -: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Background PM

4: Tatum Blvd & Tatum Corp. Center Dwy/Beryl Ave
HCM 6th TWSC

Intersection												
Int Delay, s/veh	2.6											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↔		↔		↔		↔		↔		↔	
Traffic Vol, veh/h	8	1	2	8	0	44	0	1962	3	32	1117	5
Future Vol, veh/h	8	1	2	8	0	44	0	1962	3	32	1117	5
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	50	-	-	-	0	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	9	1	2	9	0	49	0	2180	3	36	1241	6

Major/Minor	Minor2	Minor1	Major1	Major2
Conflicting Flow All	2188	3499	624	2751
Stage 1	1316	1316	-	2182
Stage 2	872	2183	-	569
Critical Hdwy	6.44	6.54	7.14	6.44
Critical Hdwy Stg 1	7.34	5.54	-	7.34
Critical Hdwy Stg 2	6.74	5.54	-	6.74
Follow-up Hdwy	3.82	4.02	3.92	3.82
Pot Cap-1 Maneuver	*133	*8	*647	*44
Stage 1	*664	*632	-	*28
Stage 2	*282	*83	-	*664
Platoon blocked, %	1	1	1	1
Mov Cap-1 Maneuver	*70	*5	*647	*26
Mov Cap-2 Maneuver	*70	*5	-	*26
Stage 1	*664	*407	-	*28
Stage 2	*205	*83	-	*425

Approach	EB	WB	NB	SB
HCM Control Delay, s	155.3	91.2	0	1.6
HCM LOS	F	F		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1WBLn1	SBL	SBT	SBR
Capacity (veh/h)	*814	-	-	35	94	101	-
HCM Lane V/C Ratio	-	-	-	0.349	0.615	0.352	-
HCM Control Delay (s)	0	-	-	155.3	91.2	58.9	-
HCM Lane LOS	A	-	-	F	F	F	-
HCM 95th %tile Q(veh)	0	-	-	1.1	2.9	1.4	-

Notes
 -: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Background PM

5: Tatum Blvd & Gold Dust Avenue
HCM 6th TWSC

Intersection						
Int Delay, s/veh	0.3					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	↖		↖	↑↑↑	↑↑	↗
Traffic Vol, veh/h	16	20	47	2002	1043	64
Future Vol, veh/h	16	20	47	2002	1043	64
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	50	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	18	22	52	2224	1159	71

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	2153	580	1230	0	-
Stage 1	1159	-	-	-	-
Stage 2	994	-	-	-	-
Critical Hdwy	6.29	6.94	4.14	-	-
Critical Hdwy Stg 1	5.84	-	-	-	-
Critical Hdwy Stg 2	6.04	-	-	-	-
Follow-up Hdwy	3.67	3.32	2.22	-	-
Pot Cap-1 Maneuver	*299	*639	*956	-	-
Stage 1	*579	-	-	-	-
Stage 2	*294	-	-	-	-
Platoon blocked, %	1	1	1	-	-
Mov Cap-1 Maneuver	*283	*639	*956	-	-
Mov Cap-2 Maneuver	*214	-	-	-	-
Stage 1	*547	-	-	-	-
Stage 2	*294	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	17	0.2	0
HCM LOS	C		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	*956	-	339	-	-
HCM Lane V/C Ratio	0.055	-	0.118	-	-
HCM Control Delay (s)	9	-	17	-	-
HCM Lane LOS	A	-	C	-	-
HCM 95th %tile Q(veh)	0.2	-	0.4	-	-

Notes
 -: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Background PM

6: Beryl Ave & Medical Center Dwy
HCM 6th TWSC

Intersection						
Int Delay, s/veh	4.2					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations		↔	↑			↗
Traffic Vol, veh/h	12	27	19	2	1	37
Future Vol, veh/h	12	27	19	2	1	37
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	-	-	-	-	-	0
Veh in Median Storage, #	-	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	13	30	21	2	1	41

Major/Minor	Major1	Major2	Minor2		
Conflicting Flow All	23	0	0	78	22
Stage 1	-	-	-	22	-
Stage 2	-	-	-	56	-
Critical Hdwy	4.12	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	3.518	3.318
Pot Cap-1 Maneuver	1592	-	-	925	1055
Stage 1	-	-	-	1001	-
Stage 2	-	-	-	967	-
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	1592	-	-	918	1055
Mov Cap-2 Maneuver	-	-	-	918	-
Stage 1	-	-	-	993	-
Stage 2	-	-	-	967	-

Approach	EB	WB	SB
HCM Control Delay, s	2.2	0	8.6
HCM LOS			A

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR	SBLn1
Capacity (veh/h)	1592	-	-	-	1055
HCM Lane V/C Ratio	0.008	-	-	-	0.039
HCM Control Delay (s)	7.3	0	-	-	8.6
HCM Lane LOS	A	A	-	-	A
HCM 95th %tile Q(veh)	0	-	-	-	0.1

Mountain View Medical Center
Background PM

7: Med. Center Dwy/Albertson's Dwy & Shea Blvd
HCM 6th TWSC

Intersection												
Int Delay, s/veh	0.6											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑↑↑			↑↑↑		↑				↑		↑
Traffic Vol, veh/h	41	1686	14	9	1962	91	0	0	29	0	0	56
Future Vol, veh/h	41	1686	14	9	1962	91	0	0	29	0	0	56
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	205	-	-	85	-	150	-	-	0	-	-	0
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	46	1873	16	10	2180	101	0	0	32	0	0	62

Major/Minor	Major1	Major2	Minor1	Minor2
Conflicting Flow All	2281	0	0	1889
Stage 1	-	-	-	-
Stage 2	-	-	-	-
Critical Hdwy	5.34	-	5.34	-
Critical Hdwy Stg 1	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-
Follow-up Hdwy	3.12	-	3.12	-
Pot Cap-1 Maneuver	*563	-	142	-
Stage 1	-	-	-	-
Stage 2	-	-	-	-
Platoon blocked, %	1	-	-	-
Mov Cap-1 Maneuver	*563	-	142	-
Mov Cap-2 Maneuver	-	-	-	-
Stage 1	-	-	-	-
Stage 2	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	0.3	0.1	23.6	14.4
HCM LOS			C	B

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	226	*563	-	-	142	-	-	447
HCM Lane V/C Ratio	0.143	0.081	-	-	0.07	-	-	0.139
HCM Control Delay (s)	23.6	12	-	-	32.3	-	-	14.4
HCM Lane LOS	C	B	-	-	D	-	-	B
HCM 95th %tile Q(veh)	0.5	0.3	-	-	0.2	-	-	0.5

Notes
 -: Volume exceeds capacity \$: Delay exceeds 300s +/-: Computation Not Defined *: All major volume in platoon


Mountain View Medical Center
Background PM

8: Shea Blvd & 50th Street
Timing Report, Sorted By Phase

Phase Number	4	6	8
Movement	EBTL	SBL	WBT
Lead/Lag			
Lead-Lag Optimize			
Recall Mode	C-Max	Max	C-Max
Maximum Split (s)	70	50	70
Maximum Split (%)	58.3%	41.7%	58.3%
Minimum Split (s)	25.3	29.2	25.3
Yellow Time (s)	4.3	3	4.3
All-Red Time (s)	1	2.2	1
Minimum Initial (s)	15	5	15
Vehicle Extension (s)	3	3	3
Minimum Gap (s)	3	3	3
Time Before Reduce (s)	0	0	0
Time To Reduce (s)	0	0	0
Walk Time (s)	8	8	8
Flash Dont Walk (s)	12	16	12
Dual Entry	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes
Start Time (s)	3	73	3
End Time (s)	73	3	73
Yield/Force Off (s)	67.7	117.8	67.7
Yield/Force Off 170(s)	55.7	101.8	55.7
Local Start Time (s)	0	70	0
Local Yield (s)	64.7	114.8	64.7
Local Yield 170(s)	52.7	98.8	52.7


Intersection Summary	
Cycle Length	120
Control Type	Actuated-Coordinated
Natural Cycle	100
Offset: 3 (3%), Referenced to phase 4:EBTL and 8:WBT, Start of Green	

Splits and Phases: 8: Shea Blvd & 50th Street



Mountain View Medical Center
Background PM

8: Shea Blvd & 50th Street
HCM 6th Signalized Intersection Summary



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↵	↑↑↑	↑↵		↵	↵
Traffic Volume (veh/h)	59	1692	2036	50	145	73
Future Volume (veh/h)	59	1692	2036	50	145	73
Initial Q (Qb), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	66	1880	2262	56	161	81
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh. %	2	2	2	2	2	2
Cap, veh/h	60	2753	1911	47	665	592
Arrive On Green	0.54	0.54	0.54	0.54	0.37	0.37
Sat Flow, veh/h	157	5274	3638	87	1781	1585
Grp Volume(v), veh/h	66	1880	1129	1189	161	81
Grp Sat Flow(s), veh/h/ln	157	1702	1777	1855	1781	1585
Q Serve(g_s), s	0.0	32.2	64.7	64.7	7.5	4.0
Cycle Q Clear(g_c), s	64.7	32.2	64.7	64.7	7.5	4.0
Prop In Lane	1.00			0.05	1.00	1.00
Lane Grp Cap(c), veh/h	60	2753	958	1000	665	592
V/C Ratio(X)	1.10	0.68	1.18	1.19	0.24	0.14
Avail Cap(c_a), veh/h	60	2753	958	1000	665	592
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	60.0	20.2	27.6	27.7	25.9	24.8
Incr Delay (d2), s/veh	146.4	1.4	91.4	95.1	0.9	0.5
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	7.7	18.6	70.2	74.8	6.0	2.9
Unsig. Movement Delay, s/veh						
LnGrp Delay(d), s/veh	206.4	21.6	119.0	122.7	26.8	25.3
LnGrp LOS	F	C	F	F	C	C
Approach Vol, veh/h		1946	2318		242	
Approach Delay, s/veh		27.8	120.9		26.3	
Approach LOS		C	F		C	
Timer - Assigned Phs			4		6	8
Phs Duration (G+Y+Rc), s			70.0		50.0	70.0
Change Period (Y+Rc), s			5.3		5.2	5.3
Max Green Setting (Gmax), s			64.7		44.8	64.7
Max Q Clear Time (g_c+I1), s			66.7		9.5	66.7
Green Ext Time (p_c), s			0.0		0.7	0.0
Intersection Summary						
HCM 6th Ctrl Delay			75.6			
HCM 6th LOS			E			

Mountain View Medical Center
Total AM

1: Tatum Blvd & Desert Cove Ave
Timing Report, Sorted By Phase




Phase Number	2	4	6	8
Movement	NBTL	EBTL	SBTL	WBTL
Lead/Lag				
Lead-Lag Optimize				
Recall Mode	None	C-Max	None	C-Max
Maximum Split (s)	66	36	66	36
Maximum Split (%)	64.7%	35.3%	64.7%	35.3%
Minimum Split (s)	25.3	35	25.3	35
Yellow Time (s)	4.3	3	4.3	3
All-Red Time (s)	1	3	1	3
Minimum Initial (s)	15	4	15	4
Vehicle Extension (s)	3	3	3	3
Minimum Gap (s)	3	3	3	3
Time Before Reduce (s)	0	0	0	0
Time To Reduce (s)	0	0	0	0
Walk Time (s)	8	7	8	7
Flash Dont Walk (s)	12	22	12	22
Dual Entry	Yes	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes
Start Time (s)	55	19	55	19
End Time (s)	19	55	19	55
Yield/Force Off (s)	13.7	49	13.7	49
Yield/Force Off 170(s)	1.7	27	1.7	27
Local Start Time (s)	36	0	36	0
Local Yield (s)	96.7	30	96.7	30
Local Yield 170(s)	84.7	8	84.7	8

Intersection Summary

Cycle Length	102
Control Type	Actuated-Coordinated
Natural Cycle	65
Offset: 19 (19%), Referenced to phase 4:EBTL and 8:WBTL, Start of Green	

Splits and Phases: 1: Tatum Blvd & Desert Cove Ave



Mountain View Medical Center
Total AM

1: Tatum Blvd & Desert Cove Ave
HCM 6th Signalized Intersection Summary



Movement	EGL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕		↕	↕	↕	↕	↕	↕
Traffic Volume (veh/h)	9	0	5	20	0	50	30	840	37	87	1118	10
Future Volume (veh/h)	9	0	5	20	0	50	30	840	37	87	1118	10
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	10	0	6	22	0	56	33	933	41	97	1242	11
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh. %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	475	13	259	230	23	528	172	2107	654	233	2154	19
Arrive On Green	0.48	0.00	0.48	0.48	0.00	0.48	0.41	0.41	0.41	0.41	0.41	0.41
Sat Flow, veh/h	877	27	543	387	49	1109	443	5106	1585	577	5220	46
Grp Volume(v), veh/h	16	0	0	78	0	0	33	933	41	97	810	443
Grp Sat Flow(s), veh/h/ln	1447	0	0	1544	0	0	443	1702	1585	577	1702	1862
Q Serve(g_s), s	0.0	0.0	0.0	0.0	0.0	0.0	6.3	13.4	1.6	14.8	18.7	18.7
Cycle Q Clear(g_c), s	0.5	0.0	0.0	2.6	0.0	0.0	25.0	13.4	1.6	28.2	18.7	18.7
Prop In Lane	0.62		0.37	0.28		0.72	1.00		1.00	1.00		0.02
Lane Grp Cap(c), veh/h	747	0	0	781	0	0	172	2107	654	233	1405	769
V/C Ratio(X)	0.02	0.00	0.00	0.10	0.00	0.00	0.19	0.44	0.06	0.42	0.58	0.58
Avail Cap(c_a), veh/h	747	0	0	781	0	0	253	3039	943	338	2026	1108
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	1.00	0.00	0.00	0.84	0.84	0.84	1.00	1.00	1.00
Uniform Delay (d), s/veh	14.1	0.0	0.0	14.7	0.0	0.0	32.7	21.5	18.1	31.7	23.1	23.1
Incr Delay (d2), s/veh	0.1	0.0	0.0	0.3	0.0	0.0	0.4	0.1	0.0	1.2	0.4	0.7
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	0.4	0.0	0.0	1.9	0.0	0.0	1.3	8.7	1.1	3.8	11.8	12.8
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	14.2	0.0	0.0	14.9	0.0	0.0	33.2	21.6	18.1	32.8	23.5	23.8
LnGrp LOS	B	A	A	B	A	A	C	C	B	C	C	C
Approach Vol, veh/h	16				78			1007				1350
Approach Delay, s/veh	14.2				14.9			21.9				24.2
Approach LOS	B				B			C				C
Timer - Assigned Phs	2			4			6		8			
Phs Duration (G+Y+Rc), s	47.4			54.6			47.4		54.6			
Change Period (Y+Rc), s	5.3			6.0			5.3		6.0			
Max Green Setting (Gmax), s	60.7			30.0			60.7		30.0			
Max Q Clear Time (g_c+I1), s	27.0			2.5			30.2		4.6			
Green Ext Time (p_c), s	8.7			0.0			11.9		0.4			

Intersection Summary

HCM 6th Ctrl Delay	22.9
HCM 6th LOS	C

Mountain View Medical Center
Total AM

3: Tatum Blvd & Fry's Dwy/Medical Center Dwy
HCM 6th TWSC

Intersection												
Int Delay, s/veh	0.9											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↔			↔			↑↑↑			↑↑↑		↑
Traffic Vol, veh/h	27	0	70	4	0	16	44	856	27	1	1712	94
Future Vol, veh/h	27	0	70	4	0	16	44	856	27	1	1712	94
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	105	-	-	-	-	150
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	30	0	78	4	0	18	49	951	30	1	1902	104

Major/Minor	Minor2	Minor1	Major1	Major2								
Conflicting Flow All	2382	2983	951	1827	3072	491	2006	0	0	981	0	0
Stage 1	1904	1904	-	1064	1064	-	-	-	-	-	-	-
Stage 2	478	1079	-	763	2008	-	-	-	-	-	-	-
Critical Hdwy	6.44	6.54	7.14	6.44	6.54	7.14	5.34	-	-	5.34	-	-
Critical Hdwy Stg 1	7.34	5.54	-	7.34	5.54	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.74	5.54	-	6.74	5.54	-	-	-	-	-	-	-
Follow-up Hdwy	3.82	4.02	3.92	3.82	4.02	3.92	3.12	-	-	3.12	-	-
Pot Cap-1 Maneuver	*207	*44	*514	*528	35	448	611	-	-	400	-	-
Stage 1	*528	*502	-	*180	298	-	-	-	-	-	-	-
Stage 2	*491	*293	-	*528	475	-	-	-	-	-	-	-
Platoon blocked, %	1	1	1	1	1	1	-	-	-	-	-	-
Mov Cap-1 Maneuver	*187	*41	*514	*421	33	448	611	-	-	400	-	-
Mov Cap-2 Maneuver	*187	*41	-	*421	33	-	-	-	-	-	-	-
Stage 1	*486	*502	-	*166	274	-	-	-	-	-	-	-
Stage 2	*434	*270	-	*448	475	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	20	13.6	0.5	0
HCM LOS	C	B		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	611	-	-	346	442	400	-	-
HCM Lane V/C Ratio	0.08	-	-	0.311	0.05	0.003	-	-
HCM Control Delay (s)	11.4	-	-	20	13.6	14	-	-
HCM Lane LOS	B	-	-	C	B	B	-	-
HCM 95th %tile Q(veh)	0.3	-	-	1.3	0.2	0	-	-

Notes
 -: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Total AM

4: Tatum Blvd & Tatum Corp. Center Dwy/Beryl Ave
HCM 6th TWSC

Intersection												
Int Delay, s/veh	0.5											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↔			↔			↑↑↑			↑↑↑		↑
Traffic Vol, veh/h	2	0	2	2	0	31	6	904	17	38	1598	24
Future Vol, veh/h	2	0	2	2	0	31	6	904	17	38	1598	24
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	50	-	-	-	0	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	2	0	2	2	0	34	7	1004	19	42	1776	27

Major/Minor	Minor2	Minor1	Major1	Major2								
Conflicting Flow All	2290	2911	902	1822	2915	512	1803	0	0	1023	0	0
Stage 1	1874	1874	-	1028	1028	-	-	-	-	-	-	-
Stage 2	416	1037	-	794	1887	-	-	-	-	-	-	-
Critical Hdwy	6.44	6.54	7.14	6.44	6.54	7.14	5.34	-	-	5.34	-	-
Critical Hdwy Stg 1	7.34	5.54	-	7.34	5.54	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.74	5.54	-	6.74	5.54	-	-	-	-	-	-	-
Follow-up Hdwy	3.82	4.02	3.92	3.82	4.02	3.92	3.12	-	-	3.12	-	-
Pot Cap-1 Maneuver	*222	*48	*533	*547	48	434	*671	-	-	382	-	-
Stage 1	*547	*521	-	*190	310	-	-	-	-	-	-	-
Stage 2	*535	*307	-	*547	517	-	-	-	-	-	-	-
Platoon blocked, %	1	1	1	1	1	1	-	-	-	-	-	-
Mov Cap-1 Maneuver	*185	*43	*533	*495	42	434	*671	-	-	382	-	-
Mov Cap-2 Maneuver	*185	*43	-	*495	42	-	-	-	-	-	-	-
Stage 1	*542	*463	-	*188	307	-	-	-	-	-	-	-
Stage 2	*487	*304	-	*485	460	-	-	-	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	18.3	14	0.1	0.4
HCM LOS	C	B		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	*671	-	-	275	437	382	-	-
HCM Lane V/C Ratio	0.01	-	-	0.016	0.084	0.111	-	-
HCM Control Delay (s)	10.4	-	-	18.3	14	15.6	-	-
HCM Lane LOS	B	-	-	C	B	C	-	-
HCM 95th %tile Q(veh)	0	-	-	0	0.3	0.4	-	-

Notes
 -: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Total AM

5: Tatum Blvd & Gold Dust Avenue
HCM 6th TWSC

Intersection						
Int Delay, s/veh	0.6					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	↔	↔	↔	↔↔↔	↔↔	↔
Traffic Vol, veh/h	20	61	16	867	1614	19
Future Vol, veh/h	20	61	16	867	1614	19
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	50	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	22	68	18	963	1793	21

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	2214	897	1814	0	-
Stage 1	1793	-	-	-	-
Stage 2	421	-	-	-	-
Critical Hdwy	6.29	6.94	4.14	-	-
Critical Hdwy Stg 1	5.84	-	-	-	-
Critical Hdwy Stg 2	6.04	-	-	-	-
Follow-up Hdwy	3.67	3.32	2.22	-	-
Pot Cap-1 Maneuver	*368	*407	*608	-	-
Stage 1	*368	-	-	-	-
Stage 2	*595	-	-	-	-
Platoon blocked, %	1	1	1	-	-
Mov Cap-1 Maneuver	*357	*407	*608	-	-
Mov Cap-2 Maneuver	*326	-	-	-	-
Stage 1	*357	-	-	-	-
Stage 2	*595	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	17.3	0.2	0
HCM LOS	C		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	*608	-	383	-	-
HCM Lane V/C Ratio	0.029	-	0.235	-	-
HCM Control Delay (s)	11.1	-	17.3	-	-
HCM Lane LOS	B	-	C	-	-
HCM 95th %tile Q(veh)	0.1	-	0.9	-	-

Notes
 --: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Total AM

6: Beryl Ave & Medical Center Dwy
HCM 6th TWSC

Intersection						
Int Delay, s/veh	4.2					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↔	↔	↔	↔	↔	↔
Traffic Vol, veh/h	44	15	25	1	1	7
Future Vol, veh/h	44	15	25	1	1	7
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	0
Veh in Median Storage, #	-	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	49	17	28	1	1	8

Major/Minor	Major1	Major2	Minor2		
Conflicting Flow All	29	0	0	144	29
Stage 1	-	-	-	29	-
Stage 2	-	-	-	115	-
Critical Hdwy	4.12	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	5.42	-
Critical Hdwy Stg 2	-	-	-	5.42	-
Follow-up Hdwy	2.218	-	-	3.518	3.318
Pot Cap-1 Maneuver	1584	-	-	849	1046
Stage 1	-	-	-	994	-
Stage 2	-	-	-	910	-
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	1584	-	-	823	1046
Mov Cap-2 Maneuver	-	-	-	823	-
Stage 1	-	-	-	963	-
Stage 2	-	-	-	910	-

Approach	EB	WB	SB
HCM Control Delay, s	5.5	0	8.5
HCM LOS			A

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR	SBLn1
Capacity (veh/h)	1584	-	-	-	1046
HCM Lane V/C Ratio	0.031	-	-	-	0.007
HCM Control Delay (s)	7.3	0	-	-	8.5
HCM Lane LOS	A	A	-	-	A
HCM 95th %tile Q(veh)	0.1	-	-	-	0

Mountain View Medical Center
Total AM

7: Med. Center Dwy/Albertson's Dwy & Shea Blvd
HCM 6th TWSC

Intersection												
Int Delay, s/veh	0.4											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↑↑↑			↑↑↑		↑				↑		↑
Traffic Vol, veh/h	56	1992	57	27	1507	34	0	0	16	0	0	35
Future Vol, veh/h	56	1992	57	27	1507	34	0	0	16	0	0	35
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	205	-	-	85	-	150	-	-	0	-	-	0
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	62	2213	63	30	1674	38	0	0	18	0	0	39

Major/Minor	Major1	Major2	Minor1	Minor2
Conflicting Flow All	1712	0	0	2276
Stage 1	-	-	-	-
Stage 2	-	-	-	-
Critical Hdwy	5.34	-	5.34	-
Critical Hdwy Stg 1	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-
Follow-up Hdwy	3.12	-	3.12	-
Pot Cap-1 Maneuver	*701	-	*552	-
Stage 1	-	-	0	0
Stage 2	-	-	0	0
Platoon blocked, %	1	-	1	-
Mov Cap-1 Maneuver	*701	-	*552	-
Mov Cap-2 Maneuver	-	-	-	-
Stage 1	-	-	-	-
Stage 2	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	0.3	0.2	13.5	11.9
HCM LOS			B	B

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	439	*701	-	-	*552	-	-	558
HCM Lane V/C Ratio	0.04	0.089	-	-	0.054	-	-	0.07
HCM Control Delay (s)	13.5	10.6	-	-	11.9	-	-	11.9
HCM Lane LOS	B	B	-	-	B	-	-	B
HCM 95th %tile Q(veh)	0.1	0.3	-	-	0.2	-	-	0.2


Notes
 --: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Total AM

8: Shea Blvd & 50th Street
Timing Report, Sorted By Phase


Phase Number	4	6	8
Movement	EBTL	SBL	WBT
Lead/Lag			
Lead-Lag Optimize			
Recall Mode	C-Max	Max	C-Max
Maximum Split (s)	70	50	70
Maximum Split (%)	58.3%	41.7%	58.3%
Minimum Split (s)	25.3	29.2	25.3
Yellow Time (s)	4.3	3	4.3
All-Red Time (s)	1	2.2	1
Minimum Initial (s)	15	5	15
Vehicle Extension (s)	3	3	3
Minimum Gap (s)	3	3	3
Time Before Reduce (s)	0	0	0
Time To Reduce (s)	0	0	0
Walk Time (s)	8	8	8
Flash Dont Walk (s)	12	16	12
Dual Entry	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes
Start Time (s)	47	117	47
End Time (s)	117	47	117
Yield/Force Off (s)	111.7	41.8	111.7
Yield/Force Off 170(s)	99.7	25.8	99.7
Local Start Time (s)	0	70	0
Local Yield (s)	64.7	114.8	64.7
Local Yield 170(s)	52.7	98.8	52.7

Intersection Summary	
Cycle Length	120
Control Type	Actuated-Coordinated
Natural Cycle	75
Offset: 47 (39%), Referenced to phase 4:EBTL and 8:WBT, Start of Green	



Mountain View Medical Center
Total AM


8: Shea Blvd & 50th Street
HCM 6th Signalized Intersection Summary



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↵	↕↕↕	↕↕		↵	↕
Traffic Volume (veh/h)	40	1989	1500	54	76	44
Future Volume (veh/h)	40	1989	1500	54	76	44
Initial Q (Qb), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus. Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach	No	No	No	No	No	No
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	44	2210	1667	60	84	49
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2
Cap, veh/h	93	2753	1887	68	665	592
Arrive On Green	0.54	0.54	0.54	0.54	0.37	0.37
Sat Flow, veh/h	281	5274	3593	125	1781	1585
Grp Volume(v), veh/h	44	2210	843	884	84	49
Grp Sat Flow(s), veh/h/ln	281	1702	1777	1848	1781	1585
Q Serve(g_s), s	14.0	42.2	50.0	50.7	3.7	2.4
Cycle Q Clear(g_c), s	64.7	42.2	50.0	50.7	3.7	2.4
Prop In Lane	1.00			0.07	1.00	1.00
Lane Grp Cap(c), veh/h	93	2753	958	996	665	592
V/C Ratio(X)	0.47	0.80	0.88	0.89	0.13	0.08
Avail Cap(c_a), veh/h	93	2753	958	996	665	592
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(f)	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	54.8	22.5	24.3	24.4	24.7	24.3
Incr Delay (d2), s/veh	16.3	2.6	11.4	11.5	0.4	0.3
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	3.2	23.6	31.0	32.4	3.0	1.7
Unsig. Movement Delay, s/veh						
LnGrp Delay(d), s/veh	71.1	25.1	35.7	36.0	25.1	24.6
LnGrp LOS	E	C	D	D	C	C
Approach Vol, veh/h		2254	1727		133	
Approach Delay, s/veh		25.9	35.8		24.9	
Approach LOS		C	D		C	
Timer - Assigned Phs				4	6	8
Phs Duration (G+Y+Rc), s				70.0	50.0	70.0
Change Period (Y+Rc), s				5.3	5.2	5.3
Max Green Setting (Gmax), s				64.7	44.8	64.7
Max Q Clear Time (g_c+I1), s				66.7	5.7	52.7
Green Ext Time (p_c), s				0.0	0.4	8.9
Intersection Summary						
HCM 6th Ctrl Delay			30.1			
HCM 6th LOS			C			

Mountain View Medical Center
Total PM


1: Tatum Blvd & Desert Cove Ave
Timing Report, Sorted By Phase



Phase Number	2	4	6	8
Movement	NBTL	EBTL	SBTL	WBTL
Lead/Lag				
Lead-Lag Optimize				
Recall Mode	None	C-Max	None	C-Max
Maximum Split (s)	66	36	66	36
Maximum Split (%)	64.7%	35.3%	64.7%	35.3%
Minimum Split (s)	25.3	35	25.3	35
Yellow Time (s)	4.3	3	4.3	3
All-Red Time (s)	1	3	1	3
Minimum Initial (s)	15	4	15	4
Vehicle Extension (s)	3	3	3	3
Minimum Gap (s)	3	3	3	3
Time Before Reduce (s)	0	0	0	0
Time To Reduce (s)	0	0	0	0
Walk Time (s)	8	7	8	7
Flash Dont Walk (s)	12	22	12	22
Dual Entry	Yes	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes	Yes
Start Time (s)	86	50	86	50
End Time (s)	50	86	50	86
Yield/Force Off (s)	44.7	80	44.7	80
Yield/Force Off 170(s)	32.7	58	32.7	58
Local Start Time (s)	36	0	36	0
Local Yield (s)	96.7	30	96.7	30
Local Yield 170(s)	84.7	8	84.7	8

Intersection Summary	
Cycle Length	102
Control Type	Actuated-Coordinated
Natural Cycle	150
Offset: 50 (49%), Referenced to phase 4:EBTL and 8:WBTL, Start of Green	

Splits and Phases: 1: Tatum Blvd & Desert Cove Ave



Mountain View Medical Center
Total PM

1: Tatum Blvd & Desert Cove Ave
HCM 6th Signalized Intersection Summary



Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations		↕			↕		↕	↕↕↕	↕	↕	↕↕↕	
Traffic Volume (veh/h)	28	1	28	77	1	100	10	1731	41	113	1281	2
Future Volume (veh/h)	28	1	28	77	1	100	10	1731	41	113	1281	2
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	31	1	31	86	1	111	11	1923	46	126	1423	2
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	243	24	208	225	21	249	238	3039	943	148	3134	4
Arrive On Green	0.29	0.29	0.29	0.29	0.29	0.29	0.60	0.60	0.60	0.60	0.60	0.60
Sat Flow, veh/h	647	81	706	592	72	847	376	5106	1585	222	5266	7
Grp Volume(v), veh/h	63	0	0	198	0	0	11	1923	46	126	920	505
Grp Sat Flow(s),veh/h/ln	1434	0	0	1510	0	0	376	1702	1585	222	1702	1869
Q Serve(g_s), s	0.0	0.0	0.0	7.6	0.0	0.0	1.7	25.0	1.2	35.7	15.3	15.3
Cycle Q Clear(g_c), s	2.9	0.0	0.0	10.5	0.0	0.0	17.0	25.0	1.2	60.7	15.3	15.3
Prop In Lane	0.49		0.49	0.43		0.56	1.00		1.00	1.00		0.00
Lane Grp Cap(c), veh/h	474	0	0	495	0	0	238	3039	943	148	2026	1112
V/C Ratio(X)	0.13	0.00	0.00	0.40	0.00	0.00	0.05	0.63	0.05	0.85	0.45	0.45
Avail Cap(c_a), veh/h	474	0	0	495	0	0	238	3039	943	148	2026	1112
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	0.00	0.00	1.00	0.00	0.00	0.33	0.33	0.33	1.00	1.00	1.00
Uniform Delay (d), s/veh	26.4	0.0	0.0	29.0	0.0	0.0	16.2	13.4	8.6	40.0	11.5	11.5
Incr Delay (d2), s/veh	0.6	0.0	0.0	2.4	0.0	0.0	0.0	0.1	0.0	34.6	0.2	0.3
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	2.2	0.0	0.0	7.6	0.0	0.0	0.3	11.7	0.7	8.2	9.3	10.0
Unsig. Movement Delay, s/veh												
LnGrp Delay(d),s/veh	27.0	0.0	0.0	31.4	0.0	0.0	16.2	13.6	8.6	74.5	11.6	11.7
LnGrp LOS	C	A	A	C	A	A	B	B	A	E	B	B
Approach Vol, veh/h	63			198			1980				1551	
Approach Delay, s/veh	27.0			31.4			13.5				16.8	
Approach LOS	C			C			B				B	
Timer - Assigned Phs	2			4			6				8	
Phs Duration (G+Y+Rc), s	66.0			36.0			66.0				36.0	
Change Period (Y+Rc), s	5.3			6.0			5.3				6.0	
Max Green Setting (Gmax), s	60.7			30.0			60.7				30.0	
Max Q Clear Time (g_c+I1), s	27.0			4.9			62.7				12.5	
Green Ext Time (p_c), s	21.0			0.3			0.0				1.0	

Intersection Summary	
HCM 6th Ctrl Delay	16.0
HCM 6th LOS	B

Mountain View Medical Center
Total PM

2: Tatum Blvd & Shea Blvd
Timing Report, Sorted By Phase

Phase Number	1	2	3	4	5	6	7	8
Movement	WBL	EBT	SBL	NBT	EBL	WBT	NBL	SBT
Lead/Lag	Lead	Lag	Lead	Lag	Lead	Lag	Lead	Lag
Lead-Lag Optimize	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Recall Mode	None	None	None	C-Max	None	None	None	C-Max
Maximum Split (s)	26	45	29	50	26	45	29	50
Maximum Split (%)	17.3%	30.0%	19.3%	33.3%	17.3%	30.0%	19.3%	33.3%
Minimum Split (s)	10	36.9	20	40	10	36.9	20	40
Yellow Time (s)	4	4.3	4	4.3	4	4.3	4	4.3
All-Red Time (s)	1	1.6	1	1.7	1	1.6	1	1.7
Minimum Initial (s)	5	15	15	15	5	15	15	15
Vehicle Extension (s)	3	3	3	3	3	3	3	3
Minimum Gap (s)	3	3	3	3	3	3	3	3
Time Before Reduce (s)	0	0	0	0	0	0	0	0
Time To Reduce (s)	0	0	0	0	0	0	0	0
Walk Time (s)		8		8		8		8
Flash Dont Walk (s)		23		26		23		26
Dual Entry	No	Yes	No	Yes	No	Yes	No	Yes
Inhibit Max	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Start Time (s)	105	131	26	55	105	131	26	55
End Time (s)	131	26	55	105	131	26	55	105
Yield/Force Off (s)	126	20.1	50	99	126	20.1	50	99
Yield/Force Off 170(s)	126	147.1	50	73	126	147.1	50	73
Local Start Time (s)	50	76	121	0	50	76	121	0
Local Yield (s)	71	115.1	145	44	71	115.1	145	44
Local Yield 170(s)	71	92.1	145	18	71	92.1	145	18

Intersection Summary	
Cycle Length	150
Control Type	Actuated-Coordinated
Natural Cycle	150
Offset: 55 (37%), Referenced to phase 4:NBT and 8:SBT, Start of Green	

Splits and Phases: 2: Tatum Blvd & Shea Blvd

← 01	→ 02	↖ 03	↗ 04 (R)
26 s	45 s	29 s	50 s
↙ 05	↘ 06	↖ 07	↗ 08 (R)
26 s	45 s	29 s	50 s

Mountain View Medical Center
Total PM

2: Tatum Blvd & Shea Blvd
HCM 6th Signalized Intersection Summary

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↖ ↗	↖ ↗	↖	↖ ↗	↖ ↗	↖	↖ ↗	↖ ↗	↖ ↗	↖ ↗	↖ ↗	↖ ↗
Traffic Volume (veh/h)	373	1228	243	198	1572	216	659	1133	270	289	688	287
Future Volume (veh/h)	373	1228	243	198	1572	216	659	1133	270	289	688	287
Initial Q (Qb), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00		1.00	1.00		1.00	1.00		1.00	1.00		1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	414	1364	270	220	1747	240	732	1259	300	321	764	319
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh. %	2	2	2	2	2	2	2	2	2	2	2	2
Cap, veh/h	459	1605	498	274	1331	413	553	1445	344	378	1065	441
Arrive On Green	0.13	0.31	0.31	0.08	0.26	0.26	0.16	0.35	0.35	0.11	0.30	0.30
Sat Flow, veh/h	3456	5106	1585	3456	5106	1585	3456	4117	981	3456	3544	1466
Grp Volume(v), veh/h	414	1364	270	220	1747	240	732	1041	518	321	734	349
Grp Sat Flow(s), veh/h/ln	1728	1702	1585	1728	1702	1585	1728	1702	1694	1728	1702	1606
Q Serve(g_s), s	17.7	37.5	21.1	9.4	39.1	19.8	24.0	42.9	42.9	13.7	28.8	29.2
Cycle Q Clear(g_c), s	17.7	37.5	21.1	9.4	39.1	19.8	24.0	42.9	42.9	13.7	28.8	29.2
Prop In Lane	1.00		1.00	1.00		1.00	1.00		1.00	0.58	1.00	0.91
Lane Grp Cap(c), veh/h	459	1605	498	274	1331	413	553	1195	595	378	1023	483
V/C Ratio(X)	0.90	0.85	0.54	0.80	1.31	0.58	1.32	0.87	0.87	0.85	0.72	0.72
Avail Cap(c_a), veh/h	484	1605	498	484	1331	413	553	1195	595	553	1023	483
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.88	0.88	0.88
Uniform Delay (d), s/veh	64.1	48.1	42.5	67.9	55.5	48.3	63.0	45.5	45.5	65.6	46.8	46.9
Incr Delay (d2), s/veh	19.3	4.5	1.2	5.5	146.1	2.0	158.0	8.8	16.1	7.3	3.8	8.1
Initial Q Delay (d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	14.0	23.3	13.3	7.8	51.4	12.8	34.5	26.8	28.1	10.3	18.3	18.3
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	83.4	52.7	43.7	73.4	201.6	50.4	221.0	54.3	61.6	72.9	50.6	55.0
LnGrp LOS	F	D	D	E	F	D	F	D	E	E	D	D
Approach Vol, veh/h		2048			2207			2291				1404
Approach Delay, s/veh		57.7			172.3			109.2				56.8
Approach LOS		E			F			F				E
Timer - Assigned Phs	1	2	3	4	5	6	7	8				
Phs Duration (G+Y+Rc), s	16.9	53.1	21.4	58.7	24.9	45.0	29.0	51.1				
Change Period (Y+Rc), s	5.0	* 5.9	5.0	* 6	5.0	* 5.9	5.0	* 6				
Max Green Setting (Gmax), s	21.0	* 39	24.0	* 44	21.0	* 39	24.0	* 44				
Max Q Clear Time (g_c+I1), s	11.4	39.5	15.7	44.9	19.7	41.1	26.0	31.2				
Green Ext Time (p_c), s	0.5	0.0	0.7	0.0	0.2	0.0	0.0	6.0				

Intersection Summary	
HCM 6th Ctrl Delay	104.2
HCM 6th LOS	F

Notes

* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.

Mountain View Medical Center
Total PM

3: Tatum Blvd & Fry's Dwy/Medical Center Dwy
HCM 6th TWSC

Intersection												
Int Delay, s/veh	7.5											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↔		↔		↔		↔		↔		↔	
Traffic Vol, veh/h	24	0	126	14	0	84	55	2005	13	2	1003	149
Future Vol, veh/h	24	0	126	14	0	84	55	2005	13	2	1003	149
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	105	-	-	-	-	150
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	27	0	140	16	0	93	61	2228	14	2	1114	166

Major/Minor	Minor2	Minor1	Major1	Major2
Conflicting Flow All	2131	3482	557	2807
Stage 1	1118	1118	-	2357
Stage 2	1013	2364	-	450
Critical Hdwy	6.44	6.54	7.14	6.44
Critical Hdwy Stg 1	7.34	5.54	-	7.34
Critical Hdwy Stg 2	6.74	5.54	-	6.74
Follow-up Hdwy	3.82	4.02	3.92	3.82
Pot Cap-1 Maneuver	*124	*8	*682	*34
Stage 1	*700	*666	-	*21
Stage 2	*231	*67	-	*700
Platoon blocked, %	1	1	1	1
Mov Cap-1 Maneuver	*50	*7	*682	*24
Mov Cap-2 Maneuver	*50	*7	-	*24
Stage 1	*641	*613	-	*19
Stage 2	*97	*61	-	*513

Approach	EB	WB	NB	SB
HCM Control Delay, s	11.6	241.3	0.3	0.1
HCM LOS	B	F		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	715	-	-	682	91	94	-	-
HCM Lane V/C Ratio	0.085	-	-	0.205	1.197	0.024	-	-
HCM Control Delay (s)	10.5	-	-	11.6	241.3	44.2	-	-
HCM Lane LOS	B	-	-	B	F	E	-	-
HCM 95th %tile Q(veh)	0.3	-	-	0.8	7.6	0.1	-	-

Notes
 -: Volume exceeds capacity S: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Total PM

4: Tatum Blvd & Tatum Corp. Center Dwy/Beryl Ave
HCM 6th TWSC

Intersection												
Int Delay, s/veh	11											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↔		↔		↔		↔		↔		↔	
Traffic Vol, veh/h	8	1	2	21	0	65	0	1967	8	37	1130	5
Future Vol, veh/h	8	1	2	21	0	65	0	1967	8	37	1130	5
Conflicting Peds, #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	-	-	-	-	-	-	50	-	-	-	0	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	9	1	2	23	0	72	0	2186	9	41	1256	6

Major/Minor	Minor2	Minor1	Major1	Major2
Conflicting Flow All	2215	3536	631	2776
Stage 1	1341	1341	-	2191
Stage 2	874	2195	-	585
Critical Hdwy	6.44	6.54	7.14	6.44
Critical Hdwy Stg 1	7.34	5.54	-	7.34
Critical Hdwy Stg 2	6.74	5.54	-	6.74
Follow-up Hdwy	3.82	4.02	3.92	3.82
Pot Cap-1 Maneuver	126	8	*647	*41
Stage 1	642	618	-	*28
Stage 2	282	82	-	*664
Platoon blocked, %	1	1	1	1
Mov Cap-1 Maneuver	51	5	*647	*23
Mov Cap-2 Maneuver	51	5	-	*23
Stage 1	642	362	-	*28
Stage 2	168	82	-	*387

Approach	EB	WB	NB	SB
HCM Control Delay, s	182.8	\$ 363.6	0	2.1
HCM LOS	F	F		

Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR
Capacity (veh/h)	*814	-	-	31	67	99	-	-
HCM Lane V/C Ratio	-	-	-	0.394	1.426	0.415	-	-
HCM Control Delay (s)	0	-	-	182.8	363.6	65.1	-	-
HCM Lane LOS	A	-	-	F	F	F	-	-
HCM 95th %tile Q(veh)	0	-	-	1.3	8	1.7	-	-

Notes
 -: Volume exceeds capacity S: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Total PM

5: Tatum Blvd & Gold Dust Avenue
HCM 6th TWSC

Intersection						
Int Delay, s/veh	0.3					
Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	↔	↔	↔	↑↑↑	↑↑	↔
Traffic Vol, veh/h	17	20	47	2011	1066	66
Future Vol, veh/h	17	20	47	2011	1066	66
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	50	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	19	22	52	2234	1184	73

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	2182	592	1257	0	0
Stage 1	1184	-	-	-	-
Stage 2	998	-	-	-	-
Critical Hdwy	6.29	6.94	4.14	-	-
Critical Hdwy Stg 1	5.84	-	-	-	-
Critical Hdwy Stg 2	6.04	-	-	-	-
Follow-up Hdwy	3.67	3.32	2.22	-	-
Pot Cap-1 Maneuver	*281	*639	*956	-	-
Stage 1	*579	-	-	-	-
Stage 2	*293	-	-	-	-
Platoon blocked, %	1	1	1	-	-
Mov Cap-1 Maneuver	*266	*639	*956	-	-
Mov Cap-2 Maneuver	*218	-	-	-	-
Stage 1	*547	-	-	-	-
Stage 2	*293	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	17.1	0.2	0
HCM LOS	C		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	*956	-	339	-	-
HCM Lane V/C Ratio	0.055	-	0.121	-	-
HCM Control Delay (s)	.9	-	17.1	-	-
HCM Lane LOS	A	-	C	-	-
HCM 95th %tile Q(veh)	0.2	-	0.4	-	-

Notes
 -: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon

Mountain View Medical Center
Total PM

6: Beryl Ave & Medical Center Dwy
HCM 6th TWSC

Intersection						
Int Delay, s/veh	5.6					
Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations		↔	↑			↔
Traffic Vol, veh/h	22	27	19	2	1	71
Future Vol, veh/h	22	27	19	2	1	71
Conflicting Peds, #/hr	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Stop	Stop
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	0
Veh in Median Storage, #	-	0	0	-	0	-
Grade, %	-	0	0	-	0	-
Peak Hour Factor	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2
Mvmt Flow	24	30	21	2	1	79

Major/Minor	Major1	Major2	Minor2		
Conflicting Flow All	23	0	0	100	22
Stage 1	-	-	-	-	22
Stage 2	-	-	-	-	78
Critical Hdwy	4.12	-	-	6.42	6.22
Critical Hdwy Stg 1	-	-	-	-	5.42
Critical Hdwy Stg 2	-	-	-	-	5.42
Follow-up Hdwy	2.218	-	-	3.518	3.318
Pot Cap-1 Maneuver	1592	-	-	-	899
Stage 1	-	-	-	-	1001
Stage 2	-	-	-	-	945
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	1592	-	-	-	886
Mov Cap-2 Maneuver	-	-	-	-	886
Stage 1	-	-	-	-	986
Stage 2	-	-	-	-	945

Approach	EB	WB	SB
HCM Control Delay, s	3.3	0	8.7
HCM LOS			A

Minor Lane/Major Mvmt	EBL	EBT	WBT	WBR	SBLn1
Capacity (veh/h)	1592	-	-	-	1055
HCM Lane V/C Ratio	0.015	-	-	-	0.075
HCM Control Delay (s)	7.3	0	-	-	8.7
HCM Lane LOS	A	A	-	-	A
HCM 95th %tile Q(veh)	0	-	-	-	0.2

Mountain View Medical Center
Total PM

7: Med. Center Dwy/Albertson's Dwy & Shea Blvd
HCM 6th TWSC

Intersection												
Int Delay, s/veh	0.7											
Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations	↔ ↑↑↑			↔ ↑↑↑			↔			↔		
Traffic Vol, veh/h	41	1686	26	12	1962	91	0	0	38	0	0	56
Future Vol, veh/h	41	1686	26	12	1962	91	0	0	38	0	0	56
Conflicting Peds. #/hr	0	0	0	0	0	0	0	0	0	0	0	0
Sign Control	Free	Free	Free	Free	Free	Free	Stop	Stop	Stop	Stop	Stop	Stop
RT Channelized	-	-	None	-	-	None	-	-	None	-	-	None
Storage Length	205	-	-	85	-	150	-	-	0	-	-	0
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	2	2	2	2	2	2	2	2	2	2	2	2
Mvmt Flow	46	1873	29	13	2180	101	0	0	42	0	0	62

Major/Minor	Major1	Major2	Minor1	Minor2
Conflicting Flow All	2281	0	0	1902
Stage 1	-	-	-	-
Stage 2	-	-	-	-
Critical Hdwy	5.34	-	5.34	-
Critical Hdwy Stg 1	-	-	-	-
Critical Hdwy Stg 2	-	-	-	-
Follow-up Hdwy	3.12	-	3.12	-
Pot Cap-1 Maneuver	*563	-	140	-
Stage 1	-	-	-	-
Stage 2	-	-	-	-
Platoon blocked, %	1	-	-	-
Mov Cap-1 Maneuver	*563	-	140	-
Mov Cap-2 Maneuver	-	-	-	-
Stage 1	-	-	-	-
Stage 2	-	-	-	-

Approach	EB	WB	NB	SB
HCM Control Delay, s	0.3	0.2	24.8	14.4
HCM LOS			C	B

Minor Lane/Major Mvmt	NBLn1	EBL	EBT	EBR	WBL	WBT	WBR	SBLn1
Capacity (veh/h)	224	*563	-	-	140	-	-	447
HCM Lane V/C Ratio	0.188	0.081	-	-	0.095	-	-	0.139
HCM Control Delay (s)	24.8	12	-	-	33.4	-	-	14.4
HCM Lane LOS	C	B	-	-	D	-	-	B
HCM 95th %tile Q(veh)	0.7	0.3	-	-	0.3	-	-	0.5

Notes
 -: Volume exceeds capacity \$: Delay exceeds 300s +: Computation Not Defined *: All major volume in platoon


Mountain View Medical Center
Total PM

8: Shea Blvd & 50th Street
Timing Report, Sorted By Phase

Phase Number	4	6	8
Movement	EBTL	SBL	WBT
Lead/Lag			
Lead-Lag Optimize			
Recall Mode	C-Max	Max	C-Max
Maximum Split (s)	70	50	70
Maximum Split (%)	58.3%	41.7%	58.3%
Minimum Split (s)	25.3	29.2	25.3
Yellow Time (s)	4.3	3	4.3
All-Red Time (s)	1	2.2	1
Minimum Initial (s)	15	5	15
Vehicle Extension (s)	3	3	3
Minimum Gap (s)	3	3	3
Time Before Reduce (s)	0	0	0
Time To Reduce (s)	0	0	0
Walk Time (s)	8	8	8
Flash Dont Walk (s)	12	16	12
Dual Entry	Yes	Yes	Yes
Inhibit Max	Yes	Yes	Yes
Start Time (s)	3	73	3
End Time (s)	73	3	73
Yield/Force Off (s)	67.7	117.8	67.7
Yield/Force Off 170(s)	55.7	101.8	55.7
Local Start Time (s)	0	70	0
Local Yield (s)	64.7	114.8	64.7
Local Yield 170(s)	52.7	98.8	52.7


Intersection Summary	
Cycle Length	120
Control Type	Actuated-Coordinated
Natural Cycle	100
Offset: 3 (3%), Referenced to phase 4:EBTL and 8:WBT, Start of Green	

Splits and Phases: 8: Shea Blvd & 50th Street



Mountain View Medical Center
Total PM

8: Shea Blvd & 50th Street
HCM 6th Signalized Intersection Summary



Movement	EBL	EBT	WBT	WBR	SBL	SBR
Lane Configurations	↖	↖↖↖	↖↖		↖	↖
Traffic Volume (veh/h)	59	1701	2040	50	145	73
Future Volume (veh/h)	59	1701	2040	50	145	73
Initial Q (Qb), veh	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	1.00			1.00	1.00	1.00
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No	No		No	
Adj Sat Flow, veh/h/ln	1870	1870	1870	1870	1870	1870
Adj Flow Rate, veh/h	66	1890	2267	56	161	81
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90
Percent Heavy Veh, %	2	2	2	2	2	2
Cap, veh/h	60	2753	1911	47	665	592
Arrive On Green	0.54	0.54	0.54	0.54	0.37	0.37
Sat Flow, veh/h	157	5274	3638	87	1781	1585
Grp Volume(v), veh/h	66	1890	1132	1191	161	81
Grp Sat Flow(s),veh/h/ln	157	1702	1777	1855	1781	1585
Q Serve(g_s), s	0.0	32.5	64.7	64.7	7.5	4.0
Cycle Q Clear(g_c), s	64.7	32.5	64.7	64.7	7.5	4.0
Prop In Lane	1.00			0.05	1.00	1.00
Lane Grp Cap(c), veh/h	60	2753	958	1000	665	592
V/C Ratio(X)	1.10	0.69	1.18	1.19	0.24	0.14
Avail Cap(c_a), veh/h	60	2753	958	1000	665	592
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(I)	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	60.0	20.2	27.6	27.7	25.9	24.8
Incr Delay (d2), s/veh	146.4	1.4	92.4	96.1	0.9	0.5
Initial Q Delay(d3),s/veh	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%),veh/ln	7.7	18.7	70.7	75.3	6.0	2.9
Unsig. Movement Delay, s/veh						
LnGrp Delay(d),s/veh	206.4	21.6	120.1	123.8	26.8	25.3
LnGrp LOS	F	C	F	F	C	C
Approach Vol, veh/h		1956	2323		242	
Approach Delay, s/veh		27.9	122.0		26.3	
Approach LOS		C	F		C	
Timer - Assigned Phs				4	6	8
Phs Duration (G+Y+Rc), s				70.0	50.0	70.0
Change Period (Y+Rc), s				5.3	5.2	5.3
Max Green Setting (Gmax), s				64.7	44.8	64.7
Max Q Clear Time (g_c+1), s				66.7	9.5	66.7
Green Ext Time (p_c), s				0.0	0.7	0.0
Intersection Summary						
HCM 6th Ctrl Delay			76.1			
HCM 6th LOS			E			

APPENDIX G

QUEUE LENGTH ANALYSIS

Signalized Intersection
2024

Average Vehicle Length (ft): 25

Cycles: 1.5

Intersection Cycle Length (sec): varies

Equation Used: storage length = 1.5 x (vehicles/hour)/(cycles/hour) x average vehicle length

Intersection	Approach	AM Peak (veh/hr)	Midday Peak	PM Peak (veh/hr)	Max vehs per 1.5 cycles	Max trucks per 1.5 cycles	Storage Length
Tatum Blvd & Desert Cove Ave (102 Second Cycle)	NB Left	29	0	10	2	0	50'
	SB Left	85	0	111	5	0	125'
	EB Left	9	0	27	2	0	50'
	WB Left	20	0	76	4	0	100'
	NB Right	36	0	40	2	0	50'
	SB Right	10	0	2	1	0	25'
	EB Right	5	0	27	2	0	50'
	WB Right	49	0	98	5	0	125'
Tatum Blvd & Shea Blvd (140 Second Cycle)	NB Left	298	0	705	42	0	<u>525'</u>
	SB Left	231	0	287	17	0	<u>225'</u>
	EB Left	229	0	365	22	0	<u>275'</u>
	WB Left	324	0	194	19	0	<u>250'</u>
	NB Right	221	0	265	16	0	400'
	SB Right	115	0	281	17	0	425'
	EB Right	491	0	242	29	0	725'
	WB Right	182	0	211	13	0	325'
50th St & Shea Blvd (120 Second Cycle)	NB Left	0	0	0	0	0	0'
	SB Left	75	0	141	8	0	200'
	EB Left	38	0	58	3	0	75'
	WB Left	0	0	0	0	0	0'
	NB Right	0	0	0	0	0	0'
	SB Right	43	0	72	4	0	100'
	EB Right	0	0	0	0	0	0'
	WB Right	53	0	49	3	0	75'

Calculations for dual turn lanes are underlined

Unsignalized Intersection
2024

Average Vehicle Length (ft): 25

Equation Used: storage length = 2 x (vehicles/hour)/(60 minutes/hour) x average vehicle length

Intersection	Approach	AM Peak (veh/hr)	Midday Peak	PM Peak (veh/hr)	Veh per 2 minutes	Trucks per 2 minutes	Storage Length
Tatum Blvd & Fry's Dwy/Medical Center Dwy	NB Left	43	0	54	2	0	50'
	SB Left	1	0	2	1	0	25'
	EB Left	26	0	24	1	0	25'
	WB Left	9	0	37	2	0	50'
	NB Right	45	0	22	2	0	50'
	SB Right	91	0	146	5	0	125'
	EB Right	69	0	124	5	0	125'
	WB Right	24	0	123	5	0	125'
Tatum Blvd & Beryl Ave/Tatum Corporate Center Dwy	NB Left	6	0	0	1	0	25'
	SB Left	51	0	41	2	0	50'
	EB Left	2	0	8	1	0	25'
	WB Left	7	0	43	2	0	50'
	NB Right	34	0	17	2	0	50'
	SB Right	24	0	5	1	0	25'
	EB Right	2	0	2	1	0	25'
	WB Right	36	0	101	4	0	100'
Tatum Blvd & Gold Dust Ave	NB Left	16	0	46	2	0	50'
	SB Left	0	0	0	0	0	0'
	EB Left	23	0	19	1	0	25'
	WB Left	0	0	0	0	0	0'
	NB Right	0	0	0	0	0	0'
	SB Right	20	0	70	3	0	75'
	EB Right	60	0	20	2	0	50'
	WB Right	0	0	0	0	0	0'
Medical Center Dwy & Beryl Ave	NB Left	0	0	0	0	0	0'
	SB Left	1	0	1	1	0	25'
	EB Left	75	0	38	3	0	75'
	WB Left	0	0	0	0	0	0'
	NB Right	0	0	0	0	0	0'
	SB Right	20	0	130	5	0	125'
	EB Right	0	0	0	0	0	0'
	WB Right	1	0	2	1	0	25'
Albertsons Dwy/Medical Center Dwy & Shea Blvd	NB Left	0	0	0	0	0	0'
	SB Left	0	0	0	0	0	0'
	EB Left	51	0	36	2	0	50'
	WB Left	39	0	19	2	0	50'
	NB Right	17	0	51	2	0	50'
	SB Right	34	0	55	2	0	50'
	EB Right	99	0	48	4	0	100'
	WB Right	30	0	81	3	0	75'