

# STORM DRAINAGE DESIGN MANUAL UPDATE

April 13<sup>th</sup>, 2017



#### REQUESTED ACTION

- Receive and discuss further information on three outstanding items:
  - 1. First Flush Requirement
  - 2. Retention Basin Easements
  - 3. Pool Backwash



## **POLICY QUESTIONS**

- 3. First flush requirement for first ½" of rainfall
  - Currently not required
  - Proposed in manual that if retention is provided on site, first flush is required to be retained
- 4. Retention Basin Easements
  - Currently not required
  - Proposed in manual that an easement is required over retention basins to ensure the basin remains in place



#### FIRST FLUSH REQUIREMENT

- The EPA delegates stormwater enforcement to the individual states.
- The Arizona Department of Environmental Quality is the state department that oversees municipal compliance with state regulations for stormwater quality.
- The town's calculation for first flush requirement is based off the disturbed area of the proposed development and not the entire site.
- The practical implementation of first flush retention/detention will ultimately help the town accomplish other requirements of the MS4, such as illicit discharge detection and elimination.



#### FIRST FLUSH REQUIREMENT

- The EPA delegates stormwater enforcement to the individual states.
- The Arizona Department of Environmental Quality is the state department that oversees municipal compliance with state regulations for stormwater quality.
- The town's calculation for first flush requirement is based off the disturbed area of the proposed development and not the entire site.
- The practical implementation of first flush retention/detention will ultimately help the town accomplish other requirements of the MS4, such as illicit discharge detection and elimination.



#### FIRST FLUSH REQUIREMENT

The previous text stated, in Section 3-2 B.2.a:

First flush volume shall be retained on all lots

The revised text states, in Section 3-2 B.2.a:

Where detention is allowed, first flush volume shall be retained on all lots or within common retention areas, and a reasonable attempt shall be made to route all runoff from disturbed areas to first flush basin(s) subject to grading plan approval.

 Additionally, Section 3-4 B does allow for smaller basins and/or alternative stormwater controls, it they meet the approval of the Town Engineer, to retain/detain the first flush requirement.



#### RETENTION BASIN EASEMENTS

- Issue: Notifying owners in the change of possession of real property that a retention basin exists on the property and has to remain in its location and be maintained
- Recommended in Manual
  - Retention Basin Easement over retention basins on the property



#### POOL BACKWASH

- Recommend amending Section 15-2-12 of the Town Code which prohibits backwashing pools into the sanitary sewer
- Update section 3-5 F of the Manual to allow for pools to be drained into the sanitary sewer system if done so in the cleanout on private property
- Both City of Phoenix and City of Scottsdale permit this practice for their residents and were supportive of the town making this change
- Also added text to give examples of other ways to backwash a pool such as in a retention basin on site or using a septic hauler



## REQUESTED ACTION

# **Questions Before Adoption?**

