TOWN OF PARADISE VALLEY

Hillside Code Statement of Direction Lighting





Statement of Direction

- Lighting Evaluate standards to:
 - 1. Address Kelvin requirements
 - 2. Add Lux as another light measurement
 - 3. Extend holiday lighting to October 15th
- PC may request clarification and/or expansion of SOD



PC Request: Re-Organize to be User Friendly by Lighting Zones

- Main entry
- Other entries
- Garage doors
- Walkway & Driveway
- Landscape

- Security
- Underwater
- Holiday
- Outdoor Living Area



Main Entry Lights

- Allow 5 Types of Fixtures:
 - a. Fully Shielded
 - b. Translucent
 - c. Unshielded Luminaires
 - d. Recessed Can Fully Shielded
 - e. Chandelier



Walkways & Driveways

- 36" tall
- 12' separation



Underwater Lights

- Pools, hot-tubs, water features
- 0.25 fc at property line



Outdoor Living Area

- Area of property used to enjoy desert environment
- Only to provide enough light to eat and only on when occupied

	Unroofed Areas	Roofed Areas
Type of Fixture	Pole Light	Any Code Compliant Fixture
Output	5 fc within area 0.25 fc at property line	5 fc within area 0.25 fc at property line
Max. Kelvins	3,500K	3,500K
Height	8.5'	Height of Structure
Design Standards	Shielded & Light Directed Down	Shielded & Light Directed Down



Questions?

